

Form 9-332
(May 1963)UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEYSUBMIT IN TRIPLICATE*
(Other instructions on reverse side)Form approved.
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

N00C-14-20-4311

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

Navajo Allotted

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

Bumble

9. WELL NO.

1

10. FIELD AND POOL, OR WILDCAT

Cuervo Mesaverde

11. SEC., T., R., M., OR BLK. AND
SURVEY OR AREA

Sec. 27, T24N, R8W

12. COUNTY OR PARISH

San Juan

13. STATE

NM

1.

OIL WELL ☒ GAS WELL ☐ OTHER ☐

2. NAME OF OPERATOR

Dugan Production Corp.

3. ADDRESS OF OPERATOR

Box 234, Farmington, New Mexico 87401

4. LOCATION OF WELL (Report location clearly and in accordance with any State Requirements. See also space 17 below.)
At surface

660' FWL — 1980' FNL

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

6757' GR

16.

Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF ☐FRACTURE TREAT ☐SHOOT OR ACIDIZE ☐REPAIR WELL ☐(Other) ☐PULL OR ALTER CASING ☐MULTIPLE COMPLETE ☐ABANDON* ☐CHANGE PLANS ☐

SUBSEQUENT REPORT OF:

WATER SHUT-OFF ☐FRACTURE TREATMENT ☐SHOOTING OR ACIDIZING ☐(Other) ☐REPAIRING WELL ☐ALTERING CASING ☐ABANDONMENT* ☐Re-Entry ☒

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Moved in L & M Ventures pulling unit. Rigged up, went in hole with bit on tubing, hit plug at 150', drilled and pushed plug to 3773', drilled solid cement 3773-4130'. Cleaned out to 4250'. Welox ran perforating gun, stuck gun at 4105'. Recovered gun, went in hole, reamed hole. Perforated two jets/ft 4117-19' and 4125-29'. Acidized zone with 300 gals 15% HCL. Swabbed well, scum of oil, drilling mud and water. Acidized well with 300 gals HCL. Swabbed well, recovered trace of oil, some water and emulsion. Ran tubing and rods. Put well on pump.

NOV 15 1974

H. B. DUGAN, SURVEY

18. I hereby certify that the foregoing is true and correct

SIGNED Original signed by T. A. Dugan
Thomas A. DuganTITLE EngineerDATE 11-13-74

(This space for Federal or State office use)

APPROVED BY _____
CONDITIONS OF APPROVAL, IF ANY:

TITLE _____

DATE _____