Budget Bureau N Approval expires	To. 42-R358.4. 12-31-60.	0
AM A	and the second	

(SI	IBMIT	IN	TRIPI	ICATE)

i			
 j			
}			
 <u>i</u>			

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

and Office	Santa Pe	
Zana Onice	078867	
ease No	45	
T_ 14	Sapp	
Jnit		

NOTICE OF INTENTION TO CHANGE PLANS. NOTICE OF INTENTION TO CHANGE PLANS. NOTICE OF INTENTION TO TEST WATER SHUT-OFF. NOTICE OF INTENTION TO REST WATER SHUT-OFF. NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL. NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL. NOTICE OF INTENTION TO SHOOT OR ACIDIZE. NOTICE OF INTENTION TO PULL OR ALTER CASING. NOTICE OF INTENTION TO PULL OR ALTER CASING. NOTICE OF INTENTION TO ABANDON WELL. (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) June 14 Vell No. 2-B is located 990 ft. from Superior Report, NOTICE, OR OTHER DATA) June 14 Vell No. 2-B is located 990 ft. from Report, NOTICE, OR OTHER DATA) June 14 Vell No. 2-B is located 990 ft. from Report, NOTICE, OR OTHER DATA) June 14 Vell No. 2-B is located 990 ft. from Report, NOTICE, OR OTHER DATA) June 14 Vell No. 2-B is located 990 ft. from Report, NOTICE, OR OTHER DATA) June 14 Vell No. 2-B is located 990 ft. from Report, NOTICE, OR OTHER DATA) June 14 Vell No. 2-B is located 990 ft. from Report, NOTICE, OR OTHER DATA) June 14 Vell No. 2-B is located 990 ft. from Report, NOTICE, OR OTHER DATA) June 14 Vell No. 2-B is located 990 ft. from Report, NOTICE, OR OTHER DATA) June 14 Vell No. 2-B is located 990 ft. from Report, NOTICE, OR OTHER DATA) June 14 Vell No. 2-B is located 990 ft. from Report, NOTICE, OR OTHER DATA) June 14 Vell No. 2-B is located 990 ft. from Report, NOTICE, OR OTHER DATA) June 14 Vell No. 2-B is located 990 ft. from Report of Report, NOTICE, OR OTHER DATA) June 14 Vell No. 2-B is located 990 ft. from Report of Report, NOTICE, OR OTHER DATA) June 14 Vell No. 2-B is located 990 ft. from Report of Report, NOTICE, OR OTHER DATA June 14 Vell No. 2-						*
NOTICE OF INTENTION TO CHANGE PLANS. NOTICE OF INTENTION TO TEST WATER SHUT-OFF NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL NOTICE OF INTENTION TO SHOOT OR ACIDIZE NOTICE OF INTENTION TO SHOOT OR ACIDIZE NOTICE OF INTENTION TO PULL OR ACTER CASING. NOTICE OF INTENTION TO PULL OR ACTER CASING. NOTICE OF INTENTION TO BABANDON WELL (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) June 14 (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) June 14 (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) June 14 (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) June 14 (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) June 14 (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) June 14 (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) June 14 (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) June 14 (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT OF ALMADION MENT (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT OF ALMADION MENT (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT OF ALMADION MENT (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT OF ALMADION MENT (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT OF ALMADION MENT (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT OF ALMADION MENT (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT OF ALMADION MENT (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT OF ALMADION MENT (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT OF ALMADION MENT (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT OF ALMADION MENT (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT OF ALMADION MENT (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT OF ALMADION MENT (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT OF ALMADION MENT (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT OF ALMADION MENT (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT OF ALMADION MENT (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT OF ALMADION MENT (INDICATE ABOVE	NTENTION TO DRILL		SUBS	EQUENT REPORT OF V	ATER SHUT-OFF	
SUBSEQUENT REPORT OF ALTERING CASING. NOTICE OF INTENTION TO RE-DRILLING OR REPAIR WELL NOTICE OF INTENTION TO SHOOT OR ACIDIZE. NOTICE OF INTENTION TO SHOOT OR ACIDIZE. NOTICE OF INTENTION TO PULL OR ALTER CASING. NOTICE OF INTENTION TO ABANDON WELL (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) June 14 cell No. 2-B is located 990 ft. from S line and 1550 ft. from W line of sec. Sec. 19 248	NTENTION TO CHANGE PLAN	NS				
Subsequent report of Re-Drilling or Repair Well Notice of Intention to Shoot or acidize Notice of Intention to Shoot or acidize Notice of Intention to Pull or Atter Casing Notice of Intention to Dull or Atter Casing Notice of Intention to Abandon Well (Indicate Above by Check Mark Nature of Report, Notice, or other Data) June 14 Lell No. 2-B is located 990 ft. from Siline and 1550 ft. from Will line of sec. Sec. 19 Sec. 19 Sec. 19 Sec. 19 Country of Subdivision) (Range)	NTENTION TO TEST WATER	SHUT-OFF				
SUBSEQUENT REPORT OF ABANDONMENT. SUBSEQUENT REPORT OF ABANDONMENT. SUPPLEMENTARY WELL HISTORY. OTHICE OF INTENTION TO PULL OR ALTER CASING. (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) June 14 Sell No. 2-B is located 990 ft. from S line and 1550 ft. from W line of sec. Sec. 19 Sec. 19 (A Sec. and Sec. No.) (Twp.) (Range) (Range) (Rounty or Subdivision) (State or Territory) de elevation of the derrick floor above sea level is to names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, or ing points, and all other important proposed work) is intended to drill a well thru the Callup formation using rotary tools do to perforate and sand-oil fracture possible producing zones. Estimated to 19-16. Sec. 19 Sec. 19 Subsequent report of ABANDONMENT. SUPPLEMENTARY WELL HISTORY. SUPPLEMENTARY. SUPPLEMENTARY. SUPPLEMENTARY. SUPPLEMENTARY. SUPPLEMENTARY. SUPPLEMENTARY. SUPPLEMENTARY. SUPPLEMENTARY. SUPPLEM	NTENTION TO RE-DRILL OR	REPAIR WELL				
Country of Subdivision (State of Territory) elevation of the derrick floor above sea level is fer names of and expected depths to objective sands; show aizes, weights, and lengths of proposed casings; indicate mudding jobs, of the names of and expected depths to objective sands; show aizes, weights, and lengths of proposed casings; indicate mudding jobs, of the names of and expected depths to objective sands; show aizes, weights, and lengths of proposed casings; indicate mudding jobs, of the names of and expected depths to objective sands; show aizes, weights, and lengths of proposed casings; indicate mudding jobs, of the names of and expected depths to objective sands; show aizes, weights, and lengths of proposed casings; indicate mudding jobs, of its intended to drill a well thru the Gallup formation using rotary tools at the perforate and sand-oil fracture possible producing zones. Estimated the perforate and sand-oil fracture possible producing zones. Estimated the proposed to the sand-oil fracture possible producing zones. Estimated to SE/450/4 at 170' with 150 sacks regular cement circulated to surface 5-1/2" at 5475' with 150 sacks regular cement, 150 sacks Possible 150/8867 (SESM/4).	NTENTION TO SHOOT OR AC	CIDIZE				
(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) June 14 Ell No. 2-B is located 990 ft. from S line and 1550 ft. from W line of sec. Sec. 19 24B SW N.M.P.M. (4 Sec. and Sec. No.) (Twp.) (Range) (Meridian) 1 San Juan (County or Subdivision) (State or Territory) 1 deat DETAILS OF WORK 1 te names of and expected depths to objective and; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, or ing points, and all other important proposed work) 1 is intended to drill a well thru the Callup formation using rotary tools d to perforate and sand-oil frecture possible producing zones. Estimated tall Bepth 5745'. 10-3/4 at 170' with 150 sacks regular cament circulated to surface 5-1/2" at 5475' with 150 sacks regular cament, 150 sacks Possible 078867 (SESM/4).	ITENTION TO PULL OR ALT	ER CASING				
Sec. 19 Sec	ITENTION TO ABANDON WE	<u>u</u>	l fi			
is located 990 ft. from S line and 1550 ft. from W line of sec. Sec. 19 200 Sw R.M.P.M. (A Sec. and Sec. No.) (Field) (County or Subdivision) (County or Subdivision) (State or Territory) (St	(INDICATE	ABOVE BY CHECK MARI	K NATURE OF	REPORT, NOTICE, OR (THER DATA)	
ell No. 2-B is located 590 ft. from S line and 1550 ft. from W line of sec Sec. 19 200 SW R.M.P.M. (A Sec. and Sec. No.) (Twp.) (Range) (Meridian) Sen Juan (County or Subdivision) (State or Territory) de elevation of the derrick floor above sea level is DETAILS OF WORK at names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, or ing points, and all other important proposed work) is intended to drill a well thru the Callup formation using rotary tools of the perforate and sand-oil fracture possible producing zones. Estimated the perforate and sand-oil fracture possible producing zones. Estimated the surface 5-1/2" at 5475' with 150 sacks regular cement, 150 sacks Formation 19 is dedicated to this well. (75867 (SESW/4).				June	14	19
Sec. 19 248 (% Sec. and Sec. No.) (Twp.) (Range) (Meridian) (Meridian) (Meridian) (Meridian) (Meridian) (State or Territory) e elevation of the derrick floor above sea level is EVALUATED OF WORK te names of and expected depths to objective sands; show aizes, weights, and lengths of proposed casings; indicate mudding jobs, or ing points, and all other important proposed work) is intended to drill a well thru the Gallup formation using rotary tools it to perforate and sand-oil fracture possible producing zones. Estimated tal Depth 5745'. sing Program: 10-3/4 at 170' with 150 sacks regular cement circulated to surface 5-1/2" at 5475' with 150 sacks regular cement, 150 sacks Possible of Section 19 is dedicated to this well.	2-B is located	990 ft. from	1 {c lir			
(Werdian) San Juan (County or Subdivision) (County or Subdivision) (State or Territory) e elevation of the derrick floor above sea level is DETAILS OF WORK to names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, or ing points, and all other important proposed work) is intended to drill a well thru the Callup formation using rotary tools it to perforate and sand-oil fracture possible producing zones. Estimated tall Pepth 5745'. sing Program: 10-3/4 at 170' with 150 sacks regular cement circulated to surface 5-1/2" at 5475' with 150 sacks regular cement, 150 sacks Possible of Section 19 is dedicated to this well.	9		(၁၂ 8 /		(**)	
(Field) (County or Subdivision) (State or Territory) e elevation of the derrick floor above sea level is DETAILS OF WORK te names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, or ing points, and all other important proposed work) is intended to drill a well thru the Gallup formation using rotary tools to perforate and sand-oil fracture possible producing zones. Estimated tail Depth 5745'. sing Progress: 10-3/4 at 170' with 150 sacks regular coment circulated to surface 5-1/2" at 5475' with 150 sacks regular coment, 150 sacks Possible SE/45W/4 of Section 19 is dedicated to this well. 076867 (SESW/4).	and Sec. No.)	(Twp.)	(Range)			
DETAILS OF WORK to names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, of ing points, and all other important proposed work) is intended to drill a well thru the Gallup formation using rotary tools to perforate and sand-oil fracture possible producing zones. Estimated tal Depth 5745'. sing Program: 10-3/4 at 170' with 150 sacks regular cement circulated to surface 5-1/2" at 5475' with 150 sacks regular cement, 150 sacks Possible SE/488//4 of Section 19 is dedicated to this well. 076667 (SESW/4).		San Jua	n		Hew Hex	rico
DETAILS OF WORK e names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, of ing points, and all other important proposed work) is intended to drill a well thru the Gallup formation using rotary tools to perforate and sand-oil fracture possible producing zones. Estimated al Depth 5745'. ing Progres: 10-3/4 at 170' with 150 sacks regular cement circulated to surface 5-1/2" at 5475' with 150 sacks regular cement, 150 sacks Possible SE/45W/4 of Section 19 is dedicated to this well. 076867 (SESW/4).	(Field)	(County of	or Subdivision	i)	(State or Terr	itory)
to perforate and sand-oil fracture possible producing zones. Estimated call Depth 5745'. Sing Program: 10-3/4 at 170' with 150 sacks regular cement circulated to surface 5-1/2" at 5475' with 150 sacks regular cement, 150 sacks Possible SE/468/4 of Section 19 is dedicated to this well. 076667 (SESW/4).	and expected depths to obj	jective sands; show siz	es, weights,	and lengths of propose	d casings; indicate	mudding jobs, cen
understand that this plan of work must receive approval in writing by the Geological Survey before operations have be commenced.	ended to drill	a well thru	es, weights, ther import	and lengths of propose ant proposed work)	naine wit	arv toola
The same Management of the Same and the same	ended to drill rforste and san th 5745'. ogram: 10-3/4 at 170' 5-1/2" at 5475' W/4 of Section	a well thru decil fracture with 150 sac with 150 sac	es, weights, the import the Gal re poes	and lengths of propose ant proposed work) Lup formation this products that coment (using rot	Estimated
npany El raso Natural Gas Products Company	ended to drill rforste and san th 5745'. ogram: 10-3/4 at 170' 5-1/2" at 5475' W/4 of Section (SESW/4). that this plan of work mu	with 150 sawith 150 sa	es, weights, ther import the Gal re poes	and lengths of proposed ant proposed work) Lup formation this production that coment (lar coment (lar coment, this well.	a using roting zones.	to surface Popular
lress Box 997	ended to drill rforste and san th 5745'. ogram: 10-3/4 at 170' 5-1/2" at 5475' W/4 of Section (SESW/4). that this plan of work mu	with 150 sawith 150 sa	es, weights, ther import the Gal re poes	and lengths of proposed ant proposed work) Lup formation this production that coment (lar coment (lar coment, this well.	a using roting zones.	to surface Popular
Parmington, New Mexico By Officerson	ended to drill rforate and san th 5745'. ogram: 10-3/4 at 170' 5-1/2" at 5475' W/4 of Section (SESW/4). that this plan of work mu	with 150 sawith 150 sa	es, weights, ther import the Gal re poes	and lengths of proposed ant proposed work) Lup formation this production that coment (lar coment (lar coment, this well.	a using roting zones.	to surface Popular

NEW MEXICO OIL CONSERVATION COMMISSION

Well Location and Acreage Dedication Plat

							1951	
rator EL PASO NATURAL PRODUCTS CO	MPANY	Lease	SAPP			SF 07	8867	
I No. <u>2-B</u> Unit Letter <u>N</u> Se	ction	19	То	wnship	24 N	Ronge	8 w_	
ated 990 Feet From SOU	THLine	,	550	Fee	f From_	W	EST	L
ntyG.L.Elevati ne of Producing FormationG	οn Δ[],[]P	6800	D	edicated	Acreage	at II DCAT	0	Ac
Is the Operator the only owner in the	dedicated	acreage	outlined	or the	plat held	n attacant		
YesNo	304.04.04	uo. vugu	001111100	011 1110	prar bore	, re :		
If the answer to question one is "no	o", have th	ne intere	sts of d	all the o	wners be	en consol	idated by	comm
itization agreement or otherwise? Yes								
idation	4					المن المجارية	The state of the s	Committee Francisco
idation If the answer to question two is "no	, list all	the owne	ers and	their res	pective	interests.	below "	er (
Owner			La	nd Desc	ription	بال	N1419	٦ <i>۱</i>
					<u> </u>		TON HEY	SUR
						FARMINAC	TON NEY	y Mr.
						EXKAILING.		
								
								
tion B	Note: All	distance	s must b	oe from o	uter bound	daries of s	section.	
			1		 -		T	
s is to certify that the information					i		i	
Section A above is true and com-						_	1	i
te to the best of my knowledge			}					I
•			i 					I
d belief.			<u>.</u>				1	I
El Paso Matural Gas Products Co.			İ		I			
(Operator)							_	
Defoluston			!				·	
(Representative)			i	CEICH F	2		i	
Address		-		SECT I	JN 19		-	:
'armington, New Mexico	j		,		ļ			:
					ن	100	9.4	
						Wil		Ņ
		11.4				- Y		
					1.70		*{//}	
	15	50	SF0788	67		901 G	33	
			,		A A	6) Cz		İ
			_ 5 _			3 4		
			1 2 1					l
	Ĺ							
			<u> </u>					
	0 330 66	so 990 i32	0 1650 198	02310 264	0 2000	1500 1000	500)

This is to certify that the above plot was prepared from field notes of actual surveys made by me or under my supervision and that the same are true and correct to the best of my knowledge and belief.

Date Surveyed

(Seal)

Farmington, New Mexico

6.0. Walker