
Form 9-881 a (Feb. 1951)



(SUBMIT IN TRIPLICATE)

Land	Offic	S.	inta	/*	
Loaso	No.	5 F	07 a	531	
Tîmia		M			

UNITED STATES DEPARTMENT OF THE INTERIOR **GEOLOGICAL SURVEY**

	IÀ ∥ au		······································
IOTICE OF INTENTION TO DRILL	SUI	BSEQUENT REPORT OF WATER SHUT-OFF	1
OTICE OF INTENTION TO CHANGE	301	BSEQUENT REPORT OF SHOOTING OR ACIDIZING.	
OTICE OF INTENTION TO TEST WA		BSEQUENT REPORT OF ALTERING CASING.	•
OTICE OF INTENTION TO RE-DRILL		BSEQUENT REPORT OF RE-DRILLING OR REPAIR.	ŀ
OTICE OF INTENTION TO SHOOT O	1 1	BSEQUENT REPORT OF ABANDONMENT	
OTICE OF INTENTION TO PULL OR		PPLEMENTARY WELL HISTORY	
OTICE OF INTENTION TO ABANDON	I WELL		
(INDIC.	ATE ABOVE BY CHECK MARK NATURE (OF REPORT, NOTICE, OR OTHER DATA)	
		July 11	
entury Royal	Fed.		,
ll No. 1-3 is loca	ted <u>990</u> ft. from S	ine and $\frac{1190}{W}$ ft. from $\frac{E}{W}$ line o	f sec. <u>3</u>
M 3W 3	243	Ropa	
(1/4 Sec. and Sec. No.)	(Twp.) (Range)	(Meridian)	
	Sen Juan	New Mexico	
(Field)	(County or Subdivis	ion) (State or Territory)	
in. rotary tools	. drill 12-:" sur	s, and lengths of proposed casings; indicate mud rtant proposed work) **TRES COIS IN INC.	1801 0
ing rotary tools 5/6", 240, J-55 or water shut off commercial pro- sing to approximation	objective sands; show sizes, weighting points, and all other imposes, drill 12-3" suressing, circulate of drill 7-7/8" he ction is indicated.	s, and lengths of proposed casings; indicate much transfer proposed work) face note to 100°, set with cement, woo 15 h le to approximately 69 set, sen 5-8°, 15.50%, coment with sufficient	180' o rs. & t 00' and J-55
ing rotary tools -5/6°, 24%, J-55 or water shut off f commercial prod asing to approxim	o objective sands; show sizes, weighted ing points, and all other imports, drill 12-2" suressing, circulate arill 7-7/8" he inction is indicated at taly 6900° and contact the contact of	a, and lengths of proposed casings; indicate much retain proposed work) Face note to 160', set with cessent, woo 16 in the cessent, woo 16 in the cessent with sufficient senent with sufficient of the cessent with sufficient wi	150' ors. & t 00' and J-55 amount
ing rotary tools -5/6", 240, J-55 Present off commercial profesing to appreximate to shut off	o objective sands; show sizes, weight ing points, and all other imposes, drill 12-2" suressing, circulate casing, circulate to drill 7-7/6" he is ction is indicated to the control of callup formation	s, and lengths of proposed casings; indicate much transfer proposed work) face note to 100°, set with cement, woo 15 h le to approximately 69 set, sen 5-8°, 15.50%, coment with sufficient	150' ors. & t 00' and J-55 amount
ing rotary tools 5/6", 244, J-55 or water shut off commercial product sing to approximate to shut off understand that this plan of work	o objective sands; show sizes, weight ing points, and all other impoints, and all other impoints, drill 12-; suressing, circulate drill 7-7/6 he is drill 7-	s, and lengths of proposed casings; indicate much reant proposed work) face note to 160', set with cessent, woo 16 in the te approximately 69 is d. sen 5-8', 15.50%, senent with sufficient in the sufficient of the contract of the contrac	150' ors. 5 to 00' and J-55 amount
understand that this plan of work understand the understand	o objective sands; show sizes, weight ing points, and all other impose, drill 12-2" suressing, circulate casing, circulate drill 7-7/8" he is ction is indicated the callup formation of callup formation writing by calling Coarse,	s, and lengths of proposed casings; indicate much retain proposed work) Face note to 160°, set with cement, woo 16 in the cement, woo 16 in the second set of 15,50°, and 15°, and 15°	150' ors. & to 00' and J-55 amount
understand that this plan of work understand the understand	o objective sands; show sizes, weight ing points, and all other impose, drill 12-2" suressing, circulate casing, circulate drill 7-7/8" he is ction is indicated the callup formation of callup formation writing by calling Coarse,	s, and lengths of proposed casings; indicate much retain proposed work) Face note to 160°, set with cement, woo 16 in the cement, woo 16 in the second set of 15,50°, and 15°, and 15°	160' com
understand that this plan of work understand the unders	o objective sands; show sizes, weight ing points, and all other impose, drill 12-2" suressing, circulate casing, circulate drill 7-7/8" he is ction is indicated the callup formation of callup formation writing by calling Coarse,	s, and lengths of proposed casings; indicate much reant proposed work) face note to 160', set with cessent, woo 16 in the te approximately 69 is d. sen 5-8', 15.50%, senent with sufficient in the sufficient of the contract of the contrac	150' ors. & to 00' and J-55 amount

FORM C=128 Revised 5/1/57

NEW MEXICO OIL CONSERVATION COMMISSION WELL LOCATION AND ACREAGE DEDICATION PLAT

SEE INSTRUCTIONS FOR COMPLETING THIS FORM ON THE REVERSE SIDE										
					SECTIO	N A				
Operator	Centu	ry Drilli	ing Comp	any	Lease		*		Well No	. 3
Unit Lette		etien 3	Township 24N		Rang	** 8W	County	San Juar	า	
	ocage Locat 1190 fe	ion of Well: et from the	West	line and	99	90	feet from the	South	line	***************************************
	evel Elev.	Producing Fo	rmation		Pool				Dedicated Acre	eage:
6941	4•5	Janet	a .			Intent	mated		320	Acres
 								·		
									(''Ouner'' me	
				rom any poo	l and to a	ppropriate	the production	i either for his	nself or for hims	elf and
		19 (e) NMSA 193	•							
2. If the	answer to qu	estion one is	'no,'' have th	e interests	of all the	owners be	en consolidate	ed by communi	tization agreeme	ent or other-
		NO If							TUTTI .	
	answer to qu	estion two is "	no, list all	the owners	and their			OW:	2[<u> </u>	
Owner						Land Des	cription	/	TOTIA!	
	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,								1111 1 2	<u> </u>
· · · · · · · · · · · · · · · · · · ·			···					Oi	- CON-	į
			SECTIO	эм в					CENTIFICATI	ON
								1	The same of the sa	. ,
		i				ĺ		1 1	certify that the	
		i				1		8 3	ON A above is	
		i				1		F [the best of my ki	lowledge and
		1						belief.	D- MR	ncken
						<u> </u>		Name	Tice man	
						1		Position	ritury (m) e.	•
								Company	17 12. 1 %)
		 	:			1		Date		
						1				
						 	· · · · · · · · · · · · · · · · · · ·			
i			1			1		I hereby o	ertify that the v	vell location
						ĺ			the plat in SEC	
		j	1			1		i .	om field notes o	
			<u> </u>			!		r	nade by me or un	-
		Ì				1		2	on, and that the	
L						<u> </u>		è	ct to the best of	my knowledge
	···· 					1		and belie		
-	190	0				1				
	·	1				i		Date Surv	eyed	10 70/0
	,086					İ		Register	July -	1960
	9,							3	nd Surveyor	Lugineer
0.330	660 000	1320 1650 19	BO 2310 264	lo <i>200</i> 0) 1500	1000	500	Certificate	No.	1100
U 330	y,o	.554 .000 ,70		- 200	. ,,,,,,,	, www		- m.m.	.E. & L.S	→ 145 (

INSTRUCTIONS FOR COMPLETION OF FORM C-128

- 1. Operator shall furnish and certify to the information called for in Section A.
- 2. Operator shall outline the dedicated acreage for both oil and gas wells on the plat in Section B.
- 3. A registered professional engineer or land surveyor registered in the State of New Mexico or approved by the Commission shall show on the plat the location of the well and certify this information in the space provided.
- 4. All distances shown on the plat must be from the outer boundaries of the Section.
- 5. If additional space is needed for listing owners and their respective interests as required in question 3 of Section A, please use space below.