


Form 9-331a
(Feb. 1951)

Sec. 1

(SUBMIT IN TRIPLICATE)

 UNITED STATES
 DEPARTMENT OF THE INTERIOR
 GEOLOGICAL SURVEY
Land Office Santa FeLease No. 078301

Unit _____

 RECEIVED
 JAN 10 1959
 SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY	X
NOTICE OF INTENTION TO ABANDON WELL		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

January 3, 1959

Federal 9-1

Well No. 3 is located 1980 ft. from N line and 660 ft. from E line of sec. 1NW, SW, Sec 1
(1/4 Sec. and Sec. No.)24 N
(Twp.)10 W
(Range)N M P M
(Meridian)Histi Gallup
(Field)San Juan County
(County or Subdivision)New Mexico
(State or Territory)The elevation of the derrick floor above sea level is 6902 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

7 7/8" hole was drilled to 5599' and 5 1/2" casing was cemented at 5599' w/300 sacks regular. After WOC 30 hrs. the casing was tested w/1500 psi ok. The intervals 5460'-5480' and 5494'-5508' were perforated and fractured w/30,000 gallons crude and 30,00 pounds sand at 2100 psi and 43 BPM. Tubing was landed at 5515' and the well was placed on production.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Standard Oil Company of TexasAddress P.O. Box 1581Farmington, New MexicoBy Charles W. RentryTitle Field Foreman