

(SUBMIT IN TRIPLICATE)

Indian Agency **Window Rock**

Allotment No. **062970**

Allottee **To-Ho-Pah White**

Lease No. **14-20-493-1261**

1	2	3	4	5	6	7	8	9	10	11	12

T
29
B

1-10-4

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL	SUBSEQUENT REPORT OF REDRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

RECEIVED
OCT 21 1957
U. S. GEOLOGICAL SURVEY
FARMINGTON, NEW MEXICO

October 10, 1957, 19

Well No. **1** is located **600** ft. from **N** line and **1000** ft. from **W** line of sec. **20 4**
NE 1/4 NW 1/4 Sec. 4 **24N** **10-W** **R10W**
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Monte Lamar Gallup **San Juan** **New Mexico**
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is **6672** ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

REMARKS 5510' TO 5420' FMD -

Spudded 12-1/4" hole @ 3:30 AM 9-17-57, and finished to 210' @ 9:30 AM 9-17-57. Ran 6 jts. 8-5/8" Csg. & set @ 202' & cemented w/ 175 sacks reg. cement mixed 2% Calcium Chloride. Pumped plug down w/ 500' pressure. WOC -

Started drilling 7-7/8" hole @ 12:15 PM 9-18-57 and finished to 5510' @ 10:15 AM 9-27-57. Ran Schlumberger Surveys and ran 2 135 jts. 5 1/2" Csg. & set @ 5505' and cemented w/ 400 sacks cement mixed 2% gel. Pumped plug to 5420' w/ max. press. of 1600#. Ran temperature survey & found top of cement outside of 5 1/2" Casing at 2190' of SL fill. - WOC - Plan to continue with completion operations.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company **Amerada Petroleum Corporation**

Address **Box 2 - Bloomfield, New Mexico**

By **R. F. Furr**

Title **Foreman**