

Submit 3 Copies
to Appropriate
District Office

State of New Mexico
Energy, Minerals and Natural Resources Department

Form C-103
Revised 1-1-89

DISTRICT I
P.O. Box 1980, Hobbs, NM 88240

DISTRICT II
P.O. Drawer DD, Artesia, NM 88210

DISTRICT III
1000 Rio Brazos Rd., Aztec, NM 87410

OIL CONSERVATION DIVISION
P.O. Box 2088
Santa Fe, New Mexico 87504-2088

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO.
1. Type of Well: OIL WELL ☒ GAS WELL ☐ OTHER ☐		5. Indicate Type of Lease STATE ☒ FEE ☐
2. Name of Operator BANNON ENERGY INCORPORATED		6. State Oil & Gas Lease No. LNML G 1034
3. Address of Operator 3934 FM 1960 WEST, SUITE 240, HOUSTON, TX 77068-3539		7. Lease Name or Unit Agreement Name SOUTH BLANCO STATE 36
4. Well Location Unit Letter A : 990 Feet From The NORTH Line and 330 Feet From The EAST Line Section 36 Township 24N Range 8W NMPM SAN JUAN County		8. Well No. 25-1
10. Elevation (Show whether DF, RKB, RT, GR, etc.) 6929 GR		9. Pool name or Wildcat LYBROOK GALLUP

11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data	
NOTICE OF INTENTION TO:	SUBSEQUENT REPORT OF:
PERFORM REMEDIAL WORK ☐	REMEDIAL WORK ☐
TEMPORARILY ABANDON ☐	ALTERING CASING ☐
PULL OR ALTER CASING ☐	COMMENCE DRILLING OPNS. ☐
OTHER: ☐	PLUG AND ABANDONMENT ☐
	CASING TEST AND CEMENT JOB ☐
	OTHER: ☐

12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

SEE ATTACHED PLUGGING PROCEDURE

RECEIVED
JAN 19 1993
OIL CON. DIV
DIST. 3

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Darryl M. Lang TITLE OPERATIONS MANAGER DATE 1/13/93
TYPE OR PRINT NAME DARRYL M. LANG TELEPHONE NO. (713) 537-9000

(This space for State Use)

APPROVED BY Original Signed by CHARLES GHOLSON DEPUTY OIL & GAS INSPECTOR, DIST. #3 DATE JAN 19 1993

CONDITIONS OF APPROVAL, IF ANY:

CHANGE STEP 7 TO - PERFORATE 4 1/2" CASING AT 300' + CIRCULATE CEMENT TO SURFACE OF BEADWELL.

BANNON ENERGY INCORPORATED
SOUTH BLANCO STATE #36-1

PROPOSED PLUGGING PROCEDURE

CASING: 8 5/8", 24.0#, @ 252' w/190 sxs TOC - surface
4 1/2", 10.50#, @ 5700'. FC-5661. First stage 260 sxs,
TOC 4660' (CBL)

Stage Collar - 2979'

Second Stage - 480 sxs. TOC 350' (CBL)

FORMATION TOPS:

Ojo Alamo	1292	Menefee	3515
Fruitland	1822	Pt. Lookout	4282
PC	1957	Mancos	4488
Lewis	2048	Gallup	5337
Chacra	2385	TD	5700
Cliff House	3486	PBTD	5661

Perfs 5380 - 5628

PROCEDURE:

- Perforate →
1. Spot 50 sx plug across perfs. (5628 to 5380).
 2. Perforate casing at 3586'.
 3. Squeeze 65 sx through perfs at 3586'.
 4. Spot 15 sx plug inside casing 3586' to 3386'.
 5. Spot 10 sx plug inside casing 2460' to 2335'.
 6. Spot 60 sx plug inside casing 2032' to 1242'.
 7. Spot 7 sx plug inside casing 300' to 200'.
 8. Cut off well head and casing. Spot 10 sx surface plug.
 9. Weld on P & A marker.
 10. Remove all production equipment, surface lines & safety anchors.
 11. Rehabilitate location and access road.
 12. Proposed starting date - April 1, 1993.
 13. Cement plugs will be separated with gel mud (9# per gal.)

BAKER OIL TOOLS, INC.

SERVING THE WORLD

DATE _____ WELL NO. 36 #1 LEASE SB State FIELD Lybrook
36 24N 8W SAN JUAN LNMLB 1034

12 1/4" hole, 8 5/8" 24.0 lb csg @ 252' w/ 190 sxs (224 ft³)
 TOC - surface

DV Tool - 2979' Cement 2nd stage w/ 380 sxs (691 ft³) 65-35 por
 AND 100 sxs (155 ft³) 50-50 por
 TOC - 350' (CBL)

Formation Tops

D.O. Alamo	-	1292
Fruitland	-	1822
PC	-	1957
Lewis	-	2048
Chaco	-	2385
Cliff House	-	3486
Menace	-	3515
Pl. Lookout	-	4282
perfs 5380 - 5628		
Manaca	-	4488
Gallup	-	5337
TD	-	5700
PBTD	-	5661

7 7/8" hole, 4 1/2" 10.50 lb csg @ 5700
 Cement 1st stage w/ 260 sxs (403 ft³) 50-50 por
 TOC - 4660 (CBL)



BRIDGE PLUG



PACKER



CENTRALIZER



SCRATCHER



BASKET



PERFORATION

(Use reverse side for additional remarks & sketches.)

20-27