

Submit 3 Copies
to Appropriate
District Office

State of New Mexico
Energy, Minerals and Natural Resources Department

Form C-103
Revised 1-1-89

DISTRICT I
P.O. Box 1980, Hobbs, NM 88240

DISTRICT II
P.O. Drawer DD, Artesia, NM 88210

DISTRICT III
1000 Rio Brazos Rd., Aztec, NM 87410

OIL CONSERVATION DIVISION
P.O. Box 2088
Santa Fe, New Mexico 87504-2088

WELL API NO.

5. Indicate Type of Lease

STATE ☒

FEE ☐

6. State Oil & Gas Lease No.

LG 1034-2

7. Lease Name or Unit Agreement Name

South Blanco - 36

8. Well No.

5

9. Pool name or Wildcat

Lybrook Gallup Ext.

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT"
(FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well:

OIL
WELL ☒

GAS
WELL ☐

OTHER

2. Name of Operator

BANNON ENERGY INCORPORATED

3. Address of Operator

3934 FM 1960 West, Ste 240, Houston, TX 77068

4. Well Location

Unit Letter D : 330 Feet From The North Line and 990 Feet From The West Line

Section 36 Township 24N Range 8W NMPM San Juan County

10. Elevation (Show whether DF, RKB, RT, GR, etc.)

6864 GR

11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐

PLUG AND ABANDON ☒

TEMPORARILY ABANDON ☐

CHANGE PLANS ☐

PULL OR ALTER CASING ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐

COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDONMENT ☐

CASING TEST AND CEMENT JOB ☐

OTHER: ☐

12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

See plugging procedure attached.

RECEIVED

JAN 22 1993

OIL CON. DIV.
DIST. 3

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE

TITLE

Operations Manager

DATE 1/18/93

TYPE OR PRINT NAME

Andrew S. Low

TELEPHONE (505) 537-9000

(This space for State Use)

APPROVED BY Original Signed by CHARLES GHULSON

DEPUTY OIL & GAS INSPECTOR, DIST. #3

DATE

JAN 22 1993

CONDITIONS OF APPROVAL, IF ANY:

CHANGE STEP 7 TO - PERFORATE 4 1/2" CASING @ 300' + CIRCULATE CEMENT
TO SURFACE UP BROADHEAD.
Mud and Annulus Remains

Bannon Energy, Inc.
South Blanco State # 36-5

Proposed Plugging Procedure

Casing: 8 5/8", 24.0lb, @ 251'w/ 200 sxs
TOC- surface
4 1/2", 10.50 lb, @ 5624'. FC-5582
First stage-284 sxs, TOC- 4620' {CBL}

Stage Collar- 3090'
Second Stage- 400 sxs. TOC- 900' {CBL}

Formation Tops

Ojo Alamo-	1213	Menefee -	3432
Fruitland-	1751	Pt. Lookout-	4190
PC -	1884	Mancos -	4412
Lewis -	1968	Gallup -	5262
Chacra -	2320	TD -	5650
Cliff House-	3370	PBTD -	5661

Perfs.: 5306 - 5540

Procedure

1. Spot 50 sx plug across perfs. (5540 to 5306).
2. Perforate casing at 3470'.
3. Squeeze 65 sxs through perfs. at 3470'.
4. Spot 15 sx plug inside casing 3470' to 3270'.
5. Spot 10 sx plug inside casing 2355' to 2270'.
6. Spot 60 sx plug inside casing 1900' to 1150'.
- 0225@300 → 7. Spot 7 sx plug inside casing 300' to 200'.
8. Cut off well head and casing. Spot 10 sx surface plug.
9. Weld on P & A marker.

10. Remove all production equipment, surface lines.
and safety anchors.

11. Rehabilitate location and access road.

12. Proposed starting date- April 1, 1993.

Not Necessary 13. Cement plugs will be separated with gel
mud { 9# per gal. }.

BAKER OIL TOOLS, INC.

SERVING THE WORLD

DATE

WELL NO. 36-5

LEASE SB State

FIELD Lybrook

36 24N 84W

SAN JUAN

LB 1034-2

12 1/4" hole, 8 5/8 24.016 csg @ 251' w/ 2805XS (236 ft³)
TOC SURFACE


ΔV Tool - 3090 Cent. w/ 4005XS (728 ft³) 65-35 por
TOC - 900

Formation Tops

Ojo Alamo -	1213
Fruitland -	1751
PC -	1884
Lewis -	1968
Chaco -	2320
Cliff House -	3370
Mexican -	3432
Pt Lookout -	4190
Mancos -	4412
Gallup -	5262
TD -	5650
PBTD -	5582

parts 5306 - 5540

7 7/8" hole, 4 1/2, 10.5016 csg @ 5624
Cent 1st stage w/ 2845XS (440 ft³) 50-50 por
TOC - 4620 CBL



BRIDGE PLUG



PACKER



CENTRALIZER



SCRATCHER



BASKET



PERFORATION

(Use reverse side for additional remarks & sketches.)

20-27

001 P04

5055684333 BANNON ENERGY LYBROOK NM

5055684333

1993-01-14 09:29