5 MMS, Fmn

REQUEST FOR APPROVAL TO: TEST WATER SHUT-OFF FRACTURE TREAT SHOOT OR ACIDIZE

PULL OR ALTER CASING MULTIPLE COMPLETE CHANGE ZONES ABANDON*

REPAIR WELL

(other)

2 MF

1 File

Form Approved.

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Form 9–331		Budget Bureau No. 42-11-124	
DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY		5. LEASE NM 16760	
		6. IF INDIAN, ALLOTTEE OR TRIBE NAME	
SUNDRY NOTICES AND REPORTS ON WELLS (Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)		7. UNIT AGREEMENT NAME	
		8. FARM OR LEASE NAME MF	
1. oil gas other Comming	gled/ Ap pending	9. WELL NO.	
 NAME OF OPERATOR DUGAN PRODUCTION CORP. ADDRESS OF OPERATOR P 0 Box 208, Farmington, NM 87401 LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.) AT SURFACE: 1850' FSL - 790' FEL AT TOP PROD. INTERVAL: AT TOTAL DEPTH: CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA 		10. FIELD OR WILDCAT NAME Bisti Gallup & Basin Dakota	
		11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA Sec 14 T24N R10W	
			12. COUNTY OR PARISH 13. STATE San Juan NM
		14. API NO.	
		15. ELEVATIONS (SHOW DF, KDB, AND WD) 6848' GL; 6860' RKB	

(NOTE: Report results of multiple completion or zone

change on Form 9-330.)

Plugback & completion 17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

SUBSEQUENT REPORT OF:

Plan to permanently plug back one set of Dakota perfs (6245-55) by setting a cast iron bridge plug ± 6200 ' and dumping 50' cement on bridge plug with a dump bailer.

Plan to frac the remaining Dakota perfs (6067-74) with X-link gel and sand.

Plan to perforate the Gallup formation from ± 5330 to 5080, then frac the Gallup Formation with slickwater and sand.

Plan to set 2-3/8" tubing ± 6080 '.

Have applied to New Mexico Oil Conservation Division for permission to downhole commingle production from the Dakota and Gallup Formations.

Subsurface Safety Valve: Manu. and Type	Set @ Ft.
	9-3-82 RFP
APPROVED BY DATE DATE	ON SEP TO
SAMES F. SIMS DISTRICT ENGINEER	DIST. COM.
See Instructions on Reverse Side	