

Form 3160-5
(June 1990)UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposalsFORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

5. Lease Designation and Serial No.

NM 54983

6. If Indian, Allottee or Tribe Name

7. If Unit or CA, Agreement Designation

SUBMIT IN TRIPLICATE

1. Type of Well ☒ Oil Well ☒ Basin DK Well ☐ OtherDownhole Commingling Approved
per NMOC Order DHC 1535

2. Name of Operator

Dugan Production Corp.

3. Address and Telephone No.

P.O. Box 420, Farmington, NM 87499 (505) 325-1821

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

990' FNL - 990' FEL

A Sec. 24, T24N, R10W; NMPM

8. Well Name and No.

September 15

9. API Well No.

30-045-26518

10. Field and Pool, or Exploratory Area
Bisti Lower Gallup/
Basin Dakota

11. County or Parish, State

San Juan, NM

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

☒ Notice of Intent☐ Subsequent Report☐ Final Abandonment Notice

TYPE OF ACTION

☐ Abandonment☐ Recompletion☐ Plugging Back☐ Casing Repair☐ Altering Casing☒ OtherComplete Gallup & DHC
w/Dakota☐ Change of Plans☐ New Construction☐ Non-Routine Fracturing☐ Water Shut-Off☐ Conversion to Injection☐ Dispose Water(Note: Report results of multiple completion on Well
Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

It is intended to complete the Gallup formation and downhole commingle it with the Dakota as follows:

- 1.) TOH and lay down tubing string.
- 2.) Pick up workstring and set retrievable bridge plug @ 5600'.
- 3.) Selectively perforate Gallup from 5129' to 5397' and fracture with slickwater and approx. 120,000# sand.
- 4.) Clean out to bridge plug and retrieve.
- 5.) Clean out to PBTD, land tubing at 6270'.
- 6.) Swab test and evaluate potential.

A plat for the Gallup is on the reverse of this sundry.

14. I hereby certify that the foregoing is true and correct

Signed

Title Operations Manager

Date 5/27/97

(This space for Federal or State office use)

Approved by
Conditions of approval, if any:

Title

Date

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

*See Instruction on Reverse Side

Submit to Appropriate District Office
State Lease - 4 Copies
Fee Lease - 3 Copies

16				17 OPERATOR CERTIFICATION I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief Signature Gary Brink Printed Name Vice-President Title 5/27/97 Date
		Sec. 24 		18 SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief. July 29, 1985 Date of Survey Signature and Seal of Professional Surveyor: original signed by Edgar Risenhoover 5979 Certificate Number