
Form	9-331 8	ì
(Feb	. 1951)	



(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR **GEOLOGICAL SURVEY**

Budget	Bureau	No. 43-R	358.4.
Form A	pproved	L	

Land	Office	Sa	nta	Fe	
Loaso	No.	079	139	-A	

Unit	 	 	

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL NOTICE OF INTENTION TO CHANGE PLANS. NOTICE OF INTENTION TO TEST WATER SHUT-OFF. NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL NOTICE OF INTENTION TO SHOOT OR ACIDIZE.	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING SUBSEQUENT REPORT OF ALTERING CASING SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR SUBSEQUENT REPORT OF ABANDONMENT	X	V E
NOTICE OF INTENTION TO PULL OR ALTER CASING	TURE OF REPORT, NOTICE, OR OTHER DATA)	.E.N	1951 (a. 5.4), et (a. 7.4), et

		3	eptember iv	1962
Federal Unit Well No. 3-35 is located	d 790 ft.	from ${S \brace S}$ line	and 790 ft. from $\left\{\begin{matrix} \mathbf{E} \\ \mathbf{W} \end{matrix}\right\}$ line of	of sec. 35
SW /4, Sec. 35	25 N	6 W	NMPM	
(1/4 Sec. and Sec. No.)	(Twp.)	(Range)	(Meridian)	
Basin - Dakota	Rio Ar	riba	New Mexico	
(Field)	(Co	ounty or Subdivision)	(State or Territory)

The elevation of the derrick floor above sea level is 6628 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Spudded 12 1/4" hole at 4:00 P.M., September 4, 1962. Drilled to 250' KB in Sand & Shale, hole dev. 1/2°@ 100'. 1/2°@ 250'. Ran 8 jts. (233.49'), 8 5/8", 24#, H-40 casing equipped with regular pattern shoe and centralizer. Set shoe at 246' KB, centalizer at 217' KB. Cemented with 175 sax regular cement with 2% CaCl2. Circulated 75 sax to ground surface. Job complete 10:15 P.M. Pressure tested casing to 800 psi for 30 minutes with no drop, 12 hours after cementing. Used Ideal Portland cement and Columbia CaCl2. Temperature when mixed and when in place 65° F. Est. compressive strength when tested 800 pgi

	RELEIVED
I understand that this plan of work must receive approval in writing by th	Geological Survey before operations may be confimenced.
Company J. Gregory Merrion & Associate	OIL CON. COM.
Address P. O. Box 507	of The
Farmington, New Mexico	By Drigory Merrica
***************************************	Title Operator