

NEW MEXICO OIL CONSERVATION COMMISSION

FORM C-103
(Rev 3-55)

MISCELLANEOUS REPORTS ON WELLS

(Submit to appropriate District Office as per Commission Rule 1106)

Name of Company KERN COUNTY LAND COMPANY		Address 304 Korber Building				
Lease Harvey State	Well No. 1	Unit Letter H	Section 36	Township 25 North	Range 6 West	
Date Work Performed June 30 & July 1, 1959	Pool Otero Gallup Unit.-Dakota Wildcat			County Rio Arriba		

THIS IS A REPORT OF: (Check appropriate block)

- ☐ Beginning Drilling Operations
 ☒ Casing Test and Cement Job
 ☐ Other (Explain):
☐ Plugging
 ☐ Remedial Work

Detailed account of work done, nature and quantity of materials used, and results obtained.

Ran 7" casing as follows:

Guide shoe				1.00 ft.
1 ft.	7"	H-80	23#	31.68
Automatic fillup collar				1.59
48 fts.	7"	H-80	23#	1,584.67
53 fts.	7"	J-55	23#	1,707.05
7 fts.	7"	J-55	20#	228.63
Packer stage collar				1.80
96 fts.	7"	J-55	20#	3,055.66
18 fts.	7"	J-55	23#	581.74
TOTAL				7,193.82 ft.



Landed casing at 7166'. Stage collar at 3614'. Cemented first stage with 300 sacks cement, 14# slurry. Pressured up to 1400#, held for 30 minutes, okay. Ran temperature survey, top (Please see next page)

Witnessed by E. P. Burchsall	Position Engineer	Company KERN COUNTY LAND COMPANY
--	-----------------------------	--

FILL IN BELOW FOR REMEDIAL WORK REPORTS ONLY

ORIGINAL WELL DATA

D F Elev.	T D	P B T D	Producing Interval	Completion Date
Tubing Diameter	Tubing Depth	Oil String Diameter	Oil String Depth	
Perforated Interval(s)				
Open Hole Interval		Producing Formation(s)		

RESULTS OF WORKOVER

Test	Date of Test	Oil Production BPD	Gas Production MCFPD	Water Production BPD	GOR Cubic feet/Bbl	Gas Well Potential MCFPD
Before Workover						
After Workover						

OIL CONSERVATION COMMISSION		I hereby certify that the information given above is true and complete to the best of my knowledge.	
Approved by Original Signed Emery C. Arnold	Name C. W. Braddy	Position District Landman	
Title Supervisor Dist. # 3	Company KERN COUNTY LAND COMPANY		
Date JUL 8 1959			

Kern County Land Company
Casing Test and Cement Job
Page Two

of cement 5600'.

Cemented second stage with 200 sacks cement, pressured to 1000# for 30 minutes, okay.
Ran temperature survey, top of cement 2600'. WOC for 48 hours.

2000-01-01
2000-01-01
2000-01-01

2000-01-01

2000-01-01
2000-01-01
2000-01-01

OIL CONSERVATION COMMISSION		
AZTEC DISTRICT OFFICE		
No. Copies Received <u>2</u>		
DISTRIBUTION		
	NO. FURNISHED	
Operator	<u>1</u>	
Santa Fe	<u>1</u>	
Recreation Office		
State Land Office		
U. S. G. S.		
Transporter		
File	<u>1</u>	<input checked="" type="checkbox"/>