


**Santa Fe**

Land Office \_\_\_\_\_

Lease No. **079139-A**

Unit \_\_\_\_\_



(SUBMIT IN TRIPLICATE)

**UNITED STATES**  
**DEPARTMENT OF THE INTERIOR**  
**GEOLOGICAL SURVEY**

8

**SUNDRY NOTICES AND REPORTS ON WELLS**

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....
NOTICE OF INTENTION TO ABANDON WELL.....	

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

11-17

, 19 **58**

**Salazar Federal**

Well No. **1-34** is located **1650** ft. from **[N]** line and **1090** ft. from **[E]** line of sec. **34**

**NE NE 34**

( $\frac{1}{4}$  Sec. and Sec. No.)

**25N**

(Twp.)

**6W**

(Range)

**10PM**

(Meridian)

**Wilcox**

(Field)

**Pio Arriba**

(County or Subdivision)

**New Mexico**

(State or Territory)


The elevation of the derrick floor above sea level is **6365** ft.

**DETAILS OF WORK**

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Cemented 339 of 8 5/8", J-55 surface casing @ 350' w/400 sks. water shut off successful.

Cemented 6714' of 5 1/2", J-55 production casing @ 6725' w/569 sks. top of cement determined by B&R temperature survey @ 4000'



I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company **Ray Kimbell**

Address **623 Lubbock National Bank Bldg.**

**Lubbock, Texas**

By **Jack D. Ballack**

Title **Engineering Agent**