



(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Santa Fe
Lease No. 059136-079129-A
Unit _____

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF	<input checked="" type="checkbox"/>
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

February 1, 1960

Warren-Salinas Unit

Well No. 2-26 is located 825 ft. from S line and 810 ft. from W line of sec. 26

SW SW 26

(1/4 Sec. and Sec. No.)

28N

(Twp.)

6W

(Range)

NMP

(Meridian)

Undesignated Dakota

(Field)

Rio Arriba

(County or Subdivision)

New Mexico

(State or Territory)

The elevation of the derrick floor above sea level is 6467 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

(1) Set 363' 36# J-55 10-3/4" surface casing @ 375', with 200 sack 2% gel cement circulated to surface. Water shut-off successful.

(2) Set 800' 17# J-55 and 6210 feet of 15.5# J-55 8-1/2" casing at 7020 feet with 550 sack cement. Top of cement by temperature survey 5156'. Water shut-off successful.

(3) Cemented through DV tool at 2604 with 100 sack cement. Top of cement by temperature survey 2250'.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Kay Kimbell

Address 7114 Central, SE

Albuquerque, New Mexico

By

Title Geologist

