

APPROVED

JUN 1956

Budget Bureau 42-R388.2
Approval expires 12-31-52

(Orig. Sgd.) J. W. LONG

(SUBMIT IN TRIPLICATE)

Land Office **Santa Fe**Lease No. **080375**Unit **Sheets**

ACTING SUPERINTENDENT

**UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY**

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF REDRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL	Subsequent Report of Sand-Oil Treatment	x

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

May 4th, 1956

Well No. 7 is located 1100 ft. from N line and 1460 ft. from E line of sec. 6
NW/4 NE/4 Sec. 6 25N 7W N. M. P. M.
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Ballard Rio Arriba New Mexico
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 6882 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

4-9-56 Sand-oil treated from 2742' to 2778' with 7,200 gallons diesel oil and 17,480# sand, flushed with 2,700 gallons diesel. Maximum treating pressure 1200#, injection rate 29.3 bbls. per minute. Set Lane-Wells bridging plug at 2722'. Perforated 2669' to 2693' with 4 jet holes per foot. Sand-oil treated through perforations with 11,400 gallons diesel oil and 17,500# sand, flushed with 2,700 gallons diesel oil. Treating pressure 1500#, injection rate 39.8 bbls. per minute. After treatment flowing 3,720 MCF/day.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company BENSON-MONTINAddress 405 1/2 West BroadwayFarmington, New MexicoBy [Signature]Title Field Superintendent

