

UNITED STATES DEPARTMENT OF THE INTERIOR

GEOLOGICAL SURVEY
P. 0. Box 965
Farmington, New Mexico

September 20, 1955

The Chie Cil Company Box 120 Casper, Wyoming

Re: Jicarilla Contract 15h

Gentlemen:

Receipt is acknowledged of your "Notice of Intention to Obio Drill" dated September 19, 1955 covering your well No. 2/Jicarilla "B" in SE sec. 34, T. 26 N., E. 5 N., N. F. P. N., Rio Arriba County, New Mexico,

Your proposed work is hereby approved subject to compliance with the provisions of the "Oil and Gas Operating Regulations" revised May 25, 1942, a copy of which will be sent to you on request, and subject to the Following conditions:

- 1. Drilling operations so authorized are subject to the attached cheet for general conditions of approval.
- 2. Furnish copies of all legs.

Very truly yours,

PTMcGrath:ac cc: Jicarilla Agency P. T. McGrath District Engineer N REPLY REPER TO-

UNITED STATES DEPARTMENT OF THE INTERIOR GEGLOGICAL SURVEY



. $(\mathcal{A}_{i}, \mathcal{A}_{i}, \mathcal{A$ • • • • • • e de la companya de l A section of the section o Bud to the state State of the state

Budget	Bureau	No.	42-R-350.2.
Approv	al expire	s 12-	-31-55.

(A)	pril 19	62) -	

(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Indian Agency	Simplifia
Allottee	
Lease No.	

IOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF
IOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING 1
OTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASINE
TICE OF INTENTION TO REDRILL OR REPAIR WELL	.055
TICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSECUENT PERCENT OF ADMINISTRACE VALUE AND
TICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY
FICE OF INTENTION TO ABANDON WELL	SUBSEQUENT REPORT OF REDRILLING OR REPAIR 1 1953 SUBSEQUENT REPORT OF ABANDONMENTSEP 2 1 1953 SUPPLEMENTARY WELL HISTORY U.S. GEOLOGICAL SWI
(INDICATE ABOVE BY CHE	ECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)
	, 19
Manufile #15	and the state of t
	from Elmand C. C. Elm.
15 located	_ft. from line andft. from line of sec
R a Sh	Ste Ste
(4 Set, and Set. No.) (Twp.)	(Range) (Meridian)
24.	Applies Handle
(Blacked) ext	(County of Subdivision) (State of Tentory)
	1
	e sea level isft. To be reported later
,	
	DETAILS OF WORK
	DETAILS OF WORK
names of and expected depths to objective sands ing points,	s; show sizes, weights, and lengths of proposed casings; indicate mudding jobe, c ,, and all other important proposed work)
names of and expected depths to objective sands ing points,	s; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, c, and all other important proposed work)
names of and expected depths to objective sands ing points,	s; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, c, and all other important proposed work)
names of and expected depths to objective sands ing points,	s; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, c, and all other important proposed work)
names of and expected depths to objective sands ing points, 411 a well to the top of th 421 in a th gas as a circu	s; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, co, and all other important proposed work) The Platture Cliff formation, ast production of the production of the production of the production.
names of and expected depths to objective sands ing points, the tap of the wall in with gas as a cureu.	s; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, c, and all other important proposed work)
names of and expected depths to objective sands ing points, 422 a well to the top of th well in mith gas as a circu	s; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, co, and all other important proposed work) The Platture Cliff formation, ast production of the production of the production of the production.
names of and expected depths to objective sands ing points, the tap of the wall in with gas as a circum. A approximately 300° of 10m A to surface,	s; show size, weights, and lengths of proposed casings; indicate mudding jobs, c, and all other important proposed work) TO Pleture Cliff formation, set production of Sating medium. 3/h*, 0.D., 32.755, ensing for surface pipe
names of and expected depths to objective sands ing points, the tap of the wall in with gas as a cureu. A approximately 300° of 10° A to surface,	s; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, c, and all other important proposed work) TO PLETURE CLIFF Correction, set production et stating medium. 13/6°, 0.D., 22.75%, casing for surface pipe
names of and expected depths to objective sands ing points, will a well to the top of the bell in at the gas as a circum a suppressionately 300° of 10° a to surface. A appressionately 300° of 7° p of the Picture Gliff form	s; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, c, and all other important proposed work) TO Picture Cliff formation, set production et dating medium. 13/6", 0.D., 22.75%, casing for surface pipe 13.80%, 20%, 2-5%, casing for production striction and compute in accordance with the second
names of and expected depths to objective sands ing points, will a well to the top of the bell in with gas as a circumstally 300° of 10° of 10° of to surface.	s; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, c, and all other important proposed work) TO Picture Cliff formation, set production et dating medium. 13/6", 0.D., 22.75%, casing for surface pipe 13.80%, 20%, 2-5%, casing for production striction and compute in accordance with the second
rails a well to the top of the color of the colors. It approximately 300° of 10° of the colors of the colors.	s; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, c, and all other important proposed work) TO Picture Cliff formation, set production et dating medium. 13/6", 0.D., 22.75%, casing for surface pipe 13.80%, 20%, 2-5%, casing for production striction and compute in accordance with the second
names of and expected depths to objective sands ing points, 422 a well to the top of th wall in at th gas as a circular approximately 300° of 10m A to surface. 4 approximately 300° of 7° p of the Plature Gliff form	s; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, c, and all other important proposed work) TO Picture Cliff formation, set production et dating medium. 13/6", 0.D., 22.75%, casing for surface pipe 13.80%, 20%, 2-5%, casing for production striction and compute in accordance with the second
names of and expected depths to objective sands ing points, All a well to the top of th bell in at th gas as a circum. A approximately 300° of 10m A to surface. A supremisectaly 300° of 7° p of the Picture Gliff form.	s; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, c, and all other important proposed work) TO Picture Cliff formation, set production et dating medium. 13/6", 0.D., 22.75%, casing for surface pipe 13.80%, 20%, 2-5%, casing for production striction and compute in accordance with the second
names of and expected depths to objective sands ing points. All a well to the top of the wall in a th gas as a circum. A approximately 300° of 10° A to surface. A approximately 300° of 7° p of the Picture Gliff from attemp and practions used in	s; show size, weights, and lengths of proposed casings; indicate mudding jobe, c, and all other important proposed work) TO Pleture Cliff formation, sot production of flating medium. 13/6°, 0.D., 32.75%, easing for surface pipe of the same consent in accordance with the apprint that area.
names of and expected depths to objective sands ing points, will a well to the top of the will in with gas as a circum. A approximately 300° of 10m A to surface, A approximately 300° of 7° p of the Picture Gliff form attemp and proofices used in	s; show size, weights, and lengths of proposed casings; indicate mudding jobe, c, and all other important proposed work) TO Plottupe Cliff forwartion, sot production of flatting medium. 13/8°, O.D., 32.75%, casing for surface pipe 10.B., 20%, 5.55, casing for production striction and casent in accordance at the the appropriate street. 10.B., 20%, 5.55, casing for production striction and casent in accordance at the the appropriate street.
names of and expected depths to objective sands ing points, rall a well to the top of the bell in at the gas as a cares of approximately 300° of 10° of to surface. A approximately 300° of 7° op of the Ficture Gliff form	s; show size, weights, and lengths of proposed casings; indicate mudding jobe, c, and all other important proposed work) TO Pleture Cliff formation, sot production of flating medium. 13/6°, 0.D., 32.75%, easing for surface pipe of the same consent in accordance with the apprint that area.
names of and expected depths to objective sands ing points. All a well to the top of the bell in a the gas as a circum. A approximately 300° of 10° is to surface. A approximately 300° of 7° is to surface. A particular and proofiless used in addressed that this plan of work must receive a pany 200° of 10° is to surface.	s; show size, weights, and lengths of proposed casings; indicate mudding jobe, c, and all other important proposed work) TO Plottupe Cliff forwartion, sot production of flatting medium. 13/8°, O.D., 32.75%, casing for surface pipe 10.B., 20%, 5.55, casing for production striction and casent in accordance at the the appropriate street. 10.B., 20%, 5.55, casing for production striction and casent in accordance at the the appropriate street.
names of and expected depths to objective sands ing points, and a well to the top of the wall in with gas as a circum. A suppressing tally 300° of 10° A to surface, A suppressing tally 300° of 7° p of the Picture Gliff form attacks and prestions used in	s; show size, weights, and lengths of proposed casings; indicate mudding jobs, c, and all other important proposed work) TO Picture Cliff formation, set production of Bating medium. 13/6", O.D., 32.75%, casing for surface pipe 10.B., 20%, 4-55, casing for production striction and consent in accordance at the the appropriate area. 10.B. Surface of Colors area of Colors area of the colors are accordance at the the appropriate area. 10.B. COM. COM.
names of and expected depths to objective sands ing points in a well to the top of the Mill in well to the top of the Mill in with gas as a circumbal in approximately 300° of 10° to surface. I approximately 300° of 7° of 10°	s; show size, weights, and lengths of proposed casings; indicate mudding jobs, c, and all other important proposed work) TO Picture Cliff formation, set production of Bating medium. 13/6", O.D., 32.75%, casing for surface pipe 10.B., 20%, 4-55, casing for production striction and consent in accordance at the the appropriate area. 10.B. Surface of Colors area of Colors area of the colors are accordance at the the appropriate area. 10.B. COM. COM.
ames of and expected depths to objective sands ing points ing points. It a well to the top of the dall in mith gas as a careu to surface. It a well to the top of the dall in mith gas as a careu to surface. It approximately 3000 of 10 of 10 of the Pleture Giff from thems and prostions used in leveland that this plan of work must receive a leveland that this plan of work must receive a leveland that this plan of work must receive a leveland that this plan of work must receive a leveland that this plan of work must receive a leveland that this plan of work must receive a leveland that this plan of work must receive a leveland that this plan of work must receive a leveland that this plan of work must receive a leveland that this plan of work must receive a leveland that this plan of work must receive a leveland that this plan of work must receive a leveland that this plan of work must receive a leveland that this plan of work must receive a leveland that this plan of work must receive a leveland that this plan of work must receive a leveland that the leveland that this plan of work must receive a leveland that the leveland that this plan of work must receive a leveland that the leveland that this plan of work must receive a leveland that the leveland that this plan of work must receive a leveland that this plan of work must receive a leveland that the leveland	s; show size, weights, and lengths of proposed casings; indicate mudding jobs, c, and all other important proposed work) TO Picture Cliff formation, set production of Bating medium. 13/6", O.D., 32.75%, casing for surface pipe 10.B., 20%, 4-55, casing for production striction and consent in accordance at the the appropriate area. 10.B. Surface of Colors area of Colors area of the colors are accordance at the the appropriate area. 10.B. COM. COM.
imes of and expected depths to objective sands ing points ing points. Il a well to the top of the fill in the gas as a circumstally 300° of 10° to surface. Approximately 300° of 7° of the Pleture Gliff frame and practices used in the plan of work must receive a party.	s; show size, weights, and lengths of proposed casings; indicate mudding jobe, c, and all other important proposed work) Pleture Cliff formation, est production of Betting medium. 3/h*, 0.D., 32.75%, ensing for production string that and casent in accordance at the the approximation and casent in accordance at the the approximation are string for production flags gamme. OIL CON. COM. DIST. 3 By The Project
mes of and expected depths to objective sands ing points, ing points, ing points, ing points, ing points, ing points, ing and a surface approximately 300° of 10° to surface. Approximately 300° of 7° of the Picture Gliff fugue Mans and practices used in that this plan of work must receive approximately 10° of	s; show size, weights, and lengths of proposed casings; indicate mudding jobs, c, and all other important proposed work) TO Picture Cliff formation, set production of Bating medium. 13/6", O.D., 32.75%, casing for surface pipe 10.B., 20%, 4-55, casing for production striction and consent in accordance at the the appropriate area. 10.B. Surface of Colors area of Colors area of the colors are accordance at the the appropriate area. 10.B. COM. COM.