



(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office New Mexico
Lease No. 01806
Unit Federal

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF	RECEIVED OCT 29 1959 U. S. GEOLOGICAL SURVEY FARMINGTON, NEW MEXICO
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

October 27, 1959

Well No. 32-F is located 1840 ft. from S line and 1600 ft. from E line of sec. 22
12 1/4 Sec. 32 36N 7E N.M.P.M.
 (1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
U10001 - 10001 - 10001 Alto Arriba New Mexico
 (Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 7229 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

On 10-16-59 Total Depth 3980'.
 Run 98 joints 5 1/2" J-55, 15.5# casing (3978') set at 3983' with 13 sacks
 regular cement, 13 sacks Pozmix, 1/4 cu. ft. Strata-Crete "6"/sk, & 2 1/2 Gal,
 followed with 50 sacks neat cement.

Held 1000#/30 minutes.

Top of cement by temperature survey at 3100'.



I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company 1 P. O. General G. S. Company

Address 214 221

Farmington, New Mexico

By ORIGINAL SIGNED R.E. McANALLY

Title Production Engineer