Form	<b>9-331</b> a
(Feb	. 1951)

Г		
l	X_	 
l		
	}	 
1		
	j	 

## (SUBMIT IN TRIPLICATE)

Land Office To
Loase No. 0/4073
Unit

## UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

## SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF SLEEPINGGIGAL SURVEY	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	THE STANDARD STANDARD STANDARD	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING.	SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL		
(INDICATE ABOVE BY CHECK MARK NA	TURE OF REPORT, NOTICE, OR OTHER DATA)	
	Sept mber 13, 1960 , 19	
Well No3 is located; ft. from	${ t N \choose S}$ line an ${ t M \choose S}$ line of self.	
(1/2 Sec. and Sec. No.) 26 Y 2 (Rail Comp.) (Rail Comp.)	nge) (Meridian)	
(Field) (County or Su	bdivision) (State or Territory)	
The elevation of the derrick floor above sea level \$520 ft.		
DETAILS	OF WORK	
(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)		
Han 45", 9.5%, J-55 casing to 3983', Commuted with 75 sacks of 50-50 Formix. Flug down 3:50 AR 6-16-60. AR 22 hours. Flug to 1800 psi. Hold 30 min. Pressure deceroses deceroses deceroses deceroses.		
Porf. 3909-3929 & 3950-3963 lith 2/ft. Also Fun 10.000 sand and holder parts. Sag. pressure 1033. dan 12 2 2 tubing to 3940. Presently esting pipoline connection (10.000)		
	SEPT a race	
I understand that this plan of work must receive approval in writ	ing by the Geological Survey before declars may be commenced.	
Company Sourcein terms to obsur	- domonation	
Addressia ton. o exico	By Mak A Col	
Stages	20 2 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	
	Title Goologist	
	GPO 9 18 50 7	