

(SUBMIT IN TRIPLICATE)

Indian Agency Alamogordo

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Allottee \_\_\_\_\_

Lease No. Contract 154

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL	SUBSEQUENT REPORT OF REDRILLING OR REPAIR
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY
NOTICE OF INTENTION TO ABANDON WELL	<u>Report of Drilling in and</u>
	<u>Spouting</u>

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Ohio Alamogordo

November 15, 1945

Well No. 1 is located 300 ft. from N line and 300 ft. from W line of sec. 34

34 Sec. and Sec. No.

20N

20E

20W

Alamogordo

San Antonio

New Mexico

(Field)

(County or Subdivision)


(State or Territory)

The elevation of the surface above sea level is 4000 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Drilled in with cable tools to TD 2995'. Natural flow gas 8,440 cfd. Water sand from 15,000' sand mixed with 37,000 gals. water, broke down 2175' tubing, 1275' casing, in 1000' casing, 1000' tubing, average injection rate 24.5 lpm. Plugged with 113 lbs. water, sand pressure 250'. Flow and cleaned out. Tested 1,000,000 cfd thru 1 1/2" side static supply, 200' tubing. Now waiting on test.



I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company The Ohio Oil Company

Address P. O. Box 120

Casper, Wyoming

By \_\_\_\_\_

Title Division Superintendent of Production