


(SUBMIT IN TRIPLICATE)

Indian Agency \_\_\_\_\_

**Albuquerque**UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Allottee \_\_\_\_\_

Lease No. **Contract 9117**

## SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL _____	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF _____	
NOTICE OF INTENTION TO CHANGE PLANS _____		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING _____	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF _____		SUBSEQUENT REPORT OF ALTERING CASING _____	
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL _____		SUBSEQUENT REPORT OF REDRILLING OR REPAIR _____	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE _____		SUBSEQUENT REPORT OF ABANDONMENT _____	
NOTICE OF INTENTION TO PULL OR ALTER CASING _____		SUPPLEMENTARY WELL HISTORY _____	
NOTICE OF INTENTION TO ABANDON WELL _____			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

May 23, 1957

Well No. **7-28** is located **990** ft. from **N** line and **1650** ft. from **E** line of sec. **28****10 1/4 10 1/4 28****26N****3E****10 1/4**

(1/4 Sec. and Sec. No.)

(Twp.)

(Range)

(Meridian)

**Tapehite Pt. Basin & Blaine Mountains****Rio Arriba****New Mexico**

(County or Subdivision)

(State or Territory)


The elevation of the derrick floor above sea level is **7237.2** ft.

## DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Propose to drill 15" hole to 300', set 3-3/8" casing and cement to surface w/200 cu yd. Drill 8-7/8" hole to 4125', set 7-3/8" CB casing and cement w/150 cu w/62 gal and 30 cu sack. Drill 6-3/4" hole to total depth of 6235' and set 5 1/2" liner from 4025' to 6235'. Cement base of liner w/150 cu yd. Test top of liner and, if necessary, breakdown against w/30 cu yd. Perforate the 5 1/2" casing opposite the Mesavada formation fr 2340-4125 and fracture w/approx 150,000 gals water. Isolate the Mesavada w/temp bridge plug and perforate 7-3/8" casing opposite the Pictured Cliffs fr 3025-3925 and fracture w/approx 40,000 gals water w/10 cu/gal. Clean out to TB. Hang 2-3/8" CB tubing at 6135' w/production packer set at 2400' and side-door choke at 3475' to produce the Mesavada. Inside 2-3/8" tubing by 7-3/8" casing annulus hang 1-1/4" CB tubing at 3915' to produce the Pictured Cliffs. Seal in both zones and complete well. The 2 1/2 of Section 28, containing 120 acres, is dedicated for both the Pictured Cliffs and Mesavada formations.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company **NORTHWEST PRODUCTION CORPORATION**Address **520 Simms Building**  
**Albuquerque, New Mexico**By **RAY PHILLIPS**  
**Ray Phillips**Title **Asst Mgr, Prod**



NEW MEXICO  
OIL CONSERVATION COMMISSION

Form C-128

Well Location and/or Gas Proration Plat

Date MAY 23 1957

Operator NORTHWEST PRODUCTION COMPANY Lease E


Well No. 7-28 Section 28 Township 26 NORTH Range 3 WEST, NMPM

Located 990 Feet From the NORTH Line, 1650 Feet From the EAST Line,

RIO ARRIBA County, New Mexico. G. L. Elevation 7257.2 UNGRADED GROUND

Name of Producing Formation Pictured Cliffs Pool Tapacito Ext. Dedicated Acreage 320

(Note: All distances must be from outer boundaries of Section)



RECEIVED  
MAY 24 1957  
U. S. GEOLOGICAL SURVEY  
FARMINGTON, NEW MEXICO

NOTE

This section of  
form is to be  
used for gas  
wells only.



SCALE: 1"=1000'

1. Is this Well a Dual Comp. ? Yes X No
2. If the answer to Question 1 is yes, are there any other dually completed wells within the dedicated acreage ? Yes    No X

Name Ray Phillips, Jr.  
Position Asst Mgr. Production Operations  
Representing Northwest Production Corporation  
Address 520 Simms Bldg, Albuquerque, New Mexico

This is to certify that the above plat was prepared from field notes of actual surveys made by me or under my supervision and that the same are true and correct to the best of my knowledge and belief.

Date Surveyed 9 JUNE 1956

James P. Leese  
Registered Professional Engineer and/or  
Land Surveyor  
James P. Leese  
N. Mex. Reg. No. 1463

NEW MEXICO  
OIL CONSERVATION COMMISSION

Form C-128

Well Location and/or Gas Proration Plat

Date May 23, 1957

Operator NORTHWEST PRODUCTION COMPANY Lease 117


Well No. 7-28 Section 28 Township 26 NORTH Range 3 WEST NMPM

Located 990 Feet From the NORTH Line, 1650 Feet From the EAST Line,

RIO ARriba County, New Mexico. G. L. Elevation 7257.2 UNGRADED GROUND

Name of Producing Formation Manzanero Pool Blanco W Dedicated Acreage 2.12

(Note: All distances must be from outer boundaries of Section)



NOTE

This section of  
form is to be  
used for gas  
wells only.



SCALE: 1" = 1000'

1. Is this Well a Dual Comp. ? Yes X No   .
2. If the answer to Question 1 is yes, are there any other dually completed wells within the dedicated acreage ? Yes    No X.

Name RAY PHILLIPS  
Position Asst. Mgr. Production Operations  
Representing Northwest Production Corporation  
Address 2720 Stone Bldg. Albuquerque, New Mexico

This is to certify that the above plat was prepared from field notes of actual surveys made by me or under my supervision and that the same are true and correct to the best of my knowledge and belief.

Date Surveyed 9 JUNE 1956

James P. Leese  
Registered Professional Engineer and/or  
Land Surveyor James P. Leese  
N. Mex. Reg. No. 1463