


(SUBMIT IN TRIPLICATE)



UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Indian Agency _____

~~Jicarilla Tribal~~

Allottee _____

Lease No. **106**

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF	<input checked="" type="checkbox"/>
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL	SUBSEQUENT REPORT OF REDRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY	MAR 3 1964
NOTICE OF INTENTION TO ABANDON WELL		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Feb. 24, 1964, 19

Well No 3-26 is located 990 ft. from N line and 990 ft. from E line of sec. 26

NE 1/4 of Sec. 26 26 North & West NMPN
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)


Tapiata Pictured Cliffs Rio Arriba New Mexico
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 6934 ft.
6928 G.L.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Drilled 175' of 12 1/4" hole. Set 6 joints of 5/8" at 165' KB. cemented with 100 sacks regular with 2% Ca Cl₂. Plug down 12 noon 1/24/64. Drilled with 7 7/8" bit. Set 5 1/2" 15.50' at 3700 KB. cemented with 135 sacks of 50-50 per-mix with 1% gel. Tailed in with 40 sacks of regular with 2% Ca Cl₂. Plug down 10:15 A.M. 1/29/64.



I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Consolidated Oil & Gas Co.

Address P.O. Box 2038

Farmington, New Mexico

By Thomas M. Boyd, Jr.
Title Area Superintendent