DEPUTY OIL & GAS INSPECTOR

JICARILLA APACHE TRIBE

ENVIRONMENTAL PROTECTION OFFICE

FEB 2 8 1997

Dallows th

P.O. BOX 507 DULCE, NEW MEXICO 87528 SUBMIT 1 COPY TO NATURAL RESOURCE DEPT AND OIL GAS ADMINISTRATION


AND OIL GAS
ADMINISTRATION

PIT REMEDIATION AND CLOSURE REPORT

The second se		
Operator: PNM Gas Services Mer	Telephone: 324	1-3764
Address: 603 W. Elm Street Farmington, NM 874	401	
Facility or Well Name: Ticavilla J-	4	
Location: Unit: B Sec. 26	T. 26 N R. 5 W County	Rio Arriba
Pit Type: Separator X Dehydrator	Other	
Land Type:		
Pit Location: Pit dimensions: length	<u>43</u> width <u>38</u> de	pth <u>/</u> 8
(Attach diagram) Reference: wellhead	X other	
Footage from reference:	55 °	
Direction from reference: 8	O Degrees East North	th
	West Sou	ıth
Depth to Ground Water: (Vertical distance from contaminants to seasonal high water elevation of ground water)	50 feet to 99 feet ((20 points) (10 points) (0 points)
Wellhead Protection Area:	163	(20 points)
(Less than 200 feet from a private domestic water source, or; less than 1,000 feet from all other water sources)	NO	
Distance to Surface Water:		(20 points) (10 points)
(Horizontal distance to perennial lakes, ponds, rivers, streams, creeks, irrigation canals and ditches)	· · · · · · · · · · · · · · · · · · ·	(0 points)
Distance to Ephemeral Stream (dry wash):	Less than or equal to 100 feet Greater than 100 feet	(10 points) (0 points)
(Horizontal distance to all downgradient streams having a width of at least 10 feet)	C. C	
Distance to Nearest Lake, Playa, or Watering Pond:	Less than or equal to 100 feet Greater than 100 feet	(10 points) O Doints)
(Horizontal distance to all downgradient lakes, playas, and livestock or wildlife water ponds)		
	RANKING SCORE (TOTAL POINTS	s): &

Date Remediation Started	: 7/25/96	Date Completed:	9/5/96
Remediation Method:	Excavation X	_ Approx. Cubic Yards	1089
(Check all appropriate	Landfarmed X	Amount Landfarmed (cubic	yds): <u>7,53</u>
sections)	Other		
Remediation Location: (i.e., landfarmed onsite, name and location of offsite facility)	Onsite X	Offsite	
Removed con botton of neading	traminated soil f	i	walls And head space
Ground Water Encounte	red: No X	Depth	
Final Pit Closure Sampling:	Sample Location North	South, Enst, W	est side
(if multiple samples, attach sample result and diagram of	Sample depth 18'		
sample locations and depths.)	Sample date $\frac{7/29/9}{}$	Sample time	/030
	ample Results Jenzene (ppm)	Water: Benzene (p	nh)
	otal BTEX (ppm	Toluene (p	
	ield headspace (ppm) 79.2	- Ethylhenzer	
	PH <u>(5.0 ppm</u> Method	8015 Total Xylene	es (ppb)
Ground Water Sample		(If yes, attach s	ample results)
KNOWLEDGE AND MY B		RUE AND COMPLETE TO T	HE BEST OF MY
DATE $\frac{\mathcal{B}}{}$	3/96 PRIN	TED NAME Ronald A. De	edrick
SIGNATURE Kano	Ob A Dodusk AND	TITLE Environmental	Fechnician II
AFTER REVIEW OF THE TO JICARILLA APACHE	EPIT CLOSURE INFORMATION, PI TRIBE PIT CLOSURE ORDINANCE	T CLOSURE IS APPROVED	IN ACCORDANCE
APPROVED: YES	NO (REASON	I):	
SIGNED:	man DAT	E: 8-5-96	

Jikarilla J-4 Sec. 26 T26N R5W Meridian



meter house

OFF: (505) 325-5667



LAB: (505) 325-1556

Diesel Range Organics

Attn:

Denver Bearden

Date:

2-Aug-96

Company: PNM Gas Services

COC No.:

4807

Address:

603 W. Elm

City, State: Farmington, NM 87401

Sample No. Job No.

11658 2-1000

Project Name:

PNM Gas Services - Jicarilla J-4 Run 12-01

Project Location:

9607291030; 5pt. Composite EP

Date: Date:

29-Jul-96 Time:

10:30

Sampled by: Analyzed by:

DC/HR

1-Aug-96

Sample Matrix:

Soil

Laboratory Analysis

Parameter	Result	Unit of Measure	Detection Limit	Unit of Measure
Diesel Range Organics (C10 - C28)	< 5.0	mg/kg	5.0	mg/kg

Quality Assurance Report

DRO QC No.:

0479-QC

Calibration Check

Parameter	Method Blank	Unit of Measure	True Value	Analyzed Value	% Diff	Limit
Diesel Range (C10 - C28)	<5.0	ppm	2,000	1,994	0.3	15%

Matrix Spike

Parameter	1- Percent Recovered	2 - Percent Recovered	Limit	%RSD	Limit
Diesel Range (C10-C28)	109	99	(70-130)	7	20%

Method - SW-846 EPA Method 8015A mod. - Nonhalogenated Volatile Hydrocarbons by Gas Chromatography

Approved by:

JICARILLA APACHE TRIBE ENVIRONMENTAL PROTECTION OFFICE P.O. BOX 507 DULCE, NEW MEXICO 87528

SUBMIT 1 COPY TO NATURAL RESOURCE DEPT AND OIL GAS ADMINISTRATION

ON-SITE SOIL REMEDIATION REPORT

Operator: PNM Gas Services (Meridian) Telephone: 324-3764	
Address: 603 W. Elm Street Farmington, NM 87401	
Facility or Well Name: Jicanilla J-4	
Location: Unit: 8 Sec. 26 T. 26 N R. 5 W County Rio Arriba	
Land Type: Jicarilla Apache	
Date Remediation Started: $7/25/96$ Date Completed: $8/30/96$	
Remediation Method: Landfarmed X Approx. cubic yards 9.5.3	
CompostedOther	
Depth to Ground Water: (pts.) & Final Closure Sampling:	
	205
Distance to Nearest Lake, Playa, (pts.) Sampling Results:	
Wellhead Protection Area: (pts.)	
Distance to Surface water:	015
Ranking Score (Total Points):	 -
I HEREBY CERTIFY THAT THE INFORMATION ABOVE IS TRUE AND COMPLETE TO THE BEST OF MY KNOWLEDGE AND BELIE	EF
DATE 8/25/96 PRINTED NAME Ronald A. Dedrick	
SIGNATURE Rand A Delice AND TITLE Environmental Technician II	·
AND TITLE Environmental recrinician in	
AFTER REVIEW OF THE SOIL REMEDIATION INFORMATION, ON-SITE REMEDIATION APPROVED IN ACCORDANCE TO THE JICARILLA APACHE TRIBE PIT CLOSURE ORDINANCE	
APPROVED: YES NO(REASON)	
SIGNED: 400 C. Manuel DATE: 8-26-96	

Ticanilla J-4 Jec. 26 T26N R5W LANd FARM Meridian 45.8pp-2,2 ppn 53.4pp: 114 60

OFF: (505) 325-5667



LAB: (505) 325-1556

Diesel Range Organics

Attn:

Denver Bearden

Company: PNM Gas Services

Address:

603 W. Elm

City, State: Farmington, NM 87401

Date:

23-Aug-96

COC No.:

4849

Sample No.

11859

Job No.

2-1000

Project Name:

PNM Gas Services - Jicarilla J-4 Landfarm Run 12-01

Project Location:

9608201905; 5pt. Composite RD

Date:

20-Aug-96 Time:

Sampled by: Analyzed by:

DC/HR

Date:

22-Aug-96

19:05

Sample Matrix:

Soil

Laboratory Analysis

Parameter Parameter	Result	Unit of Measure	Detection Limit	Unit of Measure
Diesel Range Organics (C10 - C28)	9.3	mg/kg	5.0	mg/kg

Quality Assurance Report

DRO QC No.:

0489-QC

Calibration Check

Parameter	Method Blank	Unit of Measure	True Value	Analyzed Value	% Diff	Limit
Diesel Range (C10 - C28)	< 5.0	ppm	100	104	3.9	15%

Matrix Snike

matrix opin					
	1- Percent	2 - Percent			
Parameter	Recovered	Recovered	Limit	%RSD	Limit
Diesel Range (C10-C28)	88	101	(70-130)	10	20%

Method - SW-846 EPA Method 8015A mod. - Nonhalogenated Volatile Hydrocarbons by Gas Chromatography

Approved by:

P.O. BOX 2606 • FARMINGTON, NM 87499