]	Form (Ap	9-8 ril 195	81 b (2)	
			<u> </u>	
	1	[į .	2

(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

dian Agency	Jicarilla
-------------	-----------

Allottes Jigarilla Tribal
Lesse No. Contract 110

SUNDRY NOTICES	AND REPORTS ON WELLS
DOTTE	WATER SHUT-OFF
OTICE OF INTENTION TO DRILL	PURE OUT PEPORT OF SHOOTING OR ACIDIZING
OTICE OF INTENTION TO CHANGE PLANS	DEPORT OF ALTERING CASING
TO TEST WATER SHUT-OFT	DEPOPT OF REDRILLING OR REPORT
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL.	SUBSEQUENT REPORT OF ABANDONMENT
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUPPLEMENTARY WELL HISTORY
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTAGE
NOTICE OF INTENTION TO ABANDON WELL	
NOTICE OF INTENTION	OF REPORT, NOTICE, OR OTHER DATA)
(INDICATE ABOVE BY CHECK M/	MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)
	17th 19.57
. 200 (-	t. from $\{S\}$ line and 990 ft. from $\{E\}$ line of sec. 20
Well No. 7-3 is located 990 m.	t. from S mo
Ven 1101 man	SW N. H. P. M.
BE/4 SE/4 Sec. 20 26E (14 Sec. and Sec. No.)	(Range) (Meridian)
(14 Sec. and Sec. No.)	Ric Arriba (State or Territory)
	County or Subdivision)
(Plaid)	KE30 G
derrick floor above se	sea level is
The elevation of the derrick floor above se	THE OF WORK
DI	ETAILS OF WORK
1 leather to objective sands; si	show sizes, weights, and lengths of proposed cash-s-y-
f and etnected deptite	
(State names or and saperns) and points) as	ETAILS OF WORK show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cement- show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cement- show sizes, weights, and lengths of proposed work) and all other important proposed work)
(State names or and saperting ing points) and	and all other important total depth 32001.
ee cand test.	Estimated total depth 32001.
Pictured Cliffs Sand test.	Estimated total depth 32001.
Pictured Cliffs Sand test.	Estimated total depth 32001.
Pictured Cliffs Sand test.	3-5/8" OD 24# J-55 cemented to surface.
Pictured Cliffs Sand test. Surface Casing: 90° of 8 Production " : Approximately	Estimated total depth 32001. 3-5/8" OD 24# J-55 comented to surface. sately 32001 of 5-1/2" OD 15.5# J-55 1 with 100 sacks.
Pictured Cliffs Sand test. Surface Casing: 90' of 8- Production " : approximation communication of the communicat	Estimated total depth 3200'. 3-5/8" OD 24# J-55 cemented to surface. sately 3200' of 5-1/2" OD 15.5# J-55 i with 100 sacks.
Pictured Cliffs Sand test. Surface Casing: 90' of 8- Production " : approximation communication of the communicat	Estimated total depth 3200'. 3-5/8" OD 24# J-55 cemented to surface. sately 3200' of 5-1/2" OD 15.5# J-55 i with 100 sacks.
Pictured Cliffs Sand test. Surface Casing: 90' of 8- Production " : approximation communication of the communicat	Estimated total depth 3200'. 3-5/8" OD 24# J-55 cemented to surface. sately 3200' of 5-1/2" OD 15.5# J-55 i with 100 sacks.
Pictured Cliffs Sand test. Surface Casing: 90' of 8- Production " : approximation communication of the communicat	Estimated total depth 32001. 3-5/8" OD 24# J-55 comented to surface. sately 32001 of 5-1/2" OD 15.5# J-55 1 with 100 sacks.
Pictured Cliffs Sand test. Surface Casing: 90' of 8- Production " : approximation communication of the communicat	Estimated total depth 3200'. 3-5/8" OD 24# J-55 cemented to surface. sately 3200' of 5-1/2" OD 15.5# J-55 i with 100 sacks.
Pictured Cliffs Sand test. Surface Casing: 90' of 8- Production " : approximation communication of the communicat	Estimated total depth 3200'. 3-5/8" OD 24# J-55 cemented to surface. sately 3200' of 5-1/2" OD 15.5# J-55 i with 100 sacks.
Pietured Cliffs Sand test. Surface Casing: 90' of 8- Production ": approximated Commercial production be perforated and the pro-	Estimated total depth 3200'. 3-5/8" OD 24# J-55 comented to surface. sately 3200' of 5-1/2" OD 15.5# J-55 with 100 sacks. is indicated, the 5-1/2' easing will oducing section sandfraced. RELEVED
Pietured Cliffs Sand test. Surface Casing: 90' of 8- Production ": approximated Commercial production be perforated and the pro-	Estimated total depth 3200'. 3-5/8" OD 24# J-55 comented to surface. sately 3200' of 5-1/2" OD 15.5# J-55 with 100 sacks. is indicated, the 5-1/2' easing will oducing section sandfraced. RELEVED
Pictured Cliffs Sand test. Surface Casing: 90° of 8. Production " : approximated commercial production be perforated and the pro	Estimated total depth 3200'. -5/8" OD 244 J-55 comented to surface. mately 3200' of 5-1/2" OD 15.54 J-55 with 100 sacks. is indicated, the 5-1/2' easing will oducing section sandfraced. RLLLVED approval in writing by the Geological Survey before operations may be commended. Oil CON. COM
Pictured Cliffs Sand test. Surface Casing: 90' of 8. Production ": approximated commented If commercial production be perforated and the pro- I understand that this plan of work must receive as property and the pro-	Estimated total depth 3200'. -5/8" OD 244 J-55 comented to surface. mately 3200' of 5-1/2" OD 15.54 J-55 with 100 sacks. is indicated, the 5-1/2' easing will oducing section sandfraced. RLLLVED approval in writing by the Geological Survey before operations may be commended. Oil CON. COM
Pietured Cliffs Sand test. Surface Casing: 90° of 8. Production ": approximated commented If commercial production be perforated and the pro- I understand that this plan of work must receive as Company EL PASO MATURAL SAN	Estimated total depth 3200'. -5/8" OD 244 J-55 comented to surface. mately 3200' of 5-1/2" OD 15.54 J-55 with 100 sacks. is indicated, the 5-1/2' easing will oducing section sandfraced. RLLLVED approval in writing by the Geological Survey before operations may be commended. Oil CON. COM
Pietured Cliffs Sand test. Surface Casing: 90° of 8. Production ": approximated commented If commercial production be perforated and the pro- I understand that this plan of work must receive as Company EL PASO MATURAL SAN	Estimated total depth 3200'. -5/8" OD 244 J-55 comented to surface. mately 3200' of 5-1/2" OD 15.54 J-55 with 100 sacks. is indicated, the 5-1/2' easing will oducing section sandfraced. RLLLVED approval in writing by the Geological Survey before operations may be commended. Oil CON. COM
Pictured Cliffs Sand test. Surface Casing: 90° of 6. Production ": approximated If commercial production be perforated and the pro I understand that this plan of work must receive as Company EL PASO MATURAL GAS Address Box 997	Estimated total depth 3200'. -5/8" OD 244 J-55 comented to surface. mately 3200' of 5-1/2" OD 15.54 J-55 with 100 sacks. is indicated, the 5-1/2' easing will oducing section sandfraced. RLLLVED approval in writing by the Geological Survey before operations may be commended. Oil CON. COM
Pietured Cliffs Sand test. Surface Casing: 90° of 8. Production ": approximated commented If commercial production be perforated and the pro- I understand that this plan of work must receive as Company EL PASO MATURAL SAN	Estimated total depth 3200'. -5/8" OD 244 J-55 comented to surface. mately 3200' of 5-1/2" OD 15.54 J-55 with 100 sacks. is indicated, the 5-1/2' easing will oducing section sandfraced. RLLLVED approval in writing by the Geological Survey before operations may be commended. Oil CON. COM
Pictured Cliffs Sand test. Surface Casing: 90° of 6. Production ": approximated If commercial production be perforated and the pro I understand that this plan of work must receive as Company EL PASO MATURAL GAS Address Box 997	Estimated total depth 3200'. -5/8" OD 244 J-55 comented to surface. mately 3200' of 5-1/2" OD 15.54 J-55 with 100 sacks. is indicated, the 5-1/2' easing will oducing section sandfraced. RLLLVED approval in writing by the Geological Survey before operations may be commended. Oil CON. COM

NEW MEXICO OIL CONSERVATION COMMISSION

Form C-128 Well Location and/or Gas Proration Plat 5-17-57 EL PASO HATURAL GAS COMPANY Lease JICARILLA Operator Well No. 7-3 Township 26 NORTH Range 5 WEST, 20 NMPM Section Feet From the SOUTH Line, 990 Feet From the EAST Line, Located 990 County, New Mexico. G. L. Elevation 6511.3 UNGRADED. RIO ARRIBA S. Blanco Name of Producing Formation Pictured Cliffe Pool PC Lat. Dedicated Acreage 160 (Note: All distances must be from outer boundaries of Section) Jicarilla Tribal NOTE Configet 110 This section of form is to be used for gas wells only. SCALE : 1" = 100 No Is this Well a Dual Comp. ? Yes This is to certify that the above plat was prepared from field notes of actual surveys 2. If the answer to Question 1 is yes, are there made by me or under my supervision and that the same are true and correct to the any other dually completed wells within the dedicated acreage? Yes best of my knowledge and belief. Name Date Surveyed 12 NOVEMBER 1956 Representing El Peso Esturel des Com Registered Professional Engineer and/or

James P. Leese

N. Mex. Reg. No. 1463

Land Surveyor

Address Box 9974, Paraington, New Moxico