

(SUBMIT IN TRIPLICATE)

Indian Agency ----- 310851110

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Allottee Jicarilla Tribal

Lease No. **Contract 109**

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL	SUBSEQUENT REPORT OF REDRILLING OR REPAIR
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY
NOTICE OF INTENTION TO ABANDON WELL	Subsequent Report of Sandfrac Treatment

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

July 30th, 1958

Well No. 10-F is located 1130 ft. from

N
S

 line and 990 ft. from

E
W

 line of sec. 15

SN/4 SN/4 Sec. 13
(1/4 Sec. and Sec. No.)

26
(Twp.)

SW
(Range)

N.N.P.N.
(Meridian)

S. Alamo FC Inst.
(Field)

Rio Arriba
(County or Subdivision)

New Mexico
(State or Territory)

The elevation of the derrick floor above sea level is **6590** ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

7-11-58 TD 3201'. Cleaned out to 3160'. Perforated 3091-3153' with 4 shots per foot. Sandfraced with 26,040 gallons water and 30,000# sand, flushed with 3,360 gallons water. Breakdown pressure 1800#, treating pressure 1400-2500#. Dropped 150 rubber balls in two stages during treatment. Average injection rate 61 barrels per minute.

7-12-58 After 12 hours flowing 2,747 MCF/day.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company **EL PASO NATURAL GAS COMPANY**

Address **Box 997**

Warrington, New Mexico

By

Title

Petroleum Engineer

