

District I  
P.O. Box 1980, Hobbs, NM

District II  
P.O. Drawer DD, Artesia, NM 88221

District III  
1000 Rio Brazos Rd. Aztec, NM 87410

State of New Mexico  
Energy, Minerals and Natural Resources Department

SUBMIT 1 COPY TO  
APPROPRIATE  
DISTRICT OFFICE  
AND 1 COPY TO  
SANTA FE OFFICE

OIL CONSERVATION DIVISION

2040 South Pacheco Street  
Santa Fe, New Mexico 87505

**PIT REMEDIATION AND CLOSURE REPORT**

Operator: PNM Gas Services (Caulkins) Telephone: 324-3764

Address: 603 W. Elm Street Farmington, NM 87401

Facility or Well Name: Reuter #321

Location: Unit M Sec 15 T 26 N R 6 W County Rio Arriba

Pit Type: Separator ☐ Dehydrator ☐ Other ☐

Land Type: BLM ☒ State ☐ Fee ☐ Other ☐

Pit Location: Pit dimensions: length 20 width 20 depth 3

(Attach diagram) Reference: wellhead ☒ other ☐

Footage from reference: 120'

Direction from reference: 5 Degrees ☒ East ☒ North  
of  
☐ West ☐ South

Depth to Ground Water: Less than 50 feet (20 points)  
50 feet to 99 feet (10 points)  
Greater than 100 feet (0 points) 0

(Vertical distance from contaminants to  
seasonal high water elevation of ground  
water)

Wellhead Protection Area: Yes (20 points)  
No (0 points) 0

(Less than 200 feet from a private  
domestic water source, or; less than 1,000  
feet from all other water sources)

Distance to Surface Water: Less than 200 feet (20 points)  
200 feet to 1,000 feet (10 points)  
Greater than 1,000 feet (0 points) 0

(Horizontal distance to perennial lakes,  
ponds, rivers, streams, creeks, irrigation  
canals and ditches)

RANKING SCORE (TOTAL POINTS): 0

Reuter #321

Date Remediation Started: \_\_\_\_\_ Date Completed: \_\_\_\_\_

Remediation Method: Excavation \_\_\_\_\_ Approx. Cubic Yard \_\_\_\_\_

(Check all appropriate sections)

Landfarmed \_\_\_\_\_ Amount Landfarmed (cubic yds) \_\_\_\_\_

Other \_\_\_\_\_

Remediation Location: Onsite \_\_\_\_\_ Offsite \_\_\_\_\_

(i.e., landfarmed onsite, name and location of offsite facility)

Backfill Material Location: \_\_\_\_\_

**General Description of Remedial Action:**

No remedial action necessary; lab analysis below BLM/OCD standards.

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

Ground Water Encountered: No \_\_\_\_\_ Yes \_\_\_\_\_ Depth \_\_\_\_\_

**Final Pit Closure Sampling:**

Sample Location Middle of pit. \_\_\_\_\_

(if multiple samples, attach sample result and diagram of sample locations and depths.)

Sample depth 4' \_\_\_\_\_

Sample date 8/8/97 Sample time 1:00:00 PM

**Sample Results**

Benzene (ppm) \_\_\_\_\_

Total BTEX (ppm) \_\_\_\_\_

Field headspace (ppm) 0 \_\_\_\_\_

TPH (ppm) < 5.00 Method 8015A

Vertical Extent (ft) \_\_\_\_\_ Risk Assessment form attached Yes ☐ No ☐

Ground Water Sample: Yes \_\_\_\_\_ No ☒ (If yes, see attached Groundwater Site Summary Report)

I HEREBY CERTIFY THAT THE INFORMATION ABOVE IS TRUE AND COMPLETE TO THE BEST OF MY KNOWLEDGE AND MY BELIEF

DATE October 27, 1997


SIGNATURE



PRINTED NAME AND TITLE Denver Bearden  
Administrator III

Well Name:	Renter # 321			
Legal Description:	Sec	Twn	Rng	Unit
	15	26N	6W	M

Data Sheet #:



120'

WELLHEAD

OFF: (505) 325-5667



LAB: (505) 325-1556

### ANALYTICAL REPORT

Attn: *Denver Bearden*  
Company: *PNM Gas Services*  
Address: *603 W. Elm*  
City, State: *Farmington, NM 87401*

Date: *13-Aug-97*  
COC No.: *5932*  
Sample No.: *15738*  
Job No.: *2-1000*

Project Name: *PNM Gas Services - Renter #321*  
Project Location: *9708081300; 3pt. Composite, 4' depth*  
Sampled by: *GC* Date: *8-Aug-97* Time: *13:00*  
Analyzed by: *HR/DC* Date: *11-Aug-97*  
Sample Matrix: *Soil*

#### Laboratory Analysis

Parameter	Results as Received	Unit of Measure	Limit of Quantitation	Unit of Measure
<i>Diesel Range Organics (C10 - C28)</i>	ND	mg/kg	5	mg/kg

ND - Not Detected at Limit of Quantitation

#### Quality Assurance Report

DRO QC No.: 0548-STD

#### Continuing Calibration Verification

Parameter	Method Blank	Unit of Measure	True Value	Analyzed Value	RPD	RPD Limit
<i>Diesel Range (C10 - C28)</i>	ND	ppm	200	215	7.4	15%

#### Matrix Spike

Parameter	1- Percent Recovered	2 - Percent Recovered	Limit	RPD	RPD Limit
<i>Diesel Range (C10-C28)</i>	84	85	(70-130)	1	20%

Method - SW-846 EPA Method 8015A mod. - Nonhalogenated Volatile Hydrocarbons by Gas Chromatography

Approved by: *[Signature]*  
Date: *8/13/97*

P.O. BOX 2606 • FARMINGTON, NM 87499

- TECHNOLOGY BLENDING INDUSTRY WITH THE ENVIRONMENT -