

(SUBMIT IN TRIPLICATE)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Land Office **Santa Fe**  
Lease No. **079287-A**  
Unit \_\_\_\_\_

SUNDRY NOTICES AND REPORTS ON WELLS

RECEIVED

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY
NOTICE OF INTENTION TO ABANDON WELL	

**Notice of Intention to Run Cave String X**

MAR 17 1960

U. S. GEOLOGICAL SURV  
FARMINGTON, NEW MEX

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

March 15, 1960

Case USL  
Well No. #1 is located 1980 ft. from {N} line and 660 ft. from {E} line of sec. 16  
{SW} {W}

SE/4 NE/4 T. 26 N., R. 1 E. N.M.P.M.  
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)


Rio Arriba New Mexico  
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is \_\_\_\_\_ ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Run 7' x 2 3/8 ST&C casing in dry hole to 2635' with Texas Pattern shoe to eliminate dry hole cave in cable tool hole at 2600 to 2635'.



I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company **INTEK OIL COMPANY**  
Address **P.O. Box 1411**  
**Bakersfield, California**  
**FA 4-4936**

By **R. D. Miller**  
Title **Production Manager**