

New Mexico
OIL CONSERVATION COMMISSION
Aztec, New Mexico

June 28, 1958

**Magnolia Petroleum Company
P.O. Box 2406
Hobbs, New Mexico**

**Re: Magnolia #3 Jicarilla "D"
Sec. 13-26N-3W, Rio Arriba Co.**

Gentlemen:

This letter will serve as your tentative approval for the dual completion of the above well as a gas-gas dual in the Pictured Cliffs and Mesaverde formations.

It is understood the well will be equipped as set out in your application. Upon final completion, application for administrative approval should be made to Mr. A. L. Porter in Santa Fe as provided in Rule 112.

Yours very truly

**A. R. Kendrick
Engineer, District #3**

ARK:ks

**cc: Mr. A. L. Porter
OCC, Santa Fe, N.M.**

NEW MEXICO
OIL CONSERVATION COMMISSION
Albuquerque, New Mexico

January 1943

Approved by the Board of Directors
January 1943
Secretary of the Board

Approved by the Board of Directors
January 1943

Secretary

That the Board of Directors of the New Mexico Oil Conservation Commission, do hereby certify that the following is a true and correct copy of the minutes of the meeting of the Board of Directors held on January 19, 1943.

That the Board of Directors of the New Mexico Oil Conservation Commission, do hereby certify that the following is a true and correct copy of the minutes of the meeting of the Board of Directors held on January 19, 1943.

Secretary

Approved by the Board of Directors
January 1943

Secretary

Approved by the Board of Directors
January 1943



Magnolia Petroleum Company

A Socony Mobil Company

P. O. Box 2406, Hobbs, New Mexico
June 24, 1958

New Mexico Oil Conservation Commission
Aztec, New Mexico

Attention: Mr. Emery C. Arnold

Re: Jicarilla "D" #7
Sec. 13 T-26N R-3W
Blanco Field
Rio Arriba County, New Mexico


Gentlemen:

We propose to drill the subject well to a projected depth of 6,300'. It is further propose to dually complete this well in the Pictured Cliffs and Mesa Verde zones.

We propose to set approximately 350' of 10 3/4" casing, 4100' of 7 5/8" intermediate string and set 2300' of 5 1/2" liner on bottom. We will perforate in the Pictured Cliffs zone and Mesa Verde zone and attempt a dual gas completion. Dual tubing strings will be run.

The subject well is located 990' FSL and 990' FWL of Sec.13 T-26N R-3W, Rio Arriba County, New Mexico.

Yours very truly,


G. S. Young Jr.
District Superintendent

GSYjr:ces

