

DOSWELL & FETTIGREW
719 1st National Bank Bldg.
Dallas 1, Texas

August 14, 1951

Mr. Al Greer,
New Mexico Oil Conservation Commission
Aztec, New Mexico

Re: Santa Fe 079035

Dear Sir:

It is hereby requested that we be granted approval to drill on the subject lease, located in Sec. 9, T. 26 N., R. 6 W., N.M.P.M., Rio Arriba County, New Mexico, Wildcat area.

This well is located 1550' from the south line and 920' from the west line. It is impossible to drill this well on the specified footage as set forth in spacing regulations.

Very truly yours,

Fed. Doswell #7-17-f

C. WILSON MOORE,
Supt.

CWM/jhb

(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Santa Fe

Lease No. 079035

Unit Sec. 9 is designated
Drilling Unit.

RECEIVED

AUG 14 1951

U. S. GEOLOGICAL SURVEY
FARMINGTON, N. M.

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....		SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....		SUBSEQUENT REPORT OF REDRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....		SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....		SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

August 14, 1951

Well No. 7-17 is located 1550 ft. from (N) line and 950 ft. from (E) line of sec. 9

24 (Twp. and Sec. No.) 25 (Twp.) 4 (Range) N (Meridian)

Alfaret (Field) Rio Arriba (County or Subdivision) New Mexico (State or Territory)

The elevation of the derrick floor above sea level is _____ ft. (to be furnished later)

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

It is intended to drill with Rotary Tools to approximately 3000' to test the Pictured Cliffs formation.

Casing Program:

Set 500' - 8-5/8" - w/350 sacks and cement to be circulated.

Set approx. 3000' - 5 1/2" w/250 sacks cement.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company JOHNSON & PARTNERS

Address 719 1st Nat'l. Bk. Bldg.


Albuquerque, N.M.

By _____

Title C. ALLEN BROWN,
Supt.



Company Doswell & Pettigrew
 Lease Santa Fe 079035 Well No. 17 - Doswell
 Sec. 9 T. 26 N. R. 6 W., N.M.P.M.
 Location 1550' from the South line and 920' from the West line.



Scale—4 inches equals 1 mile.

This is to certify that the above plat was prepared from field notes of actual surveys made by me or under my supervision and that the same are true and correct to the best of my knowledge and belief.

Seal:

Charles J. Finklea

Registered Professional **Charles J. Finklea**
 Engineer and Land Surveyor. N. Mex. Reg. No. 1302

Surveyed August 11, 1951