For (I	m 3-	951 a 951)	•		_
į					
		o (T
				. 	26 N
٦.		! ! !			"

(SUBMIT IN TRIPLICATE)

Land	Offic	ا •	San	te.	Fo	
Loase	No.	SF	67	916	1	
11_14						

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

	W	IOTIOTO AI	ND DEDA	DTC ON	WEIIC	
	SUNDRY	OTICES A	ND REPO	JK 15 ON	WELLS	
NOTICE OF I	NTENTION TO DRILL		SUBSEQUENT	REPORT OF WATER	SHUT-OFF	* #1
NOTICE OF I	NTENTION TO CHANGE PLAN	vs	SUBSEQUENT	REPORT OF SHOOT	ING OR ACIDIZING.	
NOTICE OF I	NTENTION TO TEST WATER	SHUT-OFF	SUBSEQUENT	REPORT OF ALTERI	NG CASING	
	NTENTION TO RE-DRILL OR				LLING OR REPAIR	
NOTICE OF I	NTENTION TO SHOOT OR A	CIDIZE	SUBSEQUENT		ONMENT	D
	NTENTION TO PULL OR ALT		31			
NOTICE OF !!	NTENTION TO ABANDON WE	LL				
	(INDICATE	ABOVE BY CHECK MARK N	ATURE OF REPORT	NOTICE, OR OTHER	R DATA)	
]	March 16.	
NW Lindr	4+6		(N.T)			
Vell No	2-9 is located	1 1450 ft. from.	line and	1450 ft. fr	om W line o	sec 9
cro and the	Saablan O	26N	7W	имом		THIEN
(1/ Bec	Section 9 and Sec. No.)	26N(I	Range)	(Meridian)	/RI	PHAFF
Basin-Da	kota (Field)	Rio Arriba		1	New Herico	
•••	(Field)	(County or	Subdivision)		(State or Territory)	WIA TAUS
i ne elevati	01. 01. 01.0 401.1011 15			ft. 6061.0 (a. 2. /01	DIST
State names of	f and expected depths to ob	DETAIL bjective sands; show sizes ing points, and all oth	S OF WOR	K of proposed ca cosed work) call to an	aings; indicate muc	DIS ding jobs, coment-
State names of Compass depth of potentia	f and expected depths to ob	DETAIL bjective sands; show sizes ing points, and all oth nc. proposes to above location. ca formation sizes	S OF WORL , weights, and lengther important properties of drill a way. The well and other up	K ths of proposed ca cosed work) rell to an will test	aings; indicate muc approximate the oil an	DIS dingrow, tement-
Compass depth of potentia and comp	Exploration, In 7000' at the suls of the Dakot letion procedur.	DETAIL bjective sands; show sizes ing points; and all oth ac. proposes to above location. ca formation sizes are as foll sely 300°, run	S OF WORL , weights, and lengther important properties of drill a wall The well and other up	K rths of proposed ca cosed work) rell to an will test whole form	approximate the oil an ations. Dr	total d or/gas illing
Compass depth of potentis and comp 1. Dril suff 2. Dril	Exploration, In 7000 at the substitution procedured to approximate to approximate to approximate to approximate the approximate to approximate the approximate the approximate the approximate to approximate the approximate to approximate the approximate t	DETAIL bjective sands; show sizes ing points, and all oil ac. proposes to above location. ca formation so res are as foll sely 300°, run to circulate. tely 7000° (T.I	s OF WORL weights, and lengther important properties the drill a way. The well and other up low: and set 8=	k ths of proposed ca cosed work) rell to an will test whole form 5/8" surfa	approximate the oil an ations. Dr	DIS total dor/gas illing
Compass depth of potentis and comp 1. Dril suff 2. Dril 3. If t	Exploration, In 7000 at the sale of the Dakot letion procedured to approximate to approximate to approximate the approximate the approximate the sale of the proximate the approximate the app	DETAIL bjective sands; show sizes ing points, and all oil ac. proposes to above location. ca formation sizes are as foll sely 300°, run to circulate. tely 7000° (T.I	s OF WORL weights, and lengther important properties of drill a way. The well and other up low: and set 8- o.), run IF ne Dakota 1	cths of proposed cancel to an will test whole form 5/8" surfaces and GRS formation,	aings; indicate much approximate the oil an ations. Dr ce casing w logs. run and set	DIS ding pobe, comentate total dor/gas illing
Compass depth of potentis and comp l. Dril suff 2. Dril 3. If t	Exploration. In 7000 at the aula of the Dakot letion procedured to approximate the approximate to approximate the approximate at is found procedured to approximate the approximate at the approximate at the approximate appr	DETAIL bjective sands; show sizes ing points, and all oth ac. proposes to above location. a formation an res are as foll sely 300°, run to circulate. tely 7000° (T.I reductive in th cement collar	S OF WORL weights, and lengther important properties drill a way The well dother up low: and set 8= O.), run IF ne Dakota f below Pict	cths of proposed can cosed work) rell to an will test whole form 5/8" surfa and GRS cormation, cured Cliff	approximate the oil an ations. Dr ce casing w logs. run and set s formation	DIS ding pate, comentate total dor/gas illing
Compass depth of potentis and comp 1. Dril suff 2. Dril 3. If t casi	Exploration. In 7000' at the subset of the Dakot letion procedured to approximate the approximate to approximate the approximate the approximate the approximate approximate the approximate approximate the approximate appro	DETAIL bjective sands; show sizes ing points; and all oth ac. proposes to above location. a formation ar res are as foll sely 300', run to circulate. tely 7000' (T.I reductive in th cement collar age w/sufficien	s OF WORL weights, and lengther important properties the well and other up tow: and set 8- o), run IF the Dakota f below Pict the cement to	ths of proposed canosed work) well to an will test whole form 5/8" surfa and GRS commation, ured Cliff to cover Me	approximate the oil an ations. Dr ce casing w logs. run and set s formation saverde pro	DIS diding pobe, comentation total dor/gas dilling with 4-1/2"
Compass depth of potentis and comp 1. Dril suff 2. Dril 3. If t casi	Exploration. In 7000 at the aula of the Dakot letion procedured to approximate the approximate to approximate the approximate at is found procedured to approximate the approximate at the approximate at the approximate appr	DETAIL bjective sands; show sizes ing points; and all off ac. proposes to above location. ca formation so es are as foll cely 300°, run to circulate. tely 7000° (T.I reductive in th cement collar age w/sufficient i stage w/suffi	s OF WORL weights, and lengther important properties the well dother up tow: and set 8- o), run IF the Dakota f below Pict the cement to	cths of proposed cases work) rell to an will test whole form 5/8" surfaction, sured Cliff or cover New Market Cover	approximate the oil an ations. Dr ce casing w logs. run and set s formation saverde pro	DIS diding pobe, comment total dor/gas illing with 4-1/2"
Compass depth of potentis and comp 1. Dril suff 2. Dril 3. If t casi ceme inte	Exploration, In 7000' at the substitute of the Dakot letion procedured to approximate icient cement to approximate the approximate is found procedured to approximate it is found procedured in the substitute of	DETAIL bjective sands; show sizes ing points; and all oil ac. proposes to above location. a formation so es are as foll sely 300°, run to circulate. tely 7000° (T.I reductive in th cement collar age w/sufficient i stage w/suffi (Contin	s OF WORL weights, and lengther important property of drill a way. The well and other up low: and set 8- 0.), run IF the Dakota f below Pict the cement to cient cement und on bace	cths of proposed cases work) rell to an will test whole form 5/8" surfaction, sured Cliff to cover New Mark of page)	approximate the oil an ations. Dr ce casing w logs. run and set s formation saverde pro	total d or/gas illing ith 4-1/2" ductive Cliffs.
Compass depth of potentis and comp 1. Dril suff 2. Dril 3. If t casi ceme inte	Exploration, In 7000' at the suls of the Dakot letion procedured to approximate icient cement to approximate is found process is found process in found	DETAIL bjective sands; show sizes ing points, and all oil ac. proposes to above location. a formation so es are as foll sely 300°, run to circulate. tely 7000° (T.I reductive in th cement collar age w/sufficient i stage w/sufficent must receive approval in we	s OF WORL weights, and lengther important property drill a way The well dother up low: and set 8- o), run IF he Dakota f below Pict cement t cient cement und on back writing by the Gool	cths of proposed cases work) rell to an will test whole form 5/8" surfaction, sured Cliff or to cove the form to cove the f	aings; indicate much approximate the oil an ations. Dr ce casing w logs. run and set a formation saverde pro r Pictured	DISTRIBUTION COMMENTAL COM
Compass depth of potentis and comp 1. Dril suff 2. Dril 3. If t casi ceme inte	Exploration, In 7000' at the sale of the Dakot letion procedured to approximate icient cement to approximate to approximate to approximate the same of the sale of	DETAIL bioctive sands; show sizes ing points, and all oil ac. proposes to above location. a formation sizes are as foll sely 300°, run to circulate. tely 7000° (T.I reductive in th cement collar age w/sufficier i stage w/suffi (Continuat receive approval in we FLORATION. INC.	s OF WORL weights, and lengther important property drill a way The well dother up low: and set 8- o), run IF he Dakota f below Pict cement t cient cement und on back writing by the Gool	cths of proposed cases work) rell to an will test whole form 5/8" surfaction, sured Cliff or to cove the form to cove the f	aings; indicate much approximate the oil an ations. Dr ce casing w logs. run and set a formation saverde pro r Pictured	DISTRIBUTION COMMENTAL COM
Compass depth of potentis and comp 1. Dril suff 2. Dril 3. If t casi ceme inte	Exploration, In 7000' at the suls of the Dakot letion procedured to approximate icient cement to approximate is found process is found process in found	DETAIL bioctive sands; show sizes ing points, and all oil ac. proposes to above location. a formation sizes are as foll sely 300°, run to circulate. tely 7000° (T.I reductive in th cement collar age w/sufficier i stage w/suffi (Continuat receive approval in we FLORATION. INC.	s OF WORL weights, and lengther important property drill a way The well dother up low: and set 8- o), run IF he Dakota f below Pict cient cement to	cths of proposed cases work) rell to an will test whole form 5/8" surfaction, sured Cliff or to cove the form to cove k of page) ogical Survey before	aings; indicate much approximate the oil an ations. Dr ce casing w logs. run and set a formation saverde pro r Pictured	total d or/gas illing ith 4-1/2" ductive Cliffs.
Compass depth of potentis and comp 1. Dril suff 2. Dril 3. If t casi ceme inte	Exploration, In 7000' at the subset of the Dakot letion procedured to approximate the approximate is found process in found process and second of that this plan of work made that the plan of work made tha	DETAIL bjective sands; show sizes ing points, and all off the proposes to above location at a formation at a formation at a sare as followed as a formation at a sare as followed as a formation at a sare as followed as a follow	s OF WORL weights, and lengther important property drill a way The well dother up low: and set 8- o.), run IF he Dakota f below Pict cient cement to cient cement to	cths of proposed cases work) rell to an will test whole form 5/8" surfaction, sured Cliff or to cove the form to cove k of page) ogical Survey before	aings; indicate much approximate the oil an ations. Dr ce casing w logs. run and set a formation saverde pro r Pictured	total d or/gas illing ith 4-1/2" ductive Cliffs.
Compass depth of potentis and comp 1. Dril suff 2. Dril 3. If t casi ceme inte	Exploration, In 7000' at the sale of the Dakot letion procedured to approximate icient cement to approximate to approximate to approximate the same of the sale of	DETAIL bjective sands; show sizes ing points, and all off the proposes to above location at a formation at a formation at a sare as followed as a formation at a sare as followed as a formation at a sare as followed as a follow	s OF WORL weights, and lengther important property of the well and other up low: and set 8- c), run IF the Dakota f below Pict the cement t leient cement leient	ths of proposed canosed work) rell to an will test whole form 5/8" surfa S and GRS ormation, sured Cliff to cover Me ont to cove k of page) ogical Survey before E. C	aings; indicate much approximate the oil an ations. Dr ce casing w logs. run and set a formation saverde pro r Pictured	total d or/gas illing ith 4-1/2" ductive Cliffs.

4. If test is found productive in both Gallup and Dakota, run 5-1/2" casing and complete as a dual producer following the rules and regulations of the State and Federal Government.

NEW MEXICO OIL CONSERVATION COMMISSION

Well Location and Acreage Dedication Plat

Section A.		Γ)ate]	farch 16, 196	3
		**		L 3 _	
Operator COMPASS EXPLORATION COMPANY		Northwest			
Well No. 2-9 Unit Letter F Section				Range 7 WEST	
Located 1450 Feet From the NORT	H_Line, <u>1450</u>	Feet	From	ZOO	Line Acres
County RIO ARRIBA G. L. Elevation Name of Producing Formation Dakota Formation	n <u>OUOI.</u>	Dedicated A	.cre age Re ed n=1	Dekote	ACIOS
1. Is the Operator the only owner in the dedicate	ed acreage outlined o	n the plat below	/?		
YesNo_X		•			
2. If the answer to question one is "no", ha	ve the interests of a	ll the owners b	een consol	idated by commun	itization
agreement or otherwise? Yes X No	. If answ	er is ''yes'', T	ype of Cor	solidation.	
Communitization in process.				,	
3. If the answer to question two is "no", list	all the owners and th			olow:	
Owner	/crEII/	Land L	escription		_
	(ot1.51V)			SPOFI	WEI
	Mrori			REARI	
·	MAR191	963			1063
	OIL CON.	COM.		1. J. J.	(300
	OIL CON	3/		III & usuinou	SURVE
	Note: All distance		autaa bauad	larios of poetlos	WEXIC
Section B.	Note: Air distance	s-must be from	outer bound	gries of section.	1
This is to certify that the information	1	1	i	1	
in Section A above is true and complete		1	1	1	
to the best of my knowledge and belief.	+ 0	ı -	- 1	-	
	1 1	1	1	1	
Compass Exploration, Inc.		'	<u> </u>	1	4
	<i>1450</i> ⊗	1	1	Í	ĺ
(Representative)	l	1	1	1	
101 University Boulevard		! -	-	- !	
(Address)		.			1
Denver 6, Colorado				<u> </u>	}
		.	· i		
			- <mark></mark>		N
		1	ı		
G.L.O. Plat dated March 13, 1956		,	i	1	
		1	ł	ı	1 •
		1	١	i	
	+	1	- 1		
	,	,	1	1	
			1	1	'
					ر ب
	0 330 660 930 1320 1	550 1980 23 10 2640	2000 180	00 1000 800	-1 0



This is to certify that the above plat was prepared from field notes of actual surveys made by me or under my supervision and that the same are true and correct to the best of my knowledge and belief.

Scale 4 inches equal 1 mile

Registered Professional Engineer and/or Land Surveyor
James P. Leese New Mexs Reg. No. 1463