F.	orm a	pprovea		
В	udget	Bureau	No.	42-R359.4

For (A)	n 9- 8 pri 19	3 31 b 52)	
	X		
	[

(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

dian Agency		
icarilla	Apa obe	102
llottee		
naa Na		

SUNDRY	NOTICES	AND	REPORTS	ON	WELLS	E		\mathbb{V}	1111

	SUND	RY NOTI	CES AND	REPOR	TS ON WELLS E G E	\mathbb{V}
NOTICE OF I	NTENTION TO D	RILL	X	SUBSEQUENT REPOR	RT OF WATER SHUT-OFF	000
NOTICE OF I	NTENTION TO C	HANGE PLANS		SUBSEQUENT REPOR	RT OF SHOOTING OR ACIDIZING	963
NOTICE OF I	NTENTION TO T	EST WATER SHUT-OFF		SUBSEQUENT REPOR	RT OF ALTERING CASING	
NOTICE OF I	NTENTION TO R	EDRILL OR REPAIR W	/ELL	SUBSEQUENT REPOR		SURV
NOTICE OF I	NTENTION TO S	HOOT OR ACIDIZE		SUBSEQUENT REPOR	RT OF ABANDONMENT	I.EX
NOTICE OF I	NTENTION TO P	ULL OR ALTER CASIN	G	SUPPLEMENTARY WI	ELL HISTORY.	
NOTICE OF I	INTENTION TO A	BANDON WELL		***************************************		
earill	Apache :	(INDICATE ABOVE BY	CHECK MARK NATUF		ce, or other data)	
NE/L. Bu	/4. Sectile			,	BSOft. from W line of CFIVED	
(¾ 8€	ec. and Sec. No.)	(Tw	• ,	ge)	(Meridian)	1
iamin De	kota	Rio	Arriba (County or Sub-		(State or Cerritory)UL 2-5 1963	•
propos	se to dri n. Stimu	11 the above	well to a completion w	total depth	f proposed casings; indicate mudding jobs, coment- work) a of \$100° and test the Dakot acted at tetal depth. The	
V.E	DEPTH	CHART	ROMANIES			
-3 /4" -5/8" -1/2"	\$100, 7100, 500,	140 ax. 140 ax. 500 ax,	Quintres 400 ex.	gth - Neat Quintrength	ilate to surface. A with 4% Gel, 1-1/2# Tuf Plu By 100 sx. Quintrength as tai	
•	f location of well	n plat are a l.	ttached. (opies of a	ny logs run will be furnished	up
I understar	nd that this plar	of work must receiv	e approval in writin	g by the Geological	Survey before operations may be commenced.	
ompany l	PAN ANTA I	Can Petrolu	N CORPORATI	ŮN		
ddress	P. C. Sta	480			A.	
	Parming to	n, Her Hexte	0	Ву	ORIGINAL SIGNED BY F. H. HOLLINGSWOOD	
		C. Speer, J		Title_	Petroleum Engineer	
	9 Lillian 2	received 7-	حفد ⊈کسس©[