



(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Santa Fe
Lease No. 079160
Unit Rincon Unit

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY
NOTICE OF INTENTION TO ABANDON WELL	Water Fracture

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

February 8, 1957

Well No. 91 is located 828 ft. from N line and 1002 ft. from E line of sec. 11
NW Section 11 26N 7W NNMM
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
So. Blanco P.C. Rio Arriba New Mexico
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 6731 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

1-20-57 Total Depth 3025'. Plug back T.D. 2990'.
Water fractured Pictured Cliffs perforated intervals 2930-2940, 2948-2978
with 45,000 gallons water and 45,000# sand. Maximum pressure 3000#, average
treating pressure 1st stage 1650#, 2nd stage 2250#, 3rd stage 2300#. Injection
rate 54 bbls./min. Flush 4000 gallons. Three stages with 55 rubber balls
dropped between each stage.

I understand that this plan of work must receive approval in writing by the Geological Survey before or after work is commenced.

Company El Paso Natural Gas Company
Address Box 997
Farmington, New Mexico

By _____
Title Petroleum Engineer

