State of New Mexico

R.O Box 1980, Mobbs, NM

State of New Mexico

Energy, Minerals and Natural Resources Dept.

APPROPRIATE

BESTEEL A GALAS LAOR P.O. Drawer DD, Artesia, NM 88221 [AMI 2 7 1999

District III 1000 Rio Brazos Rd, Aztec, NM 87410


OIL CONSERVATION DIVISION 2040 S. Pacheco / Santa Fe, New Mexico 87504

SUBMIT 1 COPY TO DISTRICT OFFICE AND 1 COPY TO SANTA FE OFFICE

PIT REMEDIATION AND CLOSURE REPORT

Operator: Caulkins Oil Comp	any Telephone:	(505) 632-1544		
Address: P.O. Box 340, Bloo	Address: P.O. Box 340, Bloomfield, NM 87413			
Facility or Well Name: Breed	ch "A" 175-E			
Location: Unit or Qtr/Qtr B	Sec <u>8</u> T <u>26N</u> R <u>6W</u> C	ounty <u>Rio Arriba</u>		
Pit Type: Separator_X Deh	ydratorOther			
Land Type: BLM_X_, State, Fee, Other				
3,	s: length <u>27'</u> , width_			
References: we	ellhead <u>X</u> , other			
Footage from reference: 105'				
Direction from reference: <u>84</u> Degrees <u>X</u> East North <u>X</u>				
		of West South		
Depth to Ground Water: (Vertical distance from contaminants to seasonal high water elevation of ground water)	Less than 50 feet 50 feet to 99 feet Greater than 100 feet	(10 points)		
Wellhead Protection Area:				
(Less than 200 feet from a private domestic water source, or; less than 1000 feet from all other water sources)	Yes No	(20 points) (0 points)		
Distance to Surface Water: (Horizontal distance to perennial lakes, ponds, rivers, streams, creeks, irrigation canals and ditches)	Less than 200 feet 200 feet to 1000 feet Greater than 1000 feet	(20 points) (10 points) (0 points)		
	RANKING SCORE (TOT	AL POINTS): _0_		

Date Remediation St	carted: 3-97 Date Completed: 8-12-97	
Remediation Method: Check all appropriate	Excavation X Approx. cubic yards 336	
sections)	Landfarmed X Insitu Bioremediation	
	Other	
Remediation Location (ie. landfarmed onsite, name and location of offsite facility)	on: Onsite X Offsite	
General Description	of Remedial Action: <u>Aeration and Dilution</u>	
Ground Water Encoun	tered: No X Yes Depth	
Final Pit: Sample Location Bottom of pit and landfarm Closure Sampling: (if multiple samples,		
attach sample results	Sample depth 16'	
	Sample date 6-11-97 Sample time 11:40 a.m.	
	Benzene (ppm)	
	Total BTEX (ppm) ND	
	Field headspace (ppm)	
	TPH Landfarm: 71.8 ppm Pit: ND	
Ground Water Sample: Yes No <u>X</u> (If yes, attach sample results)		
I HEREBY CERTIFY THAT MY KNOWLEDGE AND BELI	THE INFORMATION ABOVE IS TRUE AND COMPLETE TO THE BEST OF EF.	
October 5, 1998		
SIGNATURE Robert Z 9	PRINTED NAME AND TITLE ROBERT L. VERQUER, SUPERINTENDENT	





Organic Analysis - Pit Closure

Caulkins Oil Company

Project ID:

Breech Pits

Sample ID: Lab ID:

Sample Matrix:

Breech A 175-E - Landfarm

Date Sampled: Date Received:

Report Date:

06/30/97 06/04/97

7039 Soil

Preservative:

06/06/97 Cool

Condition:

Intact

Target Analyte	Concentration (mg/kg)	Detection Limite (mg/kg);
Total Aromatic Hydrocarbons	ND	
Benzene	ND	0.13
Toluene	ND	0.13
Ethylbenzene	ND	0.13
m,p-Xylenes	ND	0.26
o-Xylene	ND	0.13
Total Volatile Petroleum Hydrocarbons	ND	29.8
Total Recoverable Petroleum Hydrocari	oons 71.8	29.9
Quality Control: Surrogata	Dancet Dancet	A

Quality Control:	<u>Surrogate</u>	Percent Recovery	Acceptance Limits
	Trifluorotoluene	88	81 - 117%
	Trifluorotoluene	84	50 - 150 %
	o-Terphenyl	100	50 - 150%

Reference:

Method 5030, Purge and Trap; Method 8020, Aromatic Recoverable Organics;

Test Methods for Evaluating Solid Wastes, SW-846, United States Environmental Protection Agency, Final Update I, July, 1992.

EPA Method 8015A, modified. "Nonhalogenated Volatile Organics by Gas Chromatography." Test Methods for Evaluating Solid Waste, Physical/ Chemical Methods, SW-846, 3rd Ed, Final Update I, July, 1992. USEPA.

Comments:

Review



Organic Analysis - Pit Closure

Caulkins Oil Company

Project ID:	Breech Pits	Report Date:	06/30/97
Sample ID:	Breech A 175-E - Pit	Date Sampled:	06/04/97
Lab ID:	7038	Date Received:	06/06/97
Sample Matrix:	Soil	Preservative:	Cool
		Condition:	Intact

Target/Analyte	Concentration. (mg/kg)	Detection Limita (mg/kg)
Total Aromatic Hydrocarbons	ND	
Benzene	ND	0.14
Toluene	ND	0.14
Ethylbenzene	ND	0.14
m,p-Xylenes	ND	0.29
o-Xylene	ND	0.14
Total Volatile Petroleum Hydrocarbons	ND	32.4
Total Recoverable Petroleum Hydrocarbons	ND	33.0

Quality Control:	Surrogate	Percent Recovery	Acceptance Limits
	Trifluorotoluene	94	81 - 117%
	Trifluorotoluene	89	50 - 150 %
	o-Terphenyl	108	50 - 150%

Reference:

Method 5030, Purge and Trap; Method 8020, Aromatic Recoverable Organics;

Test Methods for Evaluating Solid Wastes, SW-846, United States Environmental Protection Agency, Final Update I, July, 1992.

EPA Method 8015A, modified. "Nonhalogenated Volatile Organics by Gas Chromatography." Test Methods for Evaluating Solid Waste, Physical/ Chemical Methods, SW-846, 3rd Ed, Final Update I, July, 1992. USEPA.

Comments:

CAULKINS OIL SITE SECURITY DIAGRAM

