	Form 9-331 b (April 1952)							
1								

(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Indian Agency						
Jiceville						
Allottee Contract #11						
Lease No.						

		SUBSEQUENT REPORT	OF WATER SHUT-OFF	
OTICE OF INTENTION TO DRILLOTICE OF INTENTION TO CHANGE PLANS			OF SHOOTING OR ACIDIZ	
OTICE OF INTENTION TO TEST WATER S			OF ALTERING CASING	
OTICE OF INTENTION TO REDRILL OR R	! !!	SUBSEQUENT REPORT	of redrilling or Rep	MR
TICE OF INTENTION TO SHOOT OR ACI	1 1	SUBSEQUENT REPORT		
OTICE OF INTENTION TO PULL OR ALTE	}	SUPPLEMENTARY WELL	. HISTORY	
OTICE OF INTENTION TO ABANDON WEL	I			<u> </u>
(INDICATE AE	BOVE BY CHECK MARK NATUR	e of report, notice	OR OTHER DATA	
		_	iersk Mit	, 19_
ll No. ***	d 1735ft. from	line and	79 ft. from (E) li	ne of sec.
11 140	252 A			
(14 Sec. and Sec. No.)	(Twp.) (Ran	ge)	(Meridian)	
apacito PC hata	tie Arribe		The line	<u>ee</u>
(Field)	(County or Sub-	division)	(State of Te	miory)
elevation of the	above sea level is	2140 ft.		
elevation of the	above boar level to			
	DETAILS (OF WORK		
te names of and expected depths to ob	jective sands; show sizes, wei	ights, and lengths of p	roposed casings; indicate	mudding jobs, ce
	ing points, and all other is	mportant proposed w	ork/	
A. A. 455 A. 7/85 A.	-1			
pose to drill 9-7/8" b	ple to 110', set	total death	of course ACC	No. of the
ose to drill 9-7/8" h 10 sx reg. Then drill	ole to 110', est 6-3/4" hele to	total dapth	of approx 402:	i', set 4
ose to drill 9-7/8" b 10 or reg. Then drill ing and coment w/125 o	ole to 110', est 6-3/4" hole to u reg. Perforat	total dapth in the 44" or	of approx 462: ming apposite	the Pictur
one to drill 9-7/8" h H on reg. Then drill ing and coment w/125 o So Segmetion from 300	ole to 110°, est 6-3/4" hele to a reg. Perforat 5-3965 and freet	total depth is the 4h" or less unling a	of appear 402: wing opposite pear 30,000 g	the Pictures of the 1/2
one to drill 9-7/8" h 10 ox reg. Then drill ing and coment w/125 o 150 Sermetion from 300 1000 pd. Clean out to	ole to 110°, eat 6-3/4" hale to a reg. Perform 5-3965 and freet TD, rum 1½" 60	total dapth in the 45" or rare using a tableg and	of appear 402: wing appearte pear 30,000 gr caplete well.	i', set 4/ the Pictur ile unter (The E/2 (
pose to drill 9-7/8" h 10 sx reg. Then drill ing and cement w/125 s 150 formation from 300 1000 at. Clean out to Lion 6, centaining 322	ole to 110°, eat 6-3/4" hole to 8 reg. Perform 5-3065 and fract 25, run 1½" 60 1,72 acres, is de	total dapth in the 4½" or were using ap tubing and o idioated to	of appear 402: using apposite pear 30,000 gr explote well. this well.	the Picture the water The 5/2
pose to drill 9-7/8" h 10 or reg. Then drill ing and cement w/125 o 15e formation from 300 1000 oi. Clean out to tion 6, containing 322	ole to 110°, set 6-3/4" hele to 8 reg. Perform 5-3965 and fract 25, run 1½" 60 1,72 acres, is de	total dapth is the 4½" or into uning ap tubing and o idiosted to 1	of appear 402: using opposite prox 30,000 p caplete well.	the Picturia water the S/2
pose to drill 9-7/8" h 10 sx reg. Then drill ing and coment w/125 s ffo formation from 300 1800 oi. Clean out to tion 6, containing 322	ole to 110°, eat 6-3/4" hele to a reg. Perform 5-3965 and front TD, run 1½" GD 1,72 acres, is de	total depth is the diff or into uning a tubing and o idioated to t	of appeal 402: wing opposite prox 30,000 g emplote well.	the Metal
pose to drill 9-7/8" h 10 ox reg. Then drill ing and coment w/125 o fis formation from 309 1800 pd. Clean out to tion 6, containing 322	ole to 110°, eat 6-3/4" hele to a reg. Perform 5-3965 and freet 35, rum 1½" 60 1,72 acres, is de	total depth is the 4½" or rare using a tubing and c idicated to 1	of appear 402: wing opposite pear 30,000 gr suplete well.	the Please She size
pose to drill 9-7/8" h 10 ox reg. Then drill ing and coment w/125 o 150 formation from 300 1000 oi. Clean out to tion 6, containing 322	ole to 110°, eat 6-3/4" hale to a reg. Perform 5-3065 and fract 53, run 1½" 60 1,72 acres, is de	total depth is the 4½" or ture using a tubing and c idicated to 1	of appear 402: sing opposite pear 30,000 gr saplete well.	the Picture of the State of the
pose to drill 9-7/8" h 10 sx reg. Then drill ing and coment w/125 s 15e formation from 306 1000 pd. Clean out to Lion 6, containing 322	ole to 110°, eat 6-3/4" hale to a reg. Perform 5-3065 and fract 575, run 1½" 60 1,72 acres, is de	total depth is the 4½" or ture using a tubing and c idicated to t	of appear 402: wing opposite pear 30,000 gr raplete well.	the Picture 1/2 white white with 1/2 colors
0 og reg. Then drill ing and coment w/125 o 150 formation from 309 1800 od. Clean out to Lion 6, containing 332	6-3/4" hole to a reg. Perform 5-3965 and fract ID, run l\" 60 1,72 acres, is de	total dapth is the 4½" es rure using ag tracing and a		the Pleton the Winter The 1/2 RELLIVI
0 og reg. Then drill ing and coment w/125 o lie Segmetion from 308 1800 od. Clean out to Lion 6, containing 332	6-3/4" hole to a reg. Perform 5-3965 and fract ID, run l\" 60 1,72 acres, is de	total depth is the 44" or into uning an tubing and idioated to		
O see reg. Then drilling and coment w/125 selfs Segmetion from 300 1000 pd. Clean out to tion 6, containing 322 understand that this plan of work me	6-3/4" hole to a reg. Perform 5-3965 and fract ID, run l\" 60 1,72 acres, is de	total depth is the 44" or bute uning a tubing and o idicated to 1		
O og reg. Then drilling and coment w/125 of its Segmetion from 300 1000 ad. Clean out to tion 6, containing 322 I understand that this plan of work me	6-3/4" hole to a reg. Perform 5-3965 and fract ID, run l\" 60 1,72 acres, is de	total depth is the 44" or tubing and tubing and dicated to		
o ag reg. Then drilling and coment w/125 at the Segmetion from 300 and Close out to tion 6, containing 322 and the segment of	6-3/4" hole to a reg. Perform 5-3965 and fract ID, run l\" 60 1,72 acres, is de	total depth is the 44" or tubing and d dicated to		
one to drill 9-7/8" h to se reg. Then drill ing and cement w/125 s fo formation from 305 1000 pd. Clean out to tion 6, containing 322 I understand that this plan of work me ompany Hershmost	6-3/4" hole to a reg. Perform 5-3965 and fract ID, run l\" 60 1,72 acres, is de	total depth is the 4% or tubing and d dicoted to		
o ag reg. Then drilling and coment w/125 at the Segmetion from 300 at Clean out to tion 6, containing 322 and the segment of work many. Herebyees	6-3/4" hole to a reg. Perform 5-3965 and fract ID, run l\" 60 1,72 acres, is de	paration		
o ar reg. Then drilling and coment w/125 at the Separation from 300 at the Separation of the Separatio	6-3/4" hole to a reg. Perform 5-3965 and fract ID, run l\" 60 1,72 acres, is de	total depth is the 44" or tubing and tubing and idicated to		
on reg. Then drilling and coment w/125 of the Segmetion from 300 leaf ad. Close out to tion 6, containing 322 leaf the segment of the segment	6-3/4" hole to a reg. Perform 5-3965 and fract ID, run l\" 60 1,72 acres, is de	paration	RAY PHILLIPS	

NEW MEXICO OIL CONSERVATION COMMISSION

Form C-128

	Well Location	and/or Gas Proration Plat	- Manual 40 1889
Operator _Northwest	Production Corporation	Lease	Date March 22, 1957
		Township 26 North Ran	nge <u>4 West</u> NMPM
Located	Feet FromNorth	Line, <u>1170</u> Fee	t From <u>East</u> Line,
Rio Arriba	County, 3	New Mexico. G. L. Elevation	7150
Name of Producing Fo	rmation Pictured Cliffs	Pool Tapacito Entn	Dedicated Acreage _322.72
1-	(Note: All distances must	be from outer boundaries of Sec	tion)
		1735	
-			
	1		- 1170'
	!		
	• 	USDI	
]_			
	!		an manufaction of the state of
	1	Contract #11	, CEPEILA
NOTE	1		\ KTPTIAFD/
This section of form is to be			MÀR 28 1957
used for gas wells only.			OIL CON. COM.
	1		DIST. 3
			200 T 200
* [_	SCALE: 1"=1000'		
1. Is this Well a D	ual Comp. ? Yes No.X.	4	that the above blat 966 iprepare
2. If the answer to	Question 1 is yes, are there any	y outer [f actual surveys made by m
dually completed YesNo	d wells within the dedicated ac	reage:	of my knowledge and ball
_ R/	AX PHILLIPS		-
Position	t Mgr, Production Operation	Date Surveyed Ma	arch 19, 1957
Representing	thwest Production Corporal	Er	nest V. Echohawk
Address 520	Simus Bldg. Albuquerque.	Reg. Land Su	rvevor. N. Mex., Reg. No. 1545