


(SUBMIT IN TRIPLICATE)

Land Office Santa Fe ✓
Lease No. SF 000312-A
Unit B



UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

RECEIVE
NOV 5 1959

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....		SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....		SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....		SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....			

U. S. GEOLOGICAL SURVEY
FARMINGTON, NEW MEX.

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

B _____, November 2, 1959

USL-Alto

Well No. 1 is located 660 ft. from [N] line and 1900 ft. from [E] line of sec. 3


NW NE Sec. 5 (1/4 Sec. and Sec. No.) T-26-N (Twp.) R-1-E (Range) NM (Meridian)
Wildcat (Field) Rio Arriba (County or Subdivision) New Mexico (State or Territory)

The elevation of the derrick floor above sea level is _____ ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Drill to approximately 3250' with cable tools, 10 3/4" casing and subsequently smaller strings to 5 1/2" casing as required to total depth. The Dakota Sand will be tested in this well.



I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company EXXON OIL COMPANY, ATTENTION: MR. R. B. HULLER
Address Box 1411
Escondido, California
By J. Stewart Martin
Title Engineer