

(SUBMIT IN TRIPLICATE)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Land Office **Santa Fe**  
Lease No. **37 000312-A**  
Unit **B**

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

November 2, 1959


**USL-Alto**  
Well No. **1** is located **640** ft. from **(N)** line and **1920** ft. from **(E)** line of sec. **5**  
**RM NE Sec. 5** **T-24-N** **R-1-E** **RMN**  
(¼ Sec. and Sec. No.) (Twp.) (Range) (Meridian)  
**Wildcat** **Rio Arriba** **New Mexico**  
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is \_\_\_\_\_ ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Drill to approximately 3250' with cable tools, 10 3/4" Casing and subsequently smaller strings to 5 1/2" Casing as required to total depth. The Dakota Sand will be tested in this well.



I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company **INDEX OIL COMPANY, ATTENTION: MR. R. B. MILLER**  
Address **Box 1411**  
**Behrensfield, California**  
By **J. Stewart Martin**  
Title **Engineer**