

UNITED STATES DEPARTMENT OF THE INTERIOR

GEOLOGICAL SURVEY

P. O. Box 965 Farmington, New Mexico

August 26, 1955

Ralph A. Johnston Box 813 Parmington, New Mexico

> Re: Santa Fe 079160 I. Sec. 916

Gentlement

Receipt is acknowledged of your "Notice of Intention to Drill" dated August 26, 1955 covering your well No. 57 Rincon Unit in NE4 sec. 1, T. 26 N., R. 7 W., S. M. P. M., Rio Arriba County, New Mexico, Wildest pool.

Your proposed work is hereby approved subject to compliance with the provisions of the "Oil and Gas Operating Regulations" revised May 25, 19h2, a copy of which will be sent to you on request, and subject to the following conditions:

- Drilling operations so authorised are subject to the attached sheet for general conditions of approval.
- 2. Furnish copies of all logs.

Very truly yours,

 \mathfrak{L} Orig. $S_{r,k,k+1}$

P. T. McGrath District Engineer

PTMcOrathiac



Of Saran vin dam.

COMMUNICATION OF A COMMUNICATION

YIMPER KALECUOTE

•

X

(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

	Budget Bureau 42-R358.3. Approval expires 12-31-55.
Land	Office
Loase	No. 079160
Unit	Rimoon Unit
	I see 916

	NOTICE OF INTENTION TO DOUG	
SUBSCOURT REPORT OF ALTERING CASING OTICE OF INTENTION TO RECORD. OR RECORD. SUBSCOURT REPORT OF RE-DRILLING OR REPARK OTICE OF INTENTION TO SHOOT OR ACIDIZE SUBSCOURT REPORT OF RE-DRILLING OR REPARK OTICE OF INTENTION TO PULL OR ALTER CASING OTICE OF INTENTION TO ABANDON WELL (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DAY)) AUGUST 26 AUGUST 27 (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DAY)) AUGUST 26 (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DAY)) AUGUST 26 (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DAY)) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DAY)) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DAY)) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DAY)) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DAY)) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DAY)) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DAY)) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DAY)) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DAY)) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DAY)) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DAY)) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DAY)) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DAY) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DAY) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DAY) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DAY) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DAY) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DAY) (INDICATE ABOVE BY CHECK MARK NATURE OF REPOR	MOTIVE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF.
SUBSCOUNT REPORT OF RE-DRILLING OF REPAIR WELL SUBSCOUNT REPORT OF RE-DRILLING OF REPAIR SUBSCOUNT REPORT OF RE-DRILLING SUBSCOUNT REPORT OF REPORT	NOTICE OF INTENTION TO CHANGE PLA	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING
SUBSEQUENT REPORT OF ABANDONNETT. SUBSEQUENT REPORT OF ABANDONNETT. SUBPLEMENTARY WELL HISTORY (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DAY) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DAY) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DAY) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DAY) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DAY) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DAY) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DAY) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DAY) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DAY) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DAY) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DAY) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DAY) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DAY) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DAY) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DAY) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DAY) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DAY) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DAY) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DAY) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DAY) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DAY) (INDICATE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DAY) (INDICATE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DAY) (INDICATE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DAY) (INDICATE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DAY) (INDICATE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DAY) (INDICATE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DAY) (INDICATE BY CHECK MARK NATURE OF REPORT, NOTICE, NOTICE BY CHECK M	NOTICE OF INTENTION TO TEST WATER	
Supplementary well history. (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT OF REPORT) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT) (INDICATE BY CHECK MARK NATU	NOTICE OF INTENTION TO RE-DRILL OF	REPAIR WELL SUBSEQUENT REPORT OF RE-DRILLING OF REPAIR
August 26	NOTICE OF INTENTION TO SHOOT OR A	
August 26		SUPPLEMENTARY WELL HISTORY
August 26	NOTICE OF INTENTION TO ABANDON WE	TIL WE WILL WITH THE PARTY OF T
is located 990 ft. from N line and 990 ft. from E line of sec. 1 (Gently of Subdivision) (Gently of Subdivision) (Gently of Subdivision) (State or Territory) (State or Territory) (State or Territory) (DETAILS OF WORK (An and an expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, comenting points, and all other important proposed work) It is intended to drill a well on this location to the Posterion formation. A 13 3/2 retarry hole will be drilled and 450° of 10 3/2 2.75 surface casing will be set with the coment directioned out. From below the formation formation. Formation II conserved production is found then 7 - 23 production casing will be run and the well completed. I understand that this plan of work must receive approval in writing by the Geological Survey before derivition may be compassed. (In the second of the conserved of the completed of the conserved of the c	(INDICATE	ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DAY
is located 990 ft. from N line and 990 ft. from E line of sec. 1 (Gently of Subdivision) (Gently of Subdivision) (Gently of Subdivision) (State or Territory) (State or Territory) (State or Territory) (DETAILS OF WORK (An and an expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, comenting points, and all other important proposed work) It is intended to drill a well on this location to the Posterion formation. A 13 3/2 retarry hole will be drilled and 450° of 10 3/2 2.75 surface casing will be set with the coment directioned out. From below the formation formation. Formation II conserved production is found then 7 - 23 production casing will be run and the well completed. I understand that this plan of work must receive approval in writing by the Geological Survey before derivition may be compassed. (In the second of the conserved of the completed of the conserved of the c		August 26 , 19 55
DETAILS OF WORK ate names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, comenting points, and all other important proposed work) It is intended to smill a well on this location to the formion formation. A 13 3/2 retary hole will be drilled and 450° of 10 3/4 - 2.75 surface casing will be set with the casent circulated onto From below the surface casing a 8 3/4 rotary hole will be drilled to 7500° and/or the formion formation. If corrected production is found then 7 - 23 production casing will be run and the well completed. I understand that this plan of work must receive approval in writing by the Geological Survey before describes may be compared. The production of the derivation of the real completed. By James 1. Completed. By James 1. Completed.		d 990 ft. from $\begin{bmatrix} N \\ \blacksquare \end{bmatrix}$ line and 990 ft. from $\begin{bmatrix} E \\ \blacksquare \end{bmatrix}$ line of sec. 1
DETAILS OF WORK Ate names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, comenting points, and all other important proposed work) It is intended to drill a well on this location to the intrinsic formation. A 13 3/2 relary hole will be drilled and 450° of 10 3/4° 2.75 surface casing will be set with the cament circulated out. From below the surface casing will be set with the cament circulated out. From below the surface casing a 8 3/4° relary hole will be drilled to 7500° and/or the formation formation. If commercial production is found then 7° - 23° production casing will be run and the well completed. I understand that this plan of work must receive approval in writing by the Geological Survey before specified as yell down the company will be run and the well completed. By James 11. Soppland. By James 11. Soppland.	() Secretary ac. The)	(Twp.) (Range) (Meridian)
DETAILS OF WORK Ate names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, comenting points, and all other important proposed work) It is intended to drill a well on this location to the intrinsic formation. A 13 3/2 relary hole will be drilled and 450° of 10 3/4° 2.75 surface casing will be set with the cament circulated out. From below the surface casing will be set with the cament circulated out. From below the surface casing a 8 3/4° relary hole will be drilled to 7500° and/or the formation formation. If commercial production is found then 7° - 23° production casing will be run and the well completed. I understand that this plan of work must receive approval in writing by the Geological Survey before specified as yell down the company will be run and the well completed. By James 11. Soppland. By James 11. Soppland.		Ric Arriba II de la Company de
DETAILS OF WORK ate names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, comenting points, and all other important proposed work) It is intended to drill a well on this location to the Marrison formation. A 13 3/2 rejecty hole will be drilled and 450° of 10 3/4° - 2.75 surface casing will be set with the coment directlated out. From below the surface casing will be set with the coment directlated out. From below the Marrison formation. If conversals production is found then 7° - 23 production coming will be run and the well completed. I understand that this plan of work must receive approval in writing by the Geological Survey before departitions may be companied. I understand that this plan of work must receive approval in writing by the Geological Survey before departitions may be companied. By James M. Copplication. By James M. Copplication.	(Field)	(State of Territory)
It is intended to brill a well on this location to the Marrison formation. It is intended to brill a well on this location to the Marrison formation. A 13 3/2 revery hole will be drilled and 450° of 10 3/2° - 2.75 surface chains will be set with the consent circulated out. From below the surface casing a 8 3/2° revery hole will be drilled to 7500° and/or the Marrison formation. If commercial production is found then 7° - 23 production casing will be run and the well completed. I understand that this plan of work must receive approval in writing by the Geological Survey before decations may be companied. I understand that this plan of work must receive approval in writing by the Geological Survey before decations may be companied. I understand that this plan of work must receive approval in writing by the Geological Survey before decations may be companied. I understand that this plan of work must receive approval in writing by the Geological Survey before decations may be companied. I understand that this plan of work must receive approval in writing by the Geological Survey before decations may be companied. I understand that this plan of work must receive approval in writing by the Geological Survey before decations may be companied. I understand that this plan of work must receive approval in writing by the Geological Survey before decations may be companied. I a see that the surface of the surf	he elevation of the derrick f	oor above sea level is 6602 ft. 6591 00
It is intended to brill a wall on this location to the hardson formation. A 13 3/2 relary hole will be drilled and 450° of 10 3/4° - 2.75 surface casing will be set with the canant circulated out. From below the surface casing a 8 3/4° retary hole will be drilled to 7500° and/or the formation. If conservated production is found than 7° - 23° production casing will be run and the well completed. I understand that this plan of work must receive approval in writing by the Geological Survey before describing the companies. I understand that this plan of work must receive approval in writing by the Geological Survey before describing may be companied. I understand that this plan of work must receive approval in writing by the Geological Survey before describing may be companied. By James 11. Compliant. By James 11. Compliant.		DETAILS OF WORK
It is intended to drill a well on this location to the Marrison formation. A 13 3/2" retary hole will be drilled and 450° of 10 3/2" - 2.75 surface ensing will be set with the connect disculated out. From below the surface ensing a 5 3/2" retary hole will be drilled to 7500° and/or the Marrison formation. If connected production is found then 7" - 23" production ensing will be run and the well completed. [In the surface of the Marrison formation of the Marrison formation of the Marrison formation. [In the surface of the Marrison formation of the Marrison formation of the Marrison formation. [In the surface of the Marrison formation of the Marrison formation of the Marrison formation of the Marrison formation. [In the surface of the Marrison formation formation of the Marrison formation formation of the Marrison formation formation formation formation formation for the Marrison formation formation formation for the Marrison formation for the Marrison formation for the Marrison formation formation for the Marrison formation for the Marrison formation for the Marrison formation for the Marrison for the Marrison formation formation for the Marrison for	tate names of and expected depths to o	bjective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cement- ing points, and all other important proposed work)
Idress Po Nos 113 By James 1 Copyling	Tt. to Andreaded to	Autil a wall on this legation to the Morrison formations
dress 70 Nos 113 By James V. Coppland	a 13 3/2 retary to eating will be set on the conting a 8 3/4 reformation. If conting will be re-	twith the coment circulated out. From below the surface of the the coment circulated out. From below the surface of the policy hole will be drilled to 7500° and/or the formion serviced production is found than 7° -23° production and the well completed.
By James 11. Copplaint	a 13 3/2 relary to casing will be seen casing a 8 3/2 reformation. If concerning will be required with the residual of the res	twith the cement circulated out. From below the surface of the production is found them? - 23 production and the well completed.
	a 13 3/2 relary to casing will be seen casing a 8 3/2 reformation. If concerning will be required with the residual of the res	twith the cement circulated out. From below the surface of the production is found them? - 23 production and the well completed.
Title Suck	I understand that this plan of work mompany	twith the cement circulated out. From below the surface of the policy halo will be drilled to 7500 and/or the formism percial production is found them? - 23 production and the well completed.
1 AVIV	cusing will be seen casing a 8 3/6" reformation. If cost casing will be read that this plan of work not company when the company will be seen that the plan of work not company when the company will be seen that the company will be seen that the cost case of the	twith the cement circulated out. From below the surface of the vill be drilled to 750° and/or the formion serviced production is found them? - 23° production and the veil completed.