District I P O. Box 1980, Hobbs, NM

State of New Mexico
Energy, Minerals and Natural Resources Department

SUBMIT I COPY TO APPROPRIATE DISTRICT OFFICE AND I COPY TO SANTA FE OFFICE

District ILP O Drawer DD, Artesia, NM 88221

District III 1000 Rio Brazos Rd, Aztec NM 87410

• 303-31, 311.

OIL CONSERVATION DIVISION

2040 South Pacheco Street Santa Fe, New Mexico 87505

Approved P

PIT REMEDIATION AND CLOSURE REPORT

Operator:	PNM Gas Services (Caulkins) Telephone: 324-3764		
Address:	603 W. Elm Street Farmington, NM 87401		
Facility or Wo	ell Name: Breech C #216		
Location:	Unit P Sec 12 T 26 N R 6 W County	Rio Arriba	
Pit Type:	Separator Other		
Land Type:	BLM State Fee Other No		
Pit Location:	Pit dimensions: length 18 width 18 depth	3 '	
(Attach diagran	n) Reference: wellhead velocities other		
	Footage from reference:36'		
	Direction from reference: 55 Degrees East North		
	of West South	<u>~</u>	
Depth to Group (Vertical distance from conseasonal high water elevativater)	50 feet to 99 feet Ontaminants to Greater than 100 feet	(20 points) (10 points) (0 points)	0
Wellhead Proto	ection Area: DECEIVED NOV - 3 1997 Yes	(20 points)	
(Less than 200 feet from a domestic water source, or; feet from all other water so	private No less than 1,000	(0 points)	0
Distance to Sur (Horizontal distance to per ponds, rivers, streams, cree canals and ditches	face Water: Less than 200 feet 200 feet to 1,000 feet ennial lakes, Greater than 1,000 feet	(20 points) (10 points) (0 points)	0
canata and unchica	RANKING SCORE (TOTAL POINTS):		0

eech C #216 Date Remediation Started:	9	/3/97	Date Completed:	9/3/97
Remediation Method:	Excavation	Х	Approx. Cubic Yard	47
check all opropriate	Landfarmed	X	Amount Landfarmed (cubi	c yds)
ctions)	Other			· · · · · · · · · · · · · · · · · · ·
Remediation Location: i.e., landfarmed onsite, name and ocation of offsite facility)	Onsite	X	Offsite	
Backfill Material Location:				
General Description of Rem	nedial Action:			
-		7' Y 15' Y 5' and landf	armed soil onsite within a bermed	area at a depth of 611 to
12". Soil was aerated by disk	king/plowing until	soil met regulatory lev	rels.	area at a depth or 6 to
Ground Water Encountered	d: No	₹	es Depth	<u> </u>
				
Final Pit Closure Sampling:	Sample Location	5 pt. composit	te - 4 side walls and center of pit b	ottom.
(if multiple samples, attach sample result and diagram of sample locations and depths.)	Sample depth	5'		
sample locations and depths.)	Sample date	9/3/97	Sample time	9:45:00 AM
	Sample Results	5		
	Benzer	ne (ppm) < 0.	.0010	
	Total I	BTEX (ppm)	0.0850	
	Field he	eadspace (ppm)		
	TPH (ppm)	6.00	Method 8015	+
Varion Extent (ft)		Risk Ass	essment form attached Yes	No
Vertical Extent (ft)		-		
Ground Water Sample:	Yes	No	(If yes, see attached Gro Summary Report)	oundwater Site
Ground Water Sample:	T THE INFORM	No		

9-3-97 @ 0845


Breich #214

(†) 12-24N-6W

Caulkins

Rio Cerriba

55° Ed 5
36' From W.H.



OFF: (505) 325-5667



LAB: (505) 325-1556

ANALYTICAL REPORT

Attn:

Denver Bearden

Date:

10-Sep-97

Company: PNM Gas Services

COC No.:

5659

Address:

603 W. Elm

Sample No.:

16035

City, State: Farmington, NM 87401

Job No.:

2-1000

Project Name:

PNM Gas Services - Breech #216

Project Location:

9709030945; Excavation Composite Sample Date:

3-Sep-97 Time:

Sampled by: Analyzed by:

RHDC/HR

Date:

9-Sep-97

9:45

Sample Matrix:

Soil

Laboratory Analysis

Parameter	Results as	Unit of	Limit of	Unit of
	Received	Measure	Quantitation	Measure
Diesel Range Organics (C10 - C28)	6	mg/kg	5	mg/kg

ND - Not Detected at Limit of Quantitation

Quality Assurance Report

DRO QC No.: 0555-STD

Continuing Calibration Verification

Parameter	Method Blank	Unit of Measure	True Value	Analyzed Value	RPD	RPD Limit
Diesel Range (C10 - C28)	ND	ppm	200	190	5.1	15%


Matrix Spike

Parameter	1- Percent Recovered	2 - Percent Recovered	Limit	RPD	RPD Limit
Diesel Range (C10-C28)	82	77	(70-130)	6	20%

Method - SW-846 EPA Method 8015A mod. - Nonhalogenated Volatile Hydrocarbons by Gas Chromatography

P.O. BOX 2606 • FARMINGTON, NM 87499

- TECHNIMISMS RETAINED INSULTED SOUTH THE COMMISSION OF





LAB: (505) 325-1556

ANALYTICAL REPORT

Attn:

Denver Bearden

Date:

8-Sep-97

Company: PNM Gas Services

COC No.:

5659

Address:

603 W. Elm

Sample No.:

16035

City, State: Farmington, NM 87401

Job No.:

2-1000

Project Name:

PNM Gas Services - Breech #216

Project Location:

9709030945; Excavation Composite Sample Date:

3-Sep-97 Time:

9:45

Sampled by: Analyzed by:

RH DC

Date:

5-Sep-97

Sample Matrix:

Soil

Laboratory Analysis


Parameter		Results as Received	Unit of Measure	Limit of Quantitation	Unit of Measure
Benzene	_	ND	ug/kg	1	ug/kg
Toluene		11	ug/kg	1	
Ethylbenzene		6	ug/kg	1	ug/kg
m,p-Xylene		51	ug/kg	1	ug/kg ug/kg
o-Xylene		16	ug/kg	1	ug/kg ug/kg
	TOTAL	85	ug/kg		<u>~~~</u>

ND - Not Detected at Limit of Quantitation

Method - SW-846 EPA Method 8020A Aromatic Volatile Organics by Gas Chromatography

P.O. BOX 2606 • FARMINGTON, NM 87499 - FERMANDAY RESIDENCE INDUSTRY CONFIRM TRAINS AND 9-11-97 @ 0930
Breech #216
Caulkins
(P) 12-26N-6W
RPD Arriba
Sample # 9709110930
Land farm field hield space-3.5 pm

& WH



OFF: (505) 325-5667



LAB: (505) 325-1556

ANALYTICAL REPORT

Attn:

Denver Bearden

Date:

16-Sep-97

Company: PNM Gas Services

COC No.:

Job No.:

5671

Address:

603 W. Elm

16130

City, State: Farmington, NM 87401

Sample No.:

2-1000

Project Name: Project Location: PNM Gas Services - Breech #216 Landfarm

9709110930; Composite

Date: 11-Sep-97 Time: 9:30

Sampled by: Analyzed by:

DC/HR

Date:

15-Sep-97

Sample Matrix:

Soil

RH

Laboratory Analysis

Parameter	Results as	Unit of	Limit of	Unit of
	Received	Measure	Quantitation	Measure
Diesel Range Organics (C10 - C28)	70	mg/kg	5	mg/kg

ND - Not Detected at Limit of Quantitation

Quality Assurance Report

DRO QC No.: 0555-STD

Continuing Calibration Verification

Parameter	Method Blank	Unit of Measure	True Value	Analyzed Value	RPD	RPD Limit
Diesel Range (C10 - C28)	ND	ppm	200	197	1.5	15%

Matrix Spike

William Opin	1 2 2				
Parameter	1- Percent Recovered	2 - Percent			RPD
	Necovered	Recovered	Limit	RPD	Limit
Diesel Range (C10-C28)	100	94	(70-130)	6	20%

Method - SW-846 EPA Method 8015A mod. - Nonhalogenated Volatile Hydrocarbons by Gas Chromatography

Approved by:

P.O. BOX 2606 • FARMINGTON, NM 87499

- TECHNOLOGY BLENDING PAPERTEN WITH THE ENTRY OF ORDER L