DEPUTY ON & GAS MISPECTOR

DEC 2 9 1997

Meter Number: 89645
Location Name: CANDADO 17A CH, MV

Location:TN-26 RG-07 SC-10 UL-I

2 - Federal NMOCD Zone:OUTSIDE

Hazard Ranking Score:00

PEGEIVED N APR 1 4 1997

.W.G. .W.O. . 1110 8. .wid

RATIONALE FOR RISK-BASED CLOSURE OF PRODUCTION PITS LOCATED OUTSIDE OF THE VULNERABLE ZONE IN THE SAN JUAN BASIN

This production pit location was ranked according to the criteria in the New Mexico Oil Conservation Division's Unlined Surface Impoundment Closure Guidelines and received a ranking score of zero. The estimated depth to groundwater is greater than 100-feet beneath ground surface (bgs), the pit is not in a well head protection area, and there are no surface water bodies within 1,000 horizontal feet of the pit location.

The primary source, discharge to the pit has been removed. There has been no discharge to the pits for at least 4 years and the pits have been closed for at least one year.

Each pit was backfilled with clean soil and graded in a manner to divert precipitation away from the excavated area. Minimal infiltration of rainfall is expected. Any rainfall that does infiltrate the ground surface must migrate through clean backfill before reaching the residual hydrocarbons.

There is no source material at the ground surface, so direct contact of hydrocarbons with livestock and the populous is not likely.

In general, outside of the vulnerable area and alluvial valleys, bedrock material is generally encountered within 20 feet of the ground surface. Bedrock material in the San Juan Basin consists of interbedded sandstones, shales and clays. According to Freeze and Cherry, 1979, the hydraulic conductivity of the bedrock material are as follows:

Sandstone 10^{-9} to 10^{-13} cm/sec Shale 10^{-12} to 10^{-16} cm/sec Clay 10^{-12} to 10^{-15} cm/sec

Based on this information, the residual hydrocarbons should not migrate to groundwater.

Natural process (bioremediation) are degrading the residual hydrocarbon to carbon dioxide and water and will continue until the source is gone, therefore minimizing any impact to the environment.

Based on the above information, it is highly unlikely that any source material will impact groundwater or ever find an exposure pathway to affect human health and therefore El Paso Field Services Company (EPFS) requests closure of this pit location.

FIELD PIT SITE ASSESSMENT FORM



GENERAL	Meter: 89645 Location: CANDADD 17A CH,MV Operator #: 6311 Operator Name: P/L District: Blanco Coordinates: Letter: Section 10 Township: A6 Range: 7 Or Latitude Longitude Pit Type: Dehydrator Location Drip: Line Drip: Other: Site Assessment Date: 5/19/94 Area: 03 Run: 72							
SITE ASSESSMENT	NMOCD Zone: Land Type: BLM □ (1) (From NMOCD State □ (2) Maps) Inside □ (1) Fee □ (3) Outside □ (2) Indian □ Depth to Groundwater □ (1) □ (1) Less Than 50 Feet (20 points) □ (1) 50 Ft to 99 Ft (10 points) □ (2) Greater Than 100 Ft (0 points) □ (3)							
	Wellhead Protection Area: Is it less than 1000 ft from wells, springs, or other sources of fresh water extraction?, or; Is it less than 200 ft from a private domestic water source? (1) YES (20 points) (2) NO (0 points)							
	Horizontal Distance to Surface Water Body Less Than 200 Ft (20 points)							
	(Surface Water Body : Perennial Rivers, Major Wash, Streams, Creeks, Irrigation Canals, Ditches, Lakes, Ponds) Distance to Nearest Ephemeral Stream (1) < 100'(Navajo Pits Only)							
KS	Remarks: Redline + Voln - Outside							
REMARKS	3 pits. Close 1. A+ Dry Samepit For CH +MV							
RE	PUSHAN							

. *	· · · · · · · · · · · · · · · · · · ·
ORIGINAL PIT LOCATION	ORIGINAL PIT LOCATION Original Pit: a) Degrees from North 18° Footage from Wellhead 76′ b) Length: 17′ Width: 17′ Depth: 4′
REMARKS	Remarks: Pictures @ 1554 (18-a2) Dunp Truck
	Completed By: Signature Signature S/19/94 Date

FIELD PIT REMEDIATION/CLOSC E FORM

GENERAL	Meter: 89645 Location: <u>CANDADO 17A (CH, MV)</u> Coordinates: Letter: <u>I</u> Section <u>10</u> Township: <u>16</u> Range: <u>7</u> Or Latitude Longitude Date Started: 8-11-94 Run: <u>03</u> 74							
FIELD OBSERVATIONS	Sample Number(s): MK255 Sample Depth: 12' Feet Final PID Reading 1321 PID Reading Depth 1/2' Feet Yes No Groundwater Encountered \(\begin{array}{c c} \begin{array}{c c} \begin{array}{c c} Approximate Depth \\ \end{array} \end{array} Feet							
CLOSURE								
REMARKS	Remarks: EPNG 1:NGS Marked Soil Grafish Brown strong 147900 Corbon odor Signature of Specialist: Margan Killian (SP3191) 03/16/94							



FIELD SERVICES LABORATORY ANALYTICAL REPORT

PIT CLOSURE PROJECT - Soil Samples Outside the GWV Zone

SAMPLE IDENTIFICATION

	Field	ID		Lab ID		
SAMPLE NUMBER:	MK 25	945926				
MTR CODE SITE NAME:				N/A		
SAMPLE DATE TIME (Hrs):	2-11-91	12.05				
SAMPLED BY:		N				
DATE OF TPH EXT. ANAL.:	8.16.96	9-16-94				
DATE OF BTEX EXT. ANAL.:	NIA		NIM			
TYPE DESCRIPTION:		H. Brown Fine Sund				
REMARKS:						
		RESULTS				
PARAMETER	RESULT UNITS		QUALIFIERS DF Q M(g) V(ml)			
TPH (418.1)	14,700	MG/KG			0,53	28
HEADSPACE PID	132]	РРМ				
PERCENT SOLIDS	91.2	%				
		TPH is by EPA Metho	od 418.1 ··			
larrative:						
					<u> </u>	
OF = Dilution Factor Used				<i>C</i> (/	
			Date:	7/2/	611	

Test Method for * Oil and Grease and Fetroleum Hydrocarbons * in Water and Soil Perkin-Elmer Model 1600 FT-IR Analysis Report 14/08/118 18:50 - Team le Loaman Mi**cacion** Compa orani in the of cample of 15:38 حسادر بال هو فقوع البيته 1199 25.50