SUBMIT IN TRIPLICATE*

Form approved.

UNITED STATES DEPARTMENT OF THE INTERIOR

(Other instructions on reverse side)

	Budget	Bureau	No.	42-K1425.	
30 5. LEAS	- O	39-	AND S	138 Erial No.	8

	GEOL	OGICAL SUR	VEY			Jicarilla A		
APPLICATION	N FOR PERMIT	TO DRILL,	DEEPE	N, OR PLUG B	ACK	6. IF INDIAN, ALLOTTEE		
	ILL 🗗	DEEPEN		PLUG BAC	K 🗆	7. UNIT AGREEMENT NA		
	AS OTHER			NGLE MULTIP	LE 🗍	8. FARM OR LEASE NAM	E	
NAME OF OPERATOR	VELL OTHER		20	NE LONE		Jicarilla A	pache 102	
	CTION COMPANY					9. WELL NO.		
ADDRESS OF OPERATOR	Nulsa Passal	nodena Mara		09101		10. FIELD AND POOL, OF	WILDCAT	
LOCATION OF WELL (R	Drive, Farmi	nd in accordance v	vith any S	tate requirements.*)		Tapacito Pic		
At surface 1790' FM	L 4 1450' FEL	Section 4	. T-26	-N. R-4-W		11. SEC., T., R., M., OR B	LK.	
At proposed prod. zon			•			SW/4 NE/4 Se	ction 4,	
Same	AND DIRECTION FROM N	EAREST TOWN OR P	ST OFFICE	1.		T-26-N, R-4-		
	utheast of Gol					Rio Arriba	New Mede	
DISTANCE FROM PROPLOCATION TO NEARES	OSED*		16. NO	. OF ACRES IN LEASE	17. No. o	F ACRES ASSIGNED		
PROPERTY OR LEASE ! (Also to nearest dr)	LINE, FT.	1790'		2567.94	10 11	160	162.21	
B. DISTANCE FROM PROD TO NEAREST WELL, I	POSED LOCATION* DRILLING, COMPLETED,	****	19. PR	OPOSED DEPTH	20. ROTA	RY OR CABLE TOOLS		
OR APPLIED FOR, ON TH	IIS LEASE, FT.	398'		4190'	1	Rotary	W WILL COLOMB	
7207 est.	ether DF, RT, GR, etc.)					22. APPROX. DATE WORK WILL START* APT11 18, 1977		
		PROPOSED CAS	TNG ANT	CEMENTING PROGRA			211	
	1							
\$1ZE OF HOLE	SIZE OF CASING	WEIGHT PER		SETTING DEPTH		QUANTITY OF CEMEN	T	
7-7/8"	4-1/2"	24	.54	250 ' 4100 '		175 sx 1000 sx		
				Development Pi			•	
			API	22 1977 22 2 1977				
ne. If proposal is to reventer program, if ar	drill or deepen directi	onally, give pertin	AP or I data of	1977 Tug back, give date on p in lands urface locations at	resent prod nd measured	uctive zone and proposed and true vertical depth	I new productive s. Give blowout	
ne. If proposal is to eventer program, if and signed	drill or deepen directi	onally, give pertin	ent data d	2 1377 This back, give data on p	resent prod nd measured	uctive zone and proposed and true vertical depth	I new productive s. Give blowout	
one. If proposal is to reventer program, if and the signed	drill or deepen directing.	onally, give pertin	ent data d	2 1377 This back, give data on p	resent prod nd measured	uctive zone and proposed and true vertical depth	I new productive s. Give blowout	
signed (This space for Federal No.	drill or deepen directing.	onally, give pertin	ent data d	Mig back, give date on p	resent prod nd measured	uctive zone and proposed and true vertical depth DATE	I new productive s. Give blowout	
one. If proposal is to reventer program, if and it. SIGNED	drill or deepen directi	onally, give pertin	TITLE	Mig back, give date on p	resent prod nd measured	uctive zone and proposed and true vertical depth DATE	I new productive s. Give blowout	

*See Instructions On Reverse Side

Instructions

General: This form is designed for submitting proposals to perform certain well operations, as indicated, on all types of lands and leases for appropriate action by either a Federal or a State agency, or both, pursuant to applicable Federal and/or State laws and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office.

Item 1: If the proposal is to redrill to the same reservoir at a different subsurface location or to a new reservoir, use this form with appropriate notations. Consult applicable State or Federal regulations concerning subsequent work proposals or reports on the well.

Item 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions. Item 14: Needed only when location of well cannot readily be found by road from the land or lease description. A plat, or plats, separate or on this reverse side, showing the roads to, and the surveyed location of, the well, and any other required information, should be furnished when required by Federal or State agency offices.

Items 15 and 18: If well is to be, or has been directionally drilled, give distances for subsurface location of hole in any present or objective production zone.

Item 22: Consult applicable Federal or State regulations, or appropriate officials, concerning approval of the proposal before operations are started.

★ U.S. GOVERNMENT PRINTING OFFICE: 1974-781-025/VIII-239

NEW MEXICO OIL CONSERVATION COMMISSION WELL LOCATION AND ACREAGE DEDICATION PLAT

All distances must be from the outer boundaries of the Section

Operator			Lec	ise			Well No.
Amoco Production Company			:	Jicarilla Apache 102			19
Unit Letter Se	ction	Township		Rounge	County		
	4	26N		ЬW	1 .	Arriba	
Actual Footage Locatio	n of Well:			<u> </u>			
	et from the No	rth	line and 1	450 ,	feet irom the	East	
Ground Level Elev.	Producing For	mation	Poo		reet Holli the	,	line Dedicated Acreage:
7207 est.	Picture	ed Cliffs	T	apacito Pict	ured Cl	iffe	1 160 162,07
1. Outline the a			ibject well b	y colored pencil	or hachu	re marks on t	he plat below.
	o, u.e., , .					, co	thereof (both as to working
3. If more than o	one lease of di nunitization, u	fferent owner nitization, for	rship is dedictions. e	cated to the well tc?	l, have the	ģ.	f all owners been consoli-
Yes				isolidation		} ;	L-Crist-co-
10:11 11 HO	cossury.)					een consolid	ated. (Use leverge side of
No allowable we forced-pooling sion.	vill be assigne , or otherwise) (d to the well or until a non	until all inte -standard uni	rests have been t, eliminating su	consolida ch interes	ated (by com sts, has been	nmunitization, unitization, approved by the Commis-
31011							
							CERTIFICATION
	1					I hereby (certify that the information con-
	1						rein is true and complete to the
	1		5			best of my	y knowledge and belief.
	 		17901			Name	anyoneny
						H. D	. Montgomery
1	! 			1450		Area	Engineer
	i			; 1		Company AMOCO	PRODUCTION COMPANY
İ	i			į		Date Apri	1 13, 1977
		Sec		<u> </u>			1 13, 1777
]	1	4		i	İ		
	1			i		1 heraby	certify that the well-location
				i			this plat was plotted from field
	1			I			ictual surveys made by me or
	1						supervision, and that the same
	1			ì	1		nd correct to the best of my
	1	1		i		knowledge	
	† — — —	. – – + – .	The second				we the first of the
	1					Date Surveye	d
			h b c			Decembe	er 29, 1976
	1			! 		Registered Programmed Cond Cond	rofessional Engineer Staveyor
	<u> </u>			†		Le	textia
	7	-				Certificate No	ACIT OF
330 660 90 1	320 1650 1980	2310 2640	2000 15	00 1000 50	00 0	3950	
							The same of the sa

JICARILLA APACHE 102 NO. 19 1790' FNL & 1450' FEL, SECTION 4, T26N, R4W RIO ARRIBA COUNTY, NEW MEXICO

CERTIFICATION

I hereby certify that I, or persons under my direct supervision, have inspected the proposed drillsite and access route; that I am familiar with the conditions which presently exist; that the statements made in this plan are, to the best of my knowledge, true and correct; and, that the work associated with the operations proposed herein will be performed by _____AMOCO PRODUCTION

COMPANY and its contractors and subcontractors in conformity with this plan and the terms and conditions under which it is approved.

April 13, 1977

Date

Area Supt.

Name and Title

DEVELOPMENT PLAN JICARILLA APACHE 102 NO. 19 1790' FNL & 1450' FEL, SECTION 4, T-26N, R-4W RIO ARRIBA COUNTY, NEW MEXICO

The new location will be built adjacent to an existing location. The proposed location has rabbitbrush, pinons, and cedars. The geological name of the surface formation is Paleozoic San Jose. One hundred fifty feet of new road will be required. No construction materials will be used for building the location. Verbal approval of the drill site has been obtained from Mr. Harold Tecube, BIA; Mr. John Keller, USGS, and Mary Thul, Archaeologist.

Arrangements are being made to haul water from Candelaria water hole approximately 5 miles on existing roads. Drilling fluid to TD will be a bw solids non-dispersed mud system. Upon completion the location will be cleaned up and leveled. Drilling mud and water will be hauled away and the reserve pit backfilled. Attached is the seeding plan to be followed for this well.

There are neither airstrips nor camps in the vicinity.

The estimated tops of important geological formations bearing hydrocarbons are:

Formation	<u>Depth</u>	Elevation
Fruitland	3537 '	+3670'
Pictured Cliffs	3957'	+3250'

Estimated KB elevation: 7220'

Est. Depth	Csg. Size	Weight	Hole Size	Sacks Cement - Type
250 ' 4100 '	8-5/8" 4-1/2"	24# 9.5#	12-1/4" 7-7/8"	175 sx - Class "B", 2% CaCl2. 950 sx - Class "B", 6% Gel, 2# Med. Tuf Plug/sx. 50 sx - Class "B" Neat.

Amoco's standard blowout prevention will be employed, see attached drawing for blowout preventer design.

Amoco plans to run the following logs from TD to 250': Induction-Electric, Density-Gamma Ray. No cores or Drill Stem Tests will be taken.

In the past, drilling in this area has shown that no abnormal pressure, temperatures or hydrocarbon gas will be encountered.

Our proposed starting date is April 18, 1977, and a two-week operation is anticipated.

The transfer of

SEEDING PLAN

1. TIME:

All seeding will take place between July 1 and September 15.

2. EQUIPMENT:


Seeding will be done with a disc-type drill with two boxes for various seed sizes. The drill rows will be eight to ten inches apart. The seed will be planted not less than one-half inch deep or more than one inch deep. The seeder will be followed with a drag, packer, or roller to insure uniform coverage of the seed, and adequate compaction. Drilling will be done on the contour where possible, not up and down the slope. Where slopes are too steep for contour drilling, a "cyclone" hand seeder or similar broadcast seeder will be used. Seed will then be covered to the depth described above by whatever means is practical.

3. SPECIES TO BE PLANTED IN POUNDS PURE-LIVE-SEED PER ACRE:

CRESTED WHEATGRASS	0.7 lbs.
RUSSIAN WILD RYE	0.86 lbs.
ORCHARD GRASS	0.298 lbs
PERENNIAL RYE GRASS	0.57 lbs.
WESTERN WHEAT GRASS	1.43 lbs.
SMOOTH BROME	1.14 lbs.
INTERMEDIATE WHEAT	0.91 lbs.
PUBESCENT WHEAT GRASS	1.09 lbs.

Francisco

g + 25 - 25



BLOWOUT PREVENTER HOCKUP

FOR SEXHIBIT C-4
OCTOBER 16, 1989


 \mathbf{F}_{i} \mathbf{S}_{i} \mathbf{F}_{i}

DRILLING LOCATION DIAGRAM


JICARILLA AFACHE 102#19


1450 FEL X 1790 FNL

SEC 4-TZGN-KAW



£1 (C. 1)





STATE OF NEW MEXICO OIL CONSERVATION COMMISSION 1000 Rio Brazos Road Aztec, New Mexico 87410

May 3, 1977

Amoco Production Co. 501 Airport Drive Farmington, New Mexico

cc: Oil Conservation Commission Santa Fe, New Mexico

Attention);							
SUBJECT:	NON-STANDA	RD GAS	PRORATION	UNIT (CONS I ST	ING OF	162.24	ACRES
IN THE	Tapac	ito Pic	tured Cli	ffs		GAS	S POOL DES	CRIBED AS
FOLLOWS:								
	TOWNSHIP	26	NORTH, I	RANGE	4	WEST, 1	NMPM	
	SECTION:	4			NE/4			
above-des	ity granted scribed acre se dedicated	age has	been app	roved a	as a no	on-standa		
Well No.	19	, locat	ed 1790	0/N; 14	+50/E	,		_ of said
Section	<u></u> •				41		Supervis	ich.