District I P O. Box 1980, Hobbys, NM

State of New Mexico Energy, Minerals and Natural Resources Department SUBMIT I COPY TO APPROPRIATE DISTRICT OFFICE AND I COPY TO SANTA FE OFFICE

District II P O Drawer DD, Artesia, NM 88221

District III 1000 Rio Brazos Rd Aztec, NM 87410

OIL CONSERVATION DIVISION


2040 South Pacheco Street Santa Fe, New Mexico 87505

Phylle Cu & PIT REMEDIATION AND CLOSURE REPORT

Operator: PNM Ga	as Services (Caulkins) Telephone:	324-3764	
Address: 603 W. Elm S	Street Farmington, NM 8740	01		
Facility or Well Name: Br	eech B #196			
Location: Unit	P Sec	7 T <u>26 N</u> R	6 W County	Rio Arriba
Pit Type: Separator	<u>▼</u> Dehydrato	r Other		
Land Type: BLM 👱	State	Fee Other	No	
Pit Location: Pit d	limensions: length _	20 width	20 depth	3
(Attach diagram) Refe	erence: wellhead 💆	other		
Foots	age from reference: 5	0'		
Direc	ction from reference: 45	Degrees	East North	<u> </u>
	<u> </u>	<u> </u>	of West South	<u></u>
Depth to Ground Water: (Vertical distance from contaminants to seasonal high water elevation of ground water		Less than 50 feet 50 feet to 99 feet Greater than 100 feet		(20 points) (10 points) (0 points) 0
Wellhead Protection Area: (Less than 200 feet from a private domestic water source, or, less than 1,000 feet from all other water sources)	DECELVE Nov - 3 1997 OIL GEAL, DIV	Yes No		(20 points) (0 points) 0
Distance to Surface Water:		Less than 200 feet 200 feet to 1,000 feet Greater than 1,000 feet		(20 points) (10 points)
(Horizontal distance to perennial lakes, ponds, rivers, streams, creeks, irrigation canals and ditches		RANKING SCORE	(TOTAL POINTS) :	(0 points) 0

Breech B #196				
Date Remediation Started:	7/14/97		Date Completed:	7/15/97
Remediation Method:	Excavation	X	Approx. Cubic Yard	58
(Check all appropriate	Landfarmed	Х	Amount Landfarmed (cub	ic yds)
sections)	Other			
Remediation Location: (i.e., landfarmed onsite, name and location of offsite facility)	Onsite	<u>x</u>	Offsite	
Backfill Material Location:				
General Description of Ren	nedial Action:			-
Excavated contaminated soi 12". Soil was aerated by disk	I to a pit size of 1 king/plowing until	4' X 14' X 8' and landf soil met regulatory le	farmed soil onsite within a bermed vels.	d area at a depth of 6" to
Ground Water Encountere	d: No	<u> </u>	Yes Dept	h
Final Pit Closure Sampling:	Sample Location	5 pt. composi	te - 4 side walls and center of pit	bottom.
(if multiple samples, attach sample result and diagram of sample locations and depths.)	Sample depth	6' walls and 8'	bottom.	
sample locations and depuis.)	Sample date	7/15/97	Sample time	9:30:00 AM
	Sample Results	}		
	Benzen	ne (ppm) <0	.0500	
	Total B	BTEX (ppm)	2.8500	
	Field he	eadspace (ppm)	 	
	TPH (ppm)	25.00	Method 801	5A
Vertical Extent (ft)		Risk Ass	essment form attached Yes	No
Ground Water Sample:	Yes	No	(If yes, see attached G Summary Report)	roundwater Site
I HEREBY CERTIFY THA KNOWLEDGE AND MY I		IATION ABOVE IS	TRUE AND COMPLETE TO TH	HE BEST OF MY
DATE October 27, 19 SIGNATURE	Menuell	Sulle		iver Bearden ministrator III

Start of excavation:



OFF: (505) 325-5667



LAB: (505) 325-1556

ANALYTICAL REPORT

Attn:

Denver Bearden

Date:

17-Jul-97

Company: PNM Gas Services

COC No.:

5912

Address:

603 W. Elm

Sample No.:

15334

City, State: Farmington, NM 87401

Job No.:

2-1000

Project Name:

PNM Gas Services - Breech B #196

Project Location:

9707150930; Composite, Walls @ 6' and Bottom @ 8'

15-Jul-97 Time:

9:30

Sampled by: Analyzed by:

DC

Date: Date:

16-Jul-97

Sample Matrix:

Soil

Laboratory Analysis

Parameter	Results as	Unit of	Limit of	Unit of
	Received	Measure	Quantitation	Measure
Diesel Range Organics (C10 - C28)	25	mg∕kg	5	mg/kg

ND - Not Detected at Limit of Quantitation

Quality Assurance Report

DRO QC No.: 0548-STD

Continuing Calibration Verification

Parameter	Method Blank	Unit of Measure	True Value	Analyzed Value	RPD	RPD Limit
Diesel Range (C10 - C28)	ND	ppm	200	183	8.7	15%

Matrix Spike

Parameter	1- Percent Recovered	2 - Percent Recovered	Limit	RPD	RPD Limit
Diesel Range (C10-C28)	120	108	(70-130)	10	20%

Method - SW-846 EPA Method 8015A mod. - Nonhalogenated Volatile Hydrocarbons by Gas Chromatography

Approved by:

P.O. BOX 2606 • FARMINGTON, NM 87499 Testinia no suo Diennina la marampi riomi min Es con scorram



OFF: (505) 325-5667

LAB: (505) 325-1556

ANALYTICAL REPORT

Attn:

Denver Bearden

Date:

23-Jul-97

Company: PNM Gas Services

COC No.:

Job No.:

5**9**12

Address:

603 W. Elm

15334

City, State: Farmington, NM 87401

Sample No.:

2-1000

Project Name:

PNM Gas Services - Breech B #196

Project Location:

9707150930; Composite, 4 Walls @ 6' and Bottom @ 8'

15-Jul-97 Time:

Sampled by:

GC DC Date: Date:

18-Jul-97

9:30

Analyzed by: Sample Matrix:

Soil


Laboratory Analysis

Parameter	-	Results as Received	Unit of Measure	Limit of Quantitation	Unit of Measure
Benzene		ND	ug/kg	50	ug/kg
Toluene		ND	ug/kg	50	ug/kg
Ethylbenzene		224	ug/kg	50	ug/kg
m,p-Xylene		2140	ug/kg	50	ug/kg
o-Xylene		487	ug/kg	50	ug/kg
	TOTAL	2850	ug/kg	1	

ND - Not Detected at Limit of Quantitation

Method - SW-846 EPA Method 8020A Aromatic Volatile Organics by Gas Chromatography

Landferm: On location Composite Sample # 970725/330 4 pt. comp. Soil vapor head space PIO reading = 20.1 ppm



OFF: (505) 325-5667



LAB: (505) 325-1556

ANALYTICAL REPORT

Attn:

Denver Bearden

Date:

4-Aug-97

Company: PNM Gas Services

COC No.:

Job No.:

5939

Address:

603 W. Elm

15488

City, State: Farmington, NM 87401

Sample No.:

2-1000

Project Name:

PNM Gas Services - Breech #196 Landfarm

Project Location:

9707251330; 4pt. Composite, 2"-12" depth

Date:

25-Jul-97 Time:

13:30

Sampled by: Analyzed by: GC HR/DC

Date:

28-Jul-97

Sample Matrix:

Soil

Laboratory Analysis

Parameter	Results as	Unit of	Limit of	Unit of
	Received	Measure	Quantitation	Measure
Diesel Range Organics (C10 - C28)	ND	mg/kg	5	mg/kg

ND - Not Detected at Limit of Quantitation

Quality Assurance Report

DRO QC No.: 0548-STD

Continuing Calibration Verification

Parameter	Method Blank	Unit of Measure	True Value	Analyzed Value	RPD	RPD Limit
Diesel Range (C10 - C28)	ND	ppm	200	214	6.5	15%

Matrix Spike

Parameter	1- Percent Recovered	2 - Percent Recovered	Limit RPD		RPD Limit
Diesel Range (C10-C28)	85	82	(70-130)	4	20%

Method - SW-846 EPA Method 8015A mod. - Nonhalogenated Volatile Hydrocarbons by Gas Chromatography

Approved by: