

Denny L. ...
DEPUTY OIL & GAS INSPECTOR

MAR 28 1997

Approved

JICARILLA APACHE TRIBE

ENVIRONMENTAL PROTECTION OFFICE

P.O. BOX 507
DULCE, NEW MEXICO 87528

SUBMIT 1 COPY TO
NATURAL
RESOURCE DEPT
AND OIL GAS
ADMINISTRATION

PIT REMEDIATION AND CLOSURE REPORT

Operator:	PNM Gas Services	<u>Conoco</u>	Telephone:	<u>324-3764</u>
Address:	<u>603 W. Elm Street Farmington, NM 87401</u>			
Facility or Well Name:	<u>Jicarilla E-14</u>			
Location:	Unit:	<u>C</u>	Sec. <u>15</u>	T. <u>26</u> N R. <u>4</u> W County <u>Rio Arriba</u>
Pit Type:	Separator	<u>X</u>	Dehydrator	<u> </u> Other <u> </u>
Land Type:	<u>Jicarilla Apache</u>			
Pit Location:	Pit dimensions:	length <u>30'</u>	width <u>20'</u>	depth <u>14'</u>
(Attach diagram)	Reference:	wellhead <u>X</u>	other <u> </u>	
	Footage from reference:	<u>99'</u>		
	Direction from reference:	<u>15</u> Degrees	East <u> </u>	North <u> </u>
			West <u> </u>	South <u> </u>
Depth to Ground Water:	(Vertical distance from contaminants to seasonal high water elevation or ground water)	Less than 50 feet 50 feet to 99 feet Greater than 100 feet	(20 points) (10 points) (0 points)	<u>0</u>
Wellhead Protection Area:	(Less than 200 feet from a private domestic water source, or, less than 1,000 feet from all other water sources)	Yes No	(20 points) (0 points)	<u>0</u>
Distance to Surface Water:	(Horizontal distance to perennial lakes, ponds, rivers, streams, creeks, irrigation canals and ditches)	Less than 200 feet 200 feet to 1,000 feet Greater than 1,000 feet	(20 points) (10 points) (0 points)	<u>0</u>
Distance to Ephemeral Stream (dry wash):	(Horizontal distance to all downgradient streams having a width of at least 10 feet)	Less than or equal to 100 feet Greater than 100 feet	(10 points) (0 points)	<u>0</u>
Distance to Nearest Lake, Playa, or Watering Pond:	(Horizontal distance to all downgradient lakes, playas, and livestock or wildlife water ponds)	Less than or equal to 100 feet Greater than 100 feet	(10 points) (0 points)	<u>0</u>
RANKING SCORE (TOTAL POINTS):				<u>0</u>

Date Remediation Started:

8/13/96

Date Completed:

9/25/96

Remediation Method:

Excavation

X

Approx. Cubic Yards

311

(Check all appropriate sections)

Landfarmed

X

Amount Landfarmed (cubic yds):

311

Other _____

Remediation Location:

Onsite _____

Offsite

Jicarilla E-1 Location

(i.e., landfarmed onsite, name and location of offsite facility)

General Description of Remedial Action:

Removed contaminated soil from the North, South, and West walls as to get a below 100 ppm head space reading. The East wall and pit bottom was solid sand stone rock.

Ground Water Encountered:

No

X

Yes _____

Depth _____

Final Pit Closure Sampling:

Sample Location

North, South and West side walls

(if multiple samples, attach sample result and diagram of sample locations and depths.)

Sample depth

14'

Sample date

8/13/96

Sample time

0925

Sample Results

Soil: Benzene (ppm)

0.0006

Water: Benzene (ppb) _____

Total BTEX (ppm)

0.0064

Toluene (ppb) _____

Field headspace (ppm)

72.8

Ethylbenzene (ppb) _____

TPH 5.0 ppm

Method _____

Total Xylenes (ppb) _____

Ground Water Sample:

Yes _____

No

X

(If yes, attach sample results)

I HEREBY CERTIFY THAT THE INFORMATION ABOVE IS TRUE AND COMPLETE TO THE BEST OF MY KNOWLEDGE AND MY BELIEF

DATE

8/18/96

PRINTED NAME

Ronald A. Dedrick

SIGNATURE

Ronald A. Dedrick

AND TITLE

Environmental Technician II

AFTER REVIEW OF THE PIT CLOSURE INFORMATION, PIT CLOSURE IS APPROVED IN ACCORDANCE TO JICARILLA APACHE TRIBE PIT CLOSURE ORDINANCE.

APPROVED: YES

X

NO _____

(REASON):

spec w/ Fertilizer + close

SIGNED:

Kenn C. Munnell



DATE:

8-19-96

Jicarilla E-14
Sec. 15 T26N R4W
Conoco

Meterhouse

SEP



OFF: (505) 325-5667



LAB: (505) 325-1556

Diesel Range Organics

Attn: *Denver Bearden*
Company: *PNM Gas Services*
Address: *603 W. Elm*
City, State: *Farmington, NM 87401*

Date: *15-Aug-96*
COC No.: *4770*
Sample No. *11779*
Job No. *2-1000*

Project Name: *PNM Gas Services - Jicarilla E-14 Run 12-51*
Project Location: *9608130925; 3pt. Composite*
Sampled by: *EP* Date: *13-Aug-96* Time: *9:25*
Analyzed by: *DC/HR* Date: *15-Aug-96*
Sample Matrix: *Soil*

Laboratory Analysis

<i>Parameter</i>	<i>Result</i>	<i>Unit of Measure</i>	<i>Detection Limit</i>	<i>Unit of Measure</i>
<i>Diesel Range Organics (C10 - C28)</i>	<i>< 5.0</i>	<i>mg/kg</i>	<i>5.0</i>	<i>mg/kg</i>

Quality Assurance Report

DRO QC No.: 0479-QC

Calibration Check

<i>Parameter</i>	<i>Method Blank</i>	<i>Unit of Measure</i>	<i>True Value</i>	<i>Analyzed Value</i>	<i>% Diff</i>	<i>Limit</i>
<i>Diesel Range (C10 - C28)</i>	<i>< 5.0</i>	<i>ppm</i>	<i>100</i>	<i>98</i>	<i>2.4</i>	<i>15%</i>

Matrix Spike

<i>Parameter</i>	<i>1 - Percent Recovered</i>	<i>2 - Percent Recovered</i>	<i>Limit</i>	<i>%RSD</i>	<i>Limit</i>
<i>Diesel Range (C10-C28)</i>	<i>112</i>	<i>114</i>	<i>(70-130)</i>	<i>1</i>	<i>20%</i>

Method - SW-846 EPA Method 8015A mod. - Nonhalogenated Volatile Hydrocarbons by Gas Chromatography

Approved by: *Jay*
Date: *8/15/96*

P.O. BOX 2606 • FARMINGTON, NM 87499

- TECHNOLOGY BLENDING INDUSTRY WITH THE ENVIRONMENT -

OFF: (505) 325-5667



LAB: (505) 325-1556

AROMATIC VOLATILE ORGANICS

Attn: *Denver Bearden*
Company: *PNM Gas Services*
Address: *603 W. Elm*
City, State: *Farmington, NM 87401*

Date: *15-Aug-96*
COC No.: *4770*
Sample No.: *11779*
Job No.: *2-1000*

Project Name: *PNM Gas Services - Jicarilla E-14 Run 12-51*

Project Location: *9608130925; 3pt. Composite*

Sampled by: *EP* Date: *13-Aug-96* Time: *9:25*

Analyzed by: *HR* Date: *15-Aug-96*

Sample Matrix: *Soil*

Laboratory Analysis

Parameter	Result	Unit of Measure	Detection Limit	Unit of Measure
Benzene	0.6	ug/kg	0.2	ug/kg
Toluene	2.9	ug/kg	0.2	ug/kg
Ethylbenzene	<0.2	ug/kg	0.2	ug/kg
m,p-Xylene	2.4	ug/kg	0.2	ug/kg
o-Xylene	0.5	ug/kg	0.2	ug/kg
	TOTAL	6.4		ug/kg

Method - SW-846 EPA Method 8020 Aromatic Volatile Organics by Gas Chromatography

Approved by: *Jack*
Date: *8/15/96*

P.O. BOX 2606 • FARMINGTON, NM 87499

- TECHNOLOGY BLENDING INDUSTRY WITH THE ENVIRONMENT -


JICARILLA APACHE TRIBE
ENVIRONMENTAL
PROTECTION OFFICE
P.O. BOX 507
DULCE, NEW MEXICO 87528

SUBMIT 1 COPY TO
NATURAL
RESOURCE DEPT
AND OIL GAS
ADMINISTRATION

ON-SITE SOIL REMEDIATION REPORT

Operator: <u>PNM Gas Services (Conoco)</u> Telephone: <u>324-3764</u>	
Address: <u>603 W. Elm Street Farmington, NM 87401</u>	
Facility or Well Name: <u>Jicarilla E-14</u>	
Location:	Unit: _____ Sec. <u>15</u> T. <u>26</u> N. _____ R. <u>4</u> W. _____ County <u>Rio Arriba</u>
Land Type: <u>Jicarilla Apache</u>	
Date Remediation Started: <u>8/13/96</u> Date Completed: <u>9/10/96</u>	
Remediation Method: Landfarmed <input checked="" type="checkbox"/> Approx. cubic yards <u>313</u>	
Composted _____	
Other _____	
Depth to Ground Water: (pts.) <u>0</u>	Final Closure Sampling:
Distance to an Ephemeral Stream: (pts.) <u>0</u>	Sampling Date: <u>9/10/96</u> Time <u>0720</u>
Distance to Nearest Lake, Playa, or Watering Pond: (pts.) <u>0</u>	Sampling Results:
Wellhead Protection Area: (pts.) <u>0</u>	Field Headspace (ppm) <u>5.7</u>
Distance to Surface Water: (pts.) <u>0</u>	TPH (ppm) <u>61</u> Method <u>GC/MS</u>
Ranking Score (Total Points): <u>0</u>	Other _____
I HEREBY CERTIFY THAT THE INFORMATION ABOVE IS TRUE AND COMPLETE TO THE BEST OF MY KNOWLEDGE AND BELIEF	
DATE <u>9/15/96</u>	PRINTED NAME <u>Ronald A. Dedrick</u>
SIGNATURE <u>Ronald A. Dedrick</u>	AND TITLE <u>Environmental Technician II</u>
AFTER REVIEW OF THE SOIL REMEDIATION INFORMATION, ON-SITE REMEDIATION APPROVED IN ACCORDANCE TO THE JICARILLA APACHE TRIBE PIT CLOSURE ORDINANCE	
APPROVED: YES <input checked="" type="checkbox"/> NO _____ (REASON) _____	
SIGNED: <u>H. C. Marshall</u>	DATE: <u>9-17-96</u>

Ticorilla E-14
Sec. 15 T26NR4W
Conoco



OFF: (505) 325-5667



LAB: (505) 325-1556

Diesel Range Organics

Attn: *Denver Bearden*
Company: *PNM Gas Services*
Address: *603 W. Elm*
City, State: *Farmington, NM 87401*

Date: *11-Sep-96*
COC No.: *5258*
Sample No.: *12077*
Job No.: *2-1000*

Project Name: *PNM Gas Services - Jicarilla E-14 Landfarm Run 12-51*
Project Location: *9609100720; 5pt. Composite*
Sampled by: *RD* Date: *10-Sep-96* Time: *7:20*
Analyzed by: *DC/HR* Date: *11-Sep-96*
Sample Matrix: *Soil*

Laboratory Analysis

<i>Parameter</i>	<i>Result</i>	<i>Unit of Measure</i>	<i>Detection Limit</i>	<i>Unit of Measure</i>
<i>Diesel Range Organics (C10 - C28)</i>	<i>61.4</i>	<i>mg/kg</i>	<i>5.0</i>	<i>mg/kg</i>

Quality Assurance Report

DRO QC No.: *0489-QC*

Calibration Check

<i>Parameter</i>	<i>Method Blank</i>	<i>Unit of Measure</i>	<i>True Value</i>	<i>Analyzed Value</i>	<i>% Diff</i>	<i>Limit</i>
<i>Diesel Range (C10 - C28)</i>	<i><5.0</i>	<i>ppm</i>	<i>100</i>	<i>99</i>	<i>0.6</i>	<i>15%</i>

Matrix Spike

<i>Parameter</i>	<i>1- Percent Recovered</i>	<i>2 - Percent Recovered</i>	<i>Limit</i>	<i>%RSD</i>	<i>Limit</i>
<i>Diesel Range (C10-C28)</i>	<i>98</i>	<i>114</i>	<i>(70-130)</i>	<i>11</i>	<i>20%</i>

Method - SW-846 EPA Method 8015A mod. - Nonhalogenated Volatile Hydrocarbons by Gas Chromatography

Approved by: *JAC*
Date: *9/12/96*

P.O. BOX 2606 • FARMINGTON, NM 87499

- TECHNOLOGY BLENDING INDUSTRY WITH THE ENVIRONMENT -