Denny S. Fourt DEPUTY OIL & GAS INSPECTOR

District II P O. Drawer DD. After Fall M 2861 1998

District III 1000 Rio Brazos Rd, Aztec, NM 87410 State of New Mexico
Energy, Minerals and Natural Resources Department

SUBMIT I COPY TO APPROPRIATE DISTRICT OFFICE AND I COPY TO SANTA FE OFFICE

OIL CONSERVATION DIVISION

2040 South Pacheco Street Santa Fe, New Mexico 87505

Appreved

PIT REMEDIATION AND CLOSURE REPORT

| Operator: | PNM G | as Services (Caulkins |) T | elephone: | 324-3764 | | | |
|--|----------------|-----------------------|--|-----------|--------------|---------|---|---|
| Address: | 603 W. Elm S | Street Farmington, NM | 1 87401 | | | | | |
| Facility or We | ell Name: Br | eech C #247 | | | | | | |
| Location: | Unit | B Sec | 13T | 26 N | R <u>6 W</u> | County | Rio Arriba | |
| Pit Type: | Separator | Dehy | ydrator | Othe | er | | | |
| Land Type: | BLM _ | State | Fee | Othe | r <u>N</u> | o | | |
| Pit Location: | Pit d | limensions: length | 20 ' | width | 20 ' | depth | 3 ' | - |
| (Attach diagram | n) Refe | erence: wellhead | <u> </u> | other _ | | | | |
| | Foota | age from reference: | 74' | | | | | |
| | Direc | ction from reference: | 5 Degrees | | East | North | | |
| | 7 | | | ✓ | of West | South | <u> </u> | |
| Depth to Group (Vertical distance from conseasonal high water elevativater) | ontaminants to | | Less than 50 feet to Greater than I | 99 feet | | | (20 points) (10 points) (0 points) | 0 |
| Wellhead Prote | ı private | DEGEIV Nov - 3 19 | (ED) | Yes No | | | (20 points) (0 points) | 0 |
| domestic water source, or; feet from all other water so | ources) | 0[L CON. [DIST. 3 | DIV. | | | | | |
| Distance to Sur (Horizontal distance to per ponds, rivers, streams, cree | rennial lakes, | | Less than 200 feet to 1 Greater than 1 | | | | (20 points) (10 points) (0 points) | 0 |
| canals and ditches | | | RANKING | SCORE | (TOTAL P | OINTS): | | 0 |

| Breech C #247 | | | | | |
|---|---|--|--------------------------------------|-------------------------------------|--|
| Date Remediation Started: | 9/ | 2/97 | Date Completed: | 9/2/97 | |
| Remediation Method: | Excavation | X | Approx. Cubic Yard | 47 | |
| (Check all appropriate | Landfarmed X | | Amount Landfarmed (cubic yds) 47 | | |
| sections) | Other | | | | |
| Remediation Location: (i.e., landfarmed onsite, name and location of offsite facility) | Onsite | X | Offsite | | |
| Backfill Material Location: | | | | | |
| General Description of Ren | redial Action: | | | | |
| Excavated contaminated soil Soil was aerated by disking/ | l to a pit size of 12 plowing until soil n | 2' X 15' X 7' and landfarr net regulatory levels. | ned soil within a bermed a | area at a depth of 6" to 12". | |
| Ground Water Encountered | d: No | Yes | 1 | Depth | |
| Final Pit Closure Sampling: | Sample Location | n 5 pt. composite - | 4 side walls and center o | f pit bottom. | |
| (if multiple samples, attach sample result and diagram of sample locations and depths.) | Sample depth | 5' walls and 7' bo | ttom. | | |
| sample rocations and depths.) | Sample date | 9/2/97 | _ Sample time | 3:00:00 PM | |
| | Sample Results | | | | |
| | Benzene | e (ppm) < 0.00 | 20 | | |
| | Total B | TEX (ppm) | 0.0880 | | |
| | Field hea | adspace (ppm) | | | |
| | TPH (ppm) | < 5.00 | Method | 8015A | |
| Vertical Extent (ft) | | Risk Assess | ment form attached Y | es No | |
| Ground Water Sample: | Yes | No | (If yes, see attache Summary Report) | d Groundwater Site | |
| I HEREBY CERTIFY THA KNOWLEDGE AND MY E | | ATION ABOVE IS TRI | JE AND COMPLETE TO | THE BEST OF MY | |
| DATE October 27, 199 SIGNATURE | () Leme | Hearle | AND TITLE | Denver Bearden Administrator III | |

| Breech C#247 | 9/2/97 |
|---------------------------------------|--------|
| Caul Kins O:/ | |
| Sec. 13,260,60,13 | |
| | |
| stat of execution: | |
| | |
| : : : : : : : : : : : : : : : : : : : | |
| | |
| | |
| | |
| | |
| 74 (| |
| 4561 | |
| /300/ | |
| | |
| | |
| <u> </u> | |
| | |
| | |
| | |
| | |
| | |
| End of excaulian! | |
| La Wexcau-lia: | |
| //2 | |
| | |
| | |
| | |
| | |
| 7 | |
| | 15 |
| 5Anaslane | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |

OFF: (505) 325-5667



LAB: (505) 325-1556

ANALYTICAL REPORT

Attn:

Denver Bearden

Date:

9-Sep-97

Company: PNM Gas Services

COC No.:

5994

Address:

16020

603 W. Elm

Sample No.:

City, State: Farmington, NM 87401

Job No.:

2-1000

Project Name:

PNM Gas Services - Breech C #247

Project Location:

9709021500; Composite, 4 Walls @ 5' and Bottom @ 7'

2-Sep-97 Time:

Sampled by:

GC

Date: Date:

5-Sep-97

15:00

Analyzed by: Sample Matrix:

DC/HR Soil

Laboratory Analysis

| Parameter | Results as | Unit of | Limit of | Unit of |
|-----------------------------------|------------|---------|--------------|---------|
| | Received | Measure | Quantitation | Measure |
| Diesel Range Organics (C10 - C28) | ND | mg/kg | 5 | mg/kg |

ND - Not Detected at Limit of Quantitation

Quality Assurance Report

DRO QC No.: 0555-STD

Continuing Calibration Verification

| Parameter | Method Blank | Unit of Measure | True Value | Analyzed Value | RPD | RPD Limit |
|--------------------------|-----------------|--------------------|---------------|-------------------|-----|--------------|
| Diesel Range (C10 - C28) | ND | ppm | 200 | 214 | 6.9 | 15% |

Matrix Spike

| Parameter | 1- Percent 2 - Percent Recovered Recovered | | Limit | RPD | RPD Limit | |
|------------------------|--|----|----------|-----|--------------|--|
| Diesel Range (C10-C28) | 78 | 85 | (70-130) | 8 | 20% | |

 $\textbf{Method -} \textit{SW-846 EPA Method 8015A} \;\; \textit{mod. -Nonhalogenated Volatile Hydrocarbons by Gas Chromatography} \\$

Approved by:

P.O. BOX 2606 • FARMINGTON, NM 87499

OFF: (505) 325-5667



LAB: (505) 325-1556

ANALYTICAL REPORT

Attn:

Denver Bearden

Date:

8-Sep-97

Company: PNM Gas Services

COC No.:

Job No.:

5994

Address:

603 W. Elm

Sample No.:

16020

City, State: Farmington, NM 87401

2-1000

Project Name: Project Location: PNM Gas Services - Breech C #247

9709021500; Composite, 4 Walls @ 5' and Bottom @ 7'

Date:

2-Sep-97 Time:

15:00

Sampled by: Analyzed by:

GC DC

Date:

4-Sep-97

Sample Matrix:

Soil

Laboratory Analysis

| Parameter | | Results as Received | Unit of Measure | Limit of Quantitation | Unit of Measure |
|--------------|-------|------------------------|--------------------|--------------------------|--------------------|
| Benzene | | ND | ug/kg | 2 | ug/kg |
| Toluene | | 6 | ug/kg | 2 | ug/kg |
| Ethylbenzene | | 11 | ug/kg | 2 | ug/kg |
| m,p-Xylene | | 63 | ug/kg | 2 | ug/kg |
| o-Xylene | | 8 | ug/kg | 2 | ug/kg |
| | TOTAL | 88 | ug/kg | | |

ND - Not Detected at Limit of Quantitation

Method - SW-846 EPA Method 8020A Aromatic Volatile Organics by Gas Chromatography

9-11-97 @ 0915

Breech C # 247

Coulkins
(D) 13-26N-6W

Rio arriba

Sample # 9709110915

Land Larm field head space - 5.7 ppm

CIPM OFFEX

CIPM

X1.0FFM

SIPM

X1.3PPM

CIPM

WH

Q

E

150

MH

OFF: (505) 325-5667



LAB: (505) 325-1556

ANALYTICAL REPORT

Attn: Denver Bearden

Date: 16-Sep-97

Company: PNM Gas Services

COC No.: 5671

Address: 603 W. Elm

Sample No.: 16129

City, State: Farmington, NM 87401

Job No.: 2-1000

Project Name:

PNM Gas Services - Breech C #247 Landfarm

Project Location:

9709110915; Composite

Sampled by:

RH

Date:

11-Sep-97 Time:

9:15

Analyzed by: Sample Matrix: DC/HR Soil

Date:

15-Sep-97

Laboratory Analysis

| Parameter | Results as | Unit of | Limit of | Unit of |
|-----------------------------------|------------|---------|--------------|---------|
| | Received | Measure | Quantitation | Measure |
| Diesel Range Organics (C10 - C28) | ND | mg/kg | 5 | mg/kg |

ND - Not Detected at Limit of Quantitation

Quality Assurance Report

DRO QC No.: 0555-STD

Continuing Calibration Verification

| Parameter | Method Blank | Unit of Measure | True Value | Analyzed Value | RPD | RPD Limit |
|--------------------------|-----------------|--------------------|---------------|-------------------|-----|--------------|
| Diesel Range (C10 - C28) | ND | ppm | 200 | 197 | 1.5 | 15% |

Matrix Spike

| Parameter | 1- Percent Recovered | 2 - Percent Recovered | Limit | RPD | RPD Limit |
|------------------------|-------------------------|--------------------------|----------|-----|--------------|
| Diesel Range (C10-C28) | 100 | 94 | (70-130) | 6 | 20% |

 $\textbf{Method -}\textit{SW-846 EPA Method 8015A} \;\; \textit{mod. -Nonhalogenated Volatile Hydrocarbons by Gas Chromatography} \\$

Approved by:
Date: 9/16/57

P.O. BOX 2606 • FARMINGTON, NM 87499