Form Approved, Budget Bureau No. 42-R1424

UNITED STATES DEPARTMENT OF THE INTERIOR

UNITED STATES	5. LEASE
DEPARTMENT OF THE INTERIOR	Contract No. 103
GEOLOGICAL SURVEY	6. IF INDIAN, ALLOTTEE OR TRIBE NAME
GEOLOGICAL SONVE	Jicarilla Apache 😘 🕏 💆
SUNDRY NOTICES AND REPORTS ON WELLS	7. UNIT AGREEMENT NAME
(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9–331–C for such proposals.)	
reservoir. Use Form 9–331–C for such proposals.)	8. FARM OR LEASE NAME 3 43 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5
1. oil gas X other	9. WELL NO. 7
2. NAME OF OPERATOR	11
Supron Energy Corporation	10. FIELD OR WILDCAT NAME
3. ADDRESS OF OPERATOR	Basin Dakota - Blanco Mesaverde
P.O. Box 808, Farmington, New Mexico	11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA Sec. 18, T-26N, R-4W
4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17	N.M.P.M.
below.) AT SURFACE: 1450 ft./N;790 ft./W line	12. COUNTY OR PARISH 13. STATE
AT TOP PROD. INTERVAL: Same as above.	Rio Arriba New Mexico
AT TOTAL DEPTH: Same as above.	14. API NO.
16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE,	
REPORT, OR OTHER DATA	15. ELEVATIONS (SHOW DF, KDB, AND WD) 6781 G.L.
REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF:	6/81 G.D.
TEST WATER SHUT-OFF	
FRACTURE TREAT	기계 기
SHOOT OR ACIDIZE	(NOTE: Report results of multiple completion or zone
REPAIR WELL ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐	change on Form 9–330.)
MULTIPLE COMPLETE	그는 그는 학자 요즘 중심 사람들은 그들은 물을 가다고 싶다.
CHANGE ZONES	사용 기계
ABANDON*	그 그 그 하는 원원활화 사진 홍상 시간 최고
17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly statincluding estimated date of starting any proposed work. If well is dimeasured and true vertical depths for all markers and zones pertinent	nt to this work.)*
We originally filed to complete this well on	ly in the Dakota zone. We
now propose to complete it as a Dakota - Mesa	averde dual. The papers
have been filed with the New Mexico Oil Conse	ervation Division and all
offset operators have been notified. The Dai	kota will be perforated
from 7676 ft. to 7822 ft. and sand - water in	ractured with 92,500 in.
of 20-40 sand and 52,500 gallons of 1% Kcl wa	ater. The Mesaverde Zone
will be perforated from 5083 ft. to 5839 ft.	lons of 1% Religiater.
with 72,000 lb. of 20-40 sand and 72,000 gal.	TORS OF TA ROT WATER TO THE TOTAL TORSE
	그 그 그 그 이 숙화 한 경화 현기 기계
	그 그는 그를 살아왔다. 지방 시골속을 다고
Subsurface Safety Valve: Manu. and Type	Set @ Ft.
18. I hereby certify that the foregoing is true and correct	그는 그는 항원 회원을 가입니다.
	pt. DATE June 11, 1979
SIGNED Kenneth E. Roddy TITLE Production Su	pt. DATE duite 11, 13/3
(This space for Federal or State of	fice use)
APPROVED BY TITLE	DATE 5 5 5
CONDITIONS OF APPROVAL, IF ANY:	

*See Instructions on Reverse Side

