Denny S. Fourt DEPUTY OIL & GAS INSPECTOR

JICARILLA APACHE TRIBE

SUBMIT 1 COPY TO NATURAL RESOURCE DEPT AND OIL GAS ADMINISTRATION

MAR 2 8 1997

ENVIRONMENTAL PROTECTION OFFICE

P.O. BOX 507 DULCE, NEW MEXICO 87528


PAPILIED PIT

PIT REMEDIATION AND CLOSURE REPORT

Operator: PNM Gas Services Cono	CC) Telephone: 324-3764
Address: 603 W. Elm Street Farmington, NM 8740	01
Facility or Well Name: Jicanilla C	-6
Location: Unit: P Sec. 12	T. 26 N R. 4 W County Rio Arriba
Pit Type: Separator Dehydrator	Other ?
Land Type:	
Pit Location: Pit dimensions: length	27' width $25'$ depth $12'$
(Attach diagram) Reference: wellhead	X other
Footage from reference:	15'
Direction from reference: Str.	
	of West South
Depth to Ground Water: (Vertical distance from contaminants to seasonal right water elevation of	Less than 50 feet (20 points) 50 feet to 99 feet (10 points) Greater than 100 feet (0 points)
Wellhead Protection Area: (Less than 200 feet from a private domestic water source, or; less than 1,000 feet from all	Yes (20 points) O points)
Olistance to Surface Water: (Horzontal distance to perennel lakes, ponds, rivers, streems, creeks, srigation canals and disches)	Less than 200 feet (20 points) 200 feet to 1.000 feet (10 points) Greater than 1.000 feet (0 points)
Distance to Ephemeral Stream (dry wash): (Honzontal distance to all downgradient streams having a width of at least 10 feet)	Less than or equal to 100 feet (10 points) Greater than 100 feet (0 points)
Distance to Nearest Lake, Playa, or Watering Pond: (Horizontal distance to all downgradient lakes, playas, and investock or wildlife water ponds)	Less than or equal to 100 feet (10 points) Greater than 100 feet (0 points)
	RANKING SCORE (TOTAL POINTS):

Date Remediation Started	: 8/27/96	Date Completed: 9/9/96
Remediation Method:	Excavation	Approx. Cubic Yards 300
(Check all appropriate	Landfarmed X	Amount Landfarmed (cubic yds): 250
sections	Other	
Remediation Location: (i.e., landfarmed onsite, name and location of offsite facility)	Onsite X	Offsite
Removed and walls and	on taminated so	sil from All four side + As to get A below
Ground Water Encounte	ered: No X Yes	Depth
Final Pit Closure Sampling:	Sample Location North	, East, South, West side and Bottom of pit
(if multiple samples, attach sample result and diagram of	Sample depth /2'	
sample locations and depths.)	Sample date <u>8/27/9</u>	Sample time 0903
	Sample Results Benzene (ppm)	Water: Benzene (ppb)
	Total BTEX (ppm	Toluene (ppb)
	Field headspace (ppm) 97.	Ethylbenzene (ppb)
	TPH <5.2 ppm Method	8015 Total Xylenes (ppb)
Ground Water Sample	e: Yes No	(If yes, attach sample results)
I HEREBY CERTIFY THAT KNOWLEDGE AND MY		TRUE AND COMPLETE TO THE BEST OF MY
DATE	2/1/04	NTED NAME Ronald A. Dedrick
SIGNATURE Ka	ald A Deduck AN	ID TITLE Environmental Technician II
	E PIT CLOSURE INFORMATION, I TRIBE PIT CLOSURE ORDINANO	PIT CLOSURE IS APPROVED IN ACCORDANCE CE.
APPROVED: YES	NO (REASO	DN):
SIGNED:	Mand DA	TE: 9-3-96

JicAnillA C-6 Sec. 12 T26N R4W Unit P Conoco



OFF: (505) 325-5667



LAB: (505) 325-1556

Diesel Range Organics

Attn: Denver Bearden Date:

28-Aug-96

Company: PNM Gas Services

COC No .:

4996

Address:

603 W. Elm

Sample No.

11911

City, State: Farmington, NM 87401

Job No.

2-1000

Project Name:

PNM Gas Sevices - Jicarilla C-6 Run 12-71

Project Location:

9608270903; 5pt. Composite

Sampled by:

EΡ DC/HR Date: Date: 27-Aug-96 Time:

28-Aug-96

9:03

Analyzed by: Sample Matrix:

Soil

Laboratory Analysis

Parameter	Result	Unit of Measure	Detection Limit	Unit of Measure
Diesel Range Organics (C10 - C28)	<5.0	mg/kg	5.0	mg/kg

Quality Assurance Report

DRO QC No.:

0489-QC

Calibration Check

Parameter	Method Blank	Unit of Measure	True Value	Analyzed Value	% Diff	Limit
Diesel Range (C10 - C28)	< 5.0	ppm	100	114	13.9	15%

Matrix Spike

Parameter	1- Percent Recovered	2 - Percent Recovered	Limit	%RSD	Limit
Diesel Range (C10-C28)	108	103	(70-130)	4	20%

Method - SW-846 EPA Method 8015A mod. - Nonhalogenated Volatile Hydrocarbons by Gas Chromatography

Approved by: Date:

SUBMIT 1 COPY TO NATURAL RESOURCE DEPT AND OIL GAS ADMINISTRATION


JICARILLA APACHE TRIBE ENVIRONMENTAL PROTECTION OFFICE P.O. BOX 507 DULCE, NEW MEXICO 87528

ON-SITE SOIL REMEDIATION REPORT

Operator: PNM Gas Services	(Conoco)	Telephone:	324-3764
Address: 603 W. Elm Street Farmington	n, NM 87401		
Facility or Well Name: Jican	illa C-6		
Location: Unit:	Sec. /2 T.	26 N R.	4 W County Rio Arriba
Land Type: Jicarilla Apache			
Date Remediation Started: 8/27 Remediation Method: Landfarmed Composted Other	/96 X -	Date Complete Approx. cubic yar	1.50
Depth to Ground Water:	(pts.) <u>&</u> (pts.)		Final Closure Sampling:
Distance to an Ephemeral Stream: Distance to Nearest Lake, Playa, or Watering Pond:	(pts.)	Sampling D	
Wellhead Protection Area:	(pts.)	Field Head TPH	dspace (ppm) $3/, \mathcal{E}$ (ppm) $5/, \mathcal{O}$ Method $5/, \mathcal{O}$
Distance to Surface Water: Ranking Score (Total Points):	8	Other _	
I HEREBY CERTIFY THAT THE INFORMATIO	ON ABOVE IS TRUE AND	COMPLETE TO TH	E BEST OF MY KNOWLEDGE AND BELIEF
DATE 9/15/96 SIGNATURE Randon	PRINTED NA		nmental Technician II
AFTER REVIEW OF THE SOIL REMEDIATIO JICARILLA APACHE TRIBE PIT CLOSURE O	RDINANCE	E REMEDIATION A	APPROVED IN ACCORDANCE TO THE
APPROVED: YES X NO	(REASON)	E: <u>9-/2</u>	- 96

JICANILLA C-6 Sec. 12 T26NR4W Unit P Conoco

LANd FARM



OFF: (505) 325-5667



LAB: (505) 325-1556

Diesel Range Organics

Denver Bearden Attn: Company: PNM Gas Services

COC No.:

11-Sep-96

603 W. Elm Address:

Sample No.

5266 12125

City, State: Farmington, NM 87401

Job No.

Date:

2-1000

Project Name:

PNM Gas Sevices - Jicarilla C-6 Landfarm Run 12-72

Project Location: Sampled by:

9609111318; 5pt. Composite

RD

Date:

11-Sep-96 Time:

13:18

Analyzed by: Sample Matrix: DC/BV Soil

Date:

11-Sep-96

Laboratory Analysis

Parameter	Result	Unit of Measure	Detection Limit	Unit of Measure
Diesel Range Organics (C10 - C28)	< 5.0	mg/kg	5.0	mg/kg

Quality Assurance Report

DRO QC No.:

0489-QC

Calibration Check

Parameter	Method Blank	Unit of Measure	True Value	Analyzed Value	% Diff	Limit
Diesel Range (C10 - C28)	< 5.0	ppm	100	93	7.1	15%

Matrix Spike

matrix opine					
	1- Percent	2 - Percent			
Parameter	Recovered	Recovered	Limit	%RSD	Limit
Diesel Range (C10-C28)	98	114	(70-130)	11	20%

Method - SW-846 EPA Method 8015A mod. - Nonhalogenated Volatile Hydrocarbons by Gas Chromatography

Approved by: Date: 7/12/46