### SUBMIT IN TRIPLICATE\*

(Other instructions on reverse side)

Form approved. Budget Bureau No. 42-B1425.

UNITED STATES
DEPARTMENT OF THE INTERIOR

(May 1000)		TED STATES			reverse si	ide)	20 039-	22046	
	DEPARTMEN <sup>*</sup>	r of the i	NTE	RIOR			5. LEASE DESIGNATION	AND SERIAL NO.	
	Contract No. 153								
APPLICATION	FOR PERMIT	O DRILL.	DEEP	EN. OR I	PLUG E	ACK	6. IF INDIAN, ALLOTTER	OR TRIBE NAME	
a. TYPE OF WORK	10111211111						Jicarilla		
	LL 🛛	DEEPEN		PL	LUG BAG	CK 🗌	7. UNIT AGREEMENT N	AME	
b. TYPE OF WELL	. —		8	INGLE	MULTIP	LE 🗆	8. FARM OR LEASE NAI		
	CLL Y OTHER			ONE XX	ZONE		_		
NAME OF OPERATOR							Jicarilla	<u>"J"</u>	
Supron Energy	Corporation						17		
		Tour Morri on	0710	14			10. FIELD AND POOL, O	R WILDCAT	
LOCATION OF WELL (Re	Farmington, l	in accordance wi	th any	State requirem	ients.*)		South Blanco		
At surface 1035 feet, from	m the North lin	. 008 bre a	feet.	from the	East.	line	Pictured Cliff 11. BEC., T., R., M., OR 1 AND SURVEY OR AR	BLK.	
	Same as abo		1000	II OM OM	, 2000		Sec. 35, T-26	N. R-5W.	
							N.M.P.M. 12. COUNTY OR PARISH	•	
. DISTANCE IN MILES A	ND DIRECTION FROM NEA	REST TOWN OR POS	T OFFIC	E*			Rio Arriba	New Mexic	
30 Miles No	orthwest of Oji	to, New Me	xiço	O OR ACRES I	N I PAGE	1 17 NO	OF ACRES ASSIGNED	New Mexic	
DISTANCE FROM PROPO- LOCATION TO NEAREST PROPERTY OR LEASE L	JO	30 <b>f</b> eet	10. 1	TO			THIS WELL		
(Also to nearest drig	unit line, if any) 8	00 feet	2560 19. PROPOSED DEPTH			20. ROT.	160 20. ROTARY OR CABLE TOOLS		
TO NEAREST WELL, DR OR APPLIED FOR, ON THE	ILLING, COMPLETED,	FOE foot	10. 1				Rotary		
1. ELEVATIONS (Show whe		595 feet	<u> </u>	3300 <b>f</b> e	:e t	<u>. I</u>	22. APPROX. DATE WO	RK WILL START*	
6676 GR.							June 1,	1979	
3.		PROPOSED CASI	NG AN	D CEMENTIN	NG PROGR.	AM			
SIZE OF HOLE	SIZE OF CASING	WEIGHT PER F	оот	SETTING	DEPTH		QUANTITY OF CEME	NT	
	7-5/8"			250			150 Sx.		
9 <b>-7/8"</b> 6-3/4"	2-7/8"	6.50	<u>20.0</u> 6.50			ŀ	200 Sx.		
well is drilled will be sand	ed, <b>pipe</b> is set	and cemen stimulate eet.	ted,	the casi	ing will	l be pe	formation. Afterforated. The run tubing to MAY 8 100 OIL CON. CO.	well	
one. If proposal is to reventer program, if any 4.  SIGNED RUCY D	drill or deepen direction	ally, give pertinen	pen or t data	plug back, giv on subsurface  Area Sup	· locations a	nd measur	ductive and proposed and true critical deptions of the proposed and	d new productive Give blowout	
PERMIT NO.				APPROVAL DA	TE	t		<del>''                                   </del>	
ADDONALD		<b></b>	TLE				—MA¥*** <del>7-1979</del>	<u>(=)</u>	
CONDITIONS OF APPROV	AL, IF ANY:						71373		

of Frak

U. S. GEOLOGICAL SURVEY DUMANGO, COLO.

### Form C-102 Superardes C-12 Effective 14-65

## NEW MEXICO OIL CONSERVATION COMMISSION WELL LOCATION AND ACREAGE DEDICATION PLAT

All distances must be from the outer boundaries of the Section. Well No. 17 JICARILLA SUPRON ENERGY CORPORATION County Rance Section Unit Letter RIO ARRIBA 26 NORTH 5 WEST 35 Actual Footage Location of Well; 800 EAST feet from the NORTH line and 1035 Dedicated Acreoger NE Pool **Producing Formation** South Blanco 160 PICTURED CLIFF 6676 1. Outline the acreage dedicated to the subject well by colored pencil or hachure marks on the plat below. 2. If more than one lease is dedicated to the well, outline each and identify the ownership thereof (both as to working interest and royalty). 3. If more than one lease of different ownership is dedicated to the well, have the interests of all owners been consolidated by communitization, unitization, force-pooling. etc? If answer is "yes," type of consolidation \_\_ 7 No Yes If answer is "no," list the owners and tract descriptions which have actually been consolidated. (Use reverse side of this form if necessary.). No allowable will be assigned to the well until all interests have been consolidated (by communitization, unitization, forced-pooling, or otherwise) or until a non-standard unit, eliminating such interests, has been approved by the Commission. CERTIFICATION I hereby certify that the Information contoined herein is true and complete to the 800 ·Rudy D. Motto Position Area Superintendent Supron Energy Corporation April 16, 1979 35 Date Surveyed 6 April 1979 Registered Prolossional Excineer Certificate No. 1463

1000

United States Geological Survey P. O. Box 1809
Durango, Colorado 81301

Attention: Mr. Jerry Long

Dear Sir:

Supron Energy Corporation proposes to drill the Jicarilla "J" No. 17 well located 1035 feet from the North line and 800 feet from the East line, Section 35, Township 26 North, Range 5 West, N.M.P.M., Rio Arriba County, New Mexico.

The following attachments are included with this application:

- 1. Map of existing roads.
- 2. Planned access road which is approximately 700 feet in length.
- 3. Location of existing wells.
- 4. Lateral roads to well locations.
- 5. Location of surface equipment, if required.
- 6. Drilling and completion water will be obtained from the Supron Energy Corporation water well located in the SW/4, Sec. 23, T-26N, R-4W, N.M.P.M., Rio Arriba County, New Mexico.
- 7. Waste will be disposed of by being placed in the reserve pit and buried upon completion of the well.
- 8. There will be no camp at or near the well site.
- 9. There will be no air strip.
- 10. A plat is attached showing the location of the rig, mud pits, reserve pit, burn pit, ect.
- 11. A letter of Certification is attached and the operators representative is Rudy D. Motto, Area Superintendent, P. O. Box 808, Farmington, New Mexico 87401, Phone (505) 325-3587.
- 12. After the well is completed the location will be cleaned up and bladed. The reserve pit will be fenced on three sides when the location is built. After the well is drilled the pit will be fenced off until it has dried and then the pit will be filled and restored to its natural state.
- 13. The soil is sandy loam with the principal vegatation being sage, juniper, greasewood, Erigeron, galleta, gamma, opuntia and snakeweed.

### JICARILLA "J" NO. 17

### SUPPLEMENT TO FORM 9-331C


- 1. The Geologic name of the surface formation is, "Wasatch".
- 2. The estimated tops of important Geologic markers are:

A.	Base of Ojo Alamo	2765 feet
В.	Fruitland	2833 feet
C.	Pictured Cliffs	3100 feet.

3. The estimated depths at which anticipated water, oil, gas or other mineral bearing formations are expected to be encountered are:


A.	Base of Ojo Alamo	2765 feet - water
В.	Fruitland	2833 feet - water
C.	Pictured Cliffs	3100 feet - gas


- 4. The casing program is shown on Form 9-331C and all casing is new.
- 5. The lessee's pressure control equipment schematics are attached along with minimum specifications, testing proceedures and frequencies.
- 6. The type, estimated volumes and characteristics of the circulating mediums are as follows:
  - A. From O feet to 250 feet Natural Mud
  - B. From 200 feet to 3300 feet Permaloid non dispersed mud containing 167 sx of gel. 67 sx of permaloid and 10 sx of C.M.C.
- 7. The auxiliary equipment to be used will be floats at the bit and a sub on the floor with a full opening valve to be stabbed into the drill pipe when the Kelly is not in the string.
- 8. This well is in an area which is almost completely developed, therefore we will not have a testing and coring program. The logging program is as follows:
  - A. E.S. Induction
  - B. Gamma Ray Density
  - C. Gamma Ray Correlation
  - D. Cement Bond or Temperature Log
- 9. There are no abnormal pressures, temperatures, or hydrogen sulfide problems expected in this highly developed area.
- 10. The anticipated starting date of this well is June 1, 1979.



# SUPRON ENERGY CORPORATION LOCATION AND EQUIPMENT LAYOUT JICARILLA "J" NO. 17

1035 Feet from the North line and 800 Feet from the East line, Section 35, Township 26 North, Range 5 West, N.M.P.M., Rio Arriba County, New Mexico.






机电子 经存款税 医视频电路 医腹部 化催物化物 医性坏疽 医乳球 医神经病 化甲二丁二丁二十二十二丁二丁二

Blowout Preventer will be tested daily and prior to drilling out with the results to be logged on the drillers report.

The B.O.P. and all valve and fittings are rated at 3000 psi working pressure, and hydraulically operated



BLOWOUT PREVENTER HOCKUP

# SUPRON ENERGY CORPORATION Post Office Box 808 FARMINGTON, New Mexico 87401

I hereby certify that I, or persons under my direct supervision, have inspected the proposed drillsite and access route; that I am familiar with the conditions which presently exist; that the statements made in this plan are, to the best of my knowledge, true and correct; and, that the work associated with the operations proposed herein will be preformed by SUPRON ENERGY CORPORATION and its contractors subcontractors in conformity with this plan and the terms and conditions under which it is approved.

SUPRON ENERGY CORPORATION

Rudy D. Motto

Area Superintendent

Phone: 325-3587