SCHEMATIC FOAM FRAC OPERATION 7. . . And injected in to the welf. ... Is mixed in a blender, which also adds the foaming chemical. 6. Foam is generated here . . . Water from portable field storage tanks . . . WATER 4. A high pressure pumper boosts the slurry pressure to inject it into the well. 2. . . . Plus sand from a bulk transport. High pressure N₁ gas is injected into the water-sand-foamer stream. 90







Job separation sheet

STATE OF NEW MEXICO

ENERGY AND MINERALS DEPARTMENT

OIL CONSERVATION DIVISION

BRUCE KING GOVERNOR LARRY KEHOE May 19, 1980

POST OFFICE BOX 2088 STATE LAND OFFICE BUILDING SANTA FE, NEW MEXICO 87501 (505) 827-2434

F. P. Crum, Jr.
P. O. Box 400
Aztec, New Mexico 87410

Administrative Order NSL-1189

Dear Mr. Crum:

Reference is made to your application on behalf of Depco, Inc. for approval of a non-standard location for their Burns Federal Well No. 1-E to be located 730 feet from the East line and 1490 feet from the South line of Section 5, Township 26 North, Range 7 West, NMPM, Basin Dakota and Undesignated Chacra Pools, Rio Arriba County, New Mexico.

By authority granted me under the provisions of Rule 3 of Order No. R-1670 and Rule 104 F of the Division Rules and Regulations, the above-described unorthodox location is hereby approved.

Sincerely,

JOE D. RAMEY, Director

JDR/RLS/dr

Cc: Oil Conservation Division - Aztec
Oil & Gas Engineering Committee - Hobbs
U. S. Geological Survey - Farmington

