5. LEASE

Contract No. 153

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

GEOLOGICAL SURVEY	6. IF INDIAN, ALLOTTEE OR TRIBE NAME Jicarilla Apache
SUNDRY NOTICES AND REPORTS ON WELLS	7. UNIT AGREEMENT NAME
(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9–331–C for such proposals.)	8. FARM OR LEASE NAME
1 -11	Jicarilla "J"
well gas X other	9. WELL NO.
2. NAME OF OPERATOR	20
Supron Energy Corporation	10. FIELD OR WILDCAT NAME
3. ADDRESS OF OPERATOR	South Blanco Pictured Cliffs
P.O. Box 808, Farmington, New Mexico 87401 4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17	11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
	Sec. 26, T-26N, R-5W, N.M.P.M.
AT SURFACE: 1005 Ft./S; 940 Ft./E line	12. COUNTY OR PARISH 13. STATE
AT TOP PROD. INTERVAL: Same as above	Rio Arriba New Mexico
Same as above	14. API NO.
16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA	15 FLEVATIONS (OLIOW DE VOD. AND MO
	15. ELEVATIONS (SHOW DF, KDB, AND WD) . 6645 R.K.B.
REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF	
SHOOT OR ACIDIZE	
REPAIR WELL	(NOTE: Report results of multiple completion or zone
PULL OR ALTER CASING MULTIPLE COMPLETE MULTIPLE COMPLETE	change on Form 9-830:)
CHANGE ZONES	
ABANDON*	
(other) Rail 2-170 Idbling as Casting Scring	
17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state including estimated date of starting any proposed work. If well is dimeasured and true vertical depths for all markers and zones pertinent.)	rectionally drilled, give subsurface locations and
1. Drilled 6-3/4" hole with mud to total depth total depth on 11/4/80.	of 3176 ft. R.K.B. Reached
2. Ran 102 joints of 2-7/8" O.D., 6.50#, J-55, 3174 ft. R.K.B. Float collar set at 3145 ft	<u> </u>
3. Cemented with 150 sacks of Howco Lite with of gilsonite per sack and 100 sacks of class Plug down at 5:45 P.M. 11/4/80.	6% additional gel and 12-1/2 lb. s "B" with 2% calcium chloride.
4. Ran temperature survey and found cement top	at 1400 ft. R.K.B.
Subsurface Safety Valve: Manu. and Type	Set @ Ft.
18. I hereby certify that the foregoing is true and correct	
SIGNED Kenneth E. Roddy TITLE Production Sup	ot. DATE November 6, 1980
(This space for Federal or State office	ce use)
APPROVED BY	DATE
CONDITIONS OF APPROVAL, IF ANY:	— Will W