Denny & Fout DEPUTY OIL & GAS INSPECTOR

DEC 2 9 1997

Meter Number:94147
Location Name:WARREN G #35-2
Location:TN-25 RG-06

SC-35 UL-I

2 - Federal NMOCD Zone: OUTSIDE

Hazard Ranking Score:00

### RATIONALE FOR RISK-BASED CLOSURE OF PRODUCTION PITS LOCATED OUTSIDE OF THE VULNERABLE ZONE IN THE SAN JUAN BASIN

This production pit location was ranked according to the criteria in the New Mexico Oil Conservation Division's Unlined Surface Impoundment Closure Guidelines and received a ranking score of zero. The estimated depth to groundwater is greater than 100-feet beneath ground surface (bgs), the pit is not in a well head protection area, and there are no surface water bodies within 1,000 horizontal feet of the pit location.

The primary source, discharge to the pit has been removed. There has been no discharge to the pits for at least 4 years and the pits have been closed for at least one year.

Each pit was backfilled with clean soil and graded in a manner to divert precipitation away from the excavated area. Minimal infiltration of rainfall is expected. Any rainfall that does infiltrate the ground surface must migrate through clean backfill before reaching the residual hydrocarbons.

There is no source material at the ground surface, so direct contact of hydrocarbons with livestock and the populous is not likely.


In general, outside of the vulnerable area and alluvial valleys, bedrock material is generally encountered within 20 feet of the ground surface. Bedrock material in the San Juan Basin consists of interbedded sandstones, shales and clays. According to Freeze and Cherry, 1979, the hydraulic conductivity of the bedrock material are as follows:

Sandstone  $10^{-9}$  to  $10^{-13}$  cm/sec Shale  $10^{-12}$  to  $10^{-16}$  cm/sec Clay  $10^{-12}$  to  $10^{-15}$  cm/sec

Based on this information, the residual hydrocarbons should not migrate to groundwater.

Natural process (bioremediation) are degrading the residual hydrocarbon to carbon dioxide and water and will continue until the source is gone, therefore minimizing any impact to the environment.

Based on the above information, it is highly unlikely that any source material will impact groundwater or ever find an exposure pathway to affect human health and therefore El Paso Field Services Company (EPFS) requests closure of this pit location.



GENERAL	Meter: 94147 Location: WARREN 6=35-2  Operator #: Operator Name: MERRON OK P/L District: OSITO  Coordinates: Letter: Section_3S Township: SRange: Or					
	NMOCD Zone:  (From NMOCD  Maps)  Inside  Outside  Land Type: BLM ◯ (1)  State ☐ (2)  Fee ☐ (3)  Indian					
SITE ASSESSMENT	Depth to Groundwater  Less Than 50 Feet (20 points)   50 Ft to 99 Ft (10 points)   Greater Than 100 Ft (0 points)   (3)					
	Wellhead Protection Area: Is it less than 1000 ft from wells, springs, or other sources of fresh water extraction?, or; Is it less than 200 ft from a private domestic water source? (1) YES (20 points) (2) NO (0 points)					
	Horizontal Distance to Surface Water Body Less Than 200 Ft (20 points) (1) 200 Ft to 1000 Ft (10 points) (2) Greater Than 1000 Ft (0 points) (3) Name of Surface Water Body					
	(Surface Water Body: Perennial Rivers, Major Wash, Streams, Creeks, Irrigation Canals, Ditches, Lakes, Ponds)  Distance to Nearest Ephemeral Stream (1) < 100'(Navajo Pits Only)  (2) > 100'  TOTAL HAZARD RANKING SCORE: POINTS					
	TOTAL HAZARD RAIVARING SCORE.					
REMARKS	Remarks: REDLINE : TOPO SHOW LOCATION OUTSIDE V.Z. TWO PITS ON LOCATION. LOCATION ORIP PIT BELONES TO EPNG. WILL CLOSE PIT.					
REA	PUSH IN					


2
$\alpha$
_
~
_
->:
$\Xi$
$\sim$
$\simeq$
_

S

### ORIGINAL PIT LOCATION

Original Pit: a) Degrees from North of Footage from Wellhead 46

b) Length: 19' Depth: 2'



Remarks	:
_	

PHOTOS-0931

Completed By:

Signature

2.7.95

Date

# FIELD PIT REMEDIATION/CLOSURE FORM

GENERAL	Meter: 94147 Location: WARREN G = #35-2  Coordinates: Letter: T Section 35 Township: 25 Range: 6  Or Latitude Longitude  Date Started: 3-14-95 Run: 06 52
FIELD OBSERVATIONS	Sample Number(s): KP 396  Sample Depth: 12' Feet  Final PID Reading 219 PID Reading Depth 12' Feet  Yes No  Groundwater Encountered \( \Boxed{1} \) Approximate Depth Feet
CLOSURE	Remediation Method:  Excavation
REMARKS	Remarks: Some Line Markers due A Test hola  Samfled Closed Pit. AT 12: Soil gray Laoking with A  Little H.c older.  Signature of Specialist: Kelly Padilla  (SP3191) 03/16/94



## FIELD SERVICES LABORATORY ANALYTICAL REPORT

# PIT CLOSURE PROJECT - Soil Samples Outside the GWV Zone

### **SAMPLE IDENTIFICATION**

	Field	ID		Lab ID	<del></del>		
SAMPLE NUMBER:	151 731		946724				
MTR CODE   SITE NAME:			N/A				
SAMPLE DATE   TIME (Hrs):	3-14-9	5	1050				
SAMPLED BY:		N/A			<del></del>		
DATE OF TPH EXT.   ANAL.:	3/23/95	<u> </u>	3/23	3/23/95			
DATE OF BTEX EXT.   ANAL.:	NIA	NIA		NIA			
TYPE   DESCRIPTION:	VG		Grey son	ف مسط دار	۵. سر		
		SECUL TO					
		RESULTS					
PARAMETER	RESULT	UNITS	DF	QUALIF	IERS M(g)	V(ml)	
PARAMETER TPH (418.1)			DF			<b>V(ml)</b>	
	RESULT	UNITS	DF		M(g)		
TPH (418.1)	RESULT	UNITS MG/KG	DF		M(g)		

DF = Dilution Factor Used

Approved By: Date: 3-24-95

Oil and Grease and Petroleum Hydrocarbons \* in Water and Soil \* × Perkin-Elmer Model 1600 FT-IR Analysis Report \* 95/03/23 09:03 Sample identification 946724 Initial mass of sample, g Volume of sample after extraction, ml

18.000

Petroleum hydrocarbons, ppm 745,484 Net absorbance of hydrocarbons (2930 cm-1)

