

APPLICATION FOR MULTIPLE COMPLETION

| | | | |
|------------------------------|------|---------------|------------------|
| Union Texas Petroleum Corp. | | Rio Arriba | October 27, 1982 |
| Operator | | County | Date |
| P.O. Box 808, Farmington, NM | | Jicarilla "H" | 6-Y |
| Address | | Lease | Well No. |
| M | 20 | 26N | 4W |
| Location of Well | Unit | Section | Township |
| | | | Range |

All Applicants for multiple completion must complete Items 1 and 2 below.

| 1. The following facts are submitted: | Upper Zone | Intermediate Zone | Lower Zone |
|--|-------------------|-------------------|------------------|
| a. Name of Pool and Formation | Blanco Mesaverde | | Basin Dakota |
| b. Top and Bottom of Pay Section (Perforations) | 5030 - 5628 | | 7568 - 7756 |
| c. Type of production (Oil or Gas) | Gas | | Gas |
| d. Method of Production (Flowing or Artificial Lift) | Flowing | | Flowing |
| e. Daily Production <input type="checkbox"/> Actual <input checked="" type="checkbox"/> Estimated Oil Bbls. Gas MCF Water Bbls. | One 500 One | | One 75 One |

2. The following must be attached:

- Diagrammatic Sketch of the Multiple Completion, showing all casing strings, including diameters and setting depths, centralizers and/or turbolizers and location thereof, quantities used and top of cement, perforated intervals, tubing strings, including diameters and setting depth, location and type of packers and side door chokes, and such other information as may be pertinent.
- Plat showing the location of all wells on applicant's lease, all offset wells on offset leases, and the names and addresses of operators of all leases offsetting applicant's lease.
- Electrical log of the well or other acceptable log with tops and bottoms of producing zones and intervals of perforation indicated thereon. (If such log is not available at the time application is filed it shall be submitted as provided by Rule 112-A.)

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

Signed Kenneth E. Roddy Title Production Superintendent Date October 27, 1982

(This space for State Use)
Original Signed by FRANK L. HARRIS Title Date


NOTE: If the proposed multiple completion will result in an unorthodox well location and/or a non-standard proration unit in one or more of the producing zones, then separate application for approval of the same should be filed simultaneously with this application.

OFFSET OPERATOR'S PLAT

SUPRON ENERGY CORPORATION

WELL: JICARILLA "H" NO. 6-Y

LOCATION: 990 feet from the South line and 1070 feet from the West line of Section 20, Township 26 North, Range 4 West, N.M.P.M., Rio Arriba County, New Mexico.



Proposed Dual Mesaverde and Dakota



Pictured Cliffs



Dakota



Gallup



Pictured Cliffs - Mesaverde



Dakota - Mesaverde




Pictured Cliffs - Dakota



Dakota - Gallup

Union Texas Petroleum Corporation
Jicarilla "H" No. 6-Y
990 ft./S; 1070 ft./W line
Sec. 20, T26N, R4W, N.M.P.M.
Rio Arriba County, New Mexico



OIL CONSERVATION DIVISION
SANTA FE, NEW MEXICO
PACKER-SETTING AFFIDAVIT
(Dual Completion)

STATE OF New Mexico)
)
COUNTY OF San Juan)

Marvin Kruschke, being first dually sworn according to law upon
his oath deposes and says:

That he is of lawful age and has full knowledge of the facts herein below set out.

That he is employed by Baker Packers in the capacity of
Office Manager and as such as its authorized agent.

That on September 21, 1982, he personally supervised the setting of
a 7" Baker Model "D" in Union Texas Petroleum
(Make and Type of Packer) (Operator)
Corporation's Jicarilla "H" Well No. 6-Y, located in Unit Letter M
, Section 20, Township 26 N, Range 4W,
N.M.P.M., Rio Arriba County, New Mexico.

That said packer was set at a subsurface depth of 5734 feet, said depth
measurement having been furnished by O.B. Whitenburg.

That the purpose of setting this packer was to effect a seal in the annular space between
the two strings of pipe where the packer was set so as to prevent the commingling, within the
well-bore, of fluids produced from a stratum below the packer with fluids produced from a
stratum above the packer. That this packer was properly set and that it did, when set,
effectively and absolutely seal off the annular space between the two strings of pipe where
it was set in such manner as to prevent any movement of fluids across the packer.

Baker Packers
Company
[Signature]
Its Agent

Subscribed and sworn to before me this the 27th day of October, AD, 1982.

[Signature]
Notary Public

My Commission Expires: 8/25/84