1a. TYPE OF WORK

b. TYPE OF WELL

2. NAME OF OPERATOR

3. ADDRESS OF OPERATOR

WELL [

DRILL 🖾

WELL X

OTHER

Kimbell Oil Company

SUBMIT IN TRIPLICATE*

(Other instructions on reverse side)

PLUG BACK 🗌

MULTIPLE ZONE

Form approved. Budget Bureau No. 42-R1425.

UNITED STATES DEPARTMENT OF THE INTERIOR

SINGLE

DEEPEN

GEOLOGICAL SURVEY

APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK

30-039-23010 5. LEASE DESIGNATION AND SERIAL NO.

rederal

SF-079139 A 6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. PARM OR LEASE NAME

9. WELL NO.

Warren

Во	x 1097, Farmin		10. FIELD AND POOL, OR WILDCAT						
LOCATION OF WELL (Re	port location clearly and		South Blanco P.C. 3.						
At surface	FSL & 1080' FE	L Sec. 26.	. T25N	R6V		11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA			
At proposed prod. zone		1							
	Same		KE	ECEIVE	1	P Sec. 26, T25N, R6W			
. DISTANCE IN MILES A	ND DIBECTION FROM NEAD	REST TOWN OR PO				12. COUNTY OR PABISH 13. STATE			
13 miles no	rth Counselor,	N. M.	ŀ	APR III	1	Rio Arriba N. M.			
DISTANCE PROM PROPUS		1	16. NO. OF ACRES IN LEASE			17. NO. OF ACRES ASSIGNED TO THIS WELL			
LOCATION TO NEAREST PROPERTY OR LEASE LINE, FT. (Also to nearest drig, unit line, if any) S. DISTANCE FROM PROPOSED LOCATION* TO NEAREST WELL, DRILLING, COMPLETED, OR APPLIED FOR, ON THIS LEASE, FT.				GIÓN GIBAL SU IVEY		160			
				OPOSED DEPTH	20. F	20. ROTARY OR CABLE TOOLS			
				26801		Rotary			
ELEVATIONS (Show whether	ther DF, RT, GR, etc.)				1	22. APPROX. DATE WORK WILL START*			
		6686' GR.				June 5, 1982			
			STNC ANT	CEMENTING DROOP	A M	1 2 2 2 2 2			
		RUPUSED CAS	SING ANL	CEMENTING PROGR.	AM.				
SIZE OF HOLE	SIZE OF CASING	WEIGHT PER	ER FOOT SETTING DEPTH		_	QUANTITY OF CEMENT			
9 3//."	711	23#		120'		60 sacks			
5111	2 7/8"	6.5#		26801	_	265 ^{II}			
•			'	•	•	of 7", 23#, J55 casing			
The Picture fractured.	om T.D. to suri	face with tone will informatic	265 sa be sel on atta	acks of cement. Levtively perofacthed.)	Trate	d and sand, foam, nitrogen			
A 54" hole cemented fr The Picture fractured. To be drill ABOVE SPACE DESCRIBE E. If proposal is to de	om T.D. to surid Cliffs sands (Additional : ed on Kimbell (PROPOSED PROGRAM: If drill or deepen directions	face with tone will informatic Dil Co. Wa	265 sabe selon atta	acks of cement. Levtively perofached.) No. 3 well pad.	Present)				
A 54" hole cemented fr The Picture fractured. To be drill ABOVE SPACE DESCRIBE The Proposal is to diventer program, if any	om T.D. to surid Cliffs sands (Additional : ed on Kimbell (PROPOSED PROGRAM: If drill or deepen directions	face with tone will informatic Dil Co. Wa	265 sabe selon atta	acks of cement. Levtively perofached.) No. 3 well pad.	Present)	d and sand, foam, nitrogen RECEIVED MAY 28 1982 Productive and proposed new productive			
A 54" hole cemented fr The Picture fractured. To be drill ABOVE SPACE DESCRIBE E. If proposal is to de	om T.D. to surid Cliffs sands (Additional : ed on Kimbell (PROPOSED PROGRAM: If drill or deepen directions	face with tone will informatic Dil Co. Wa	265 sabe selon atta	ecks of cement. Levtively perof leched.) No. 3 well pad. Solug back, give data on pon subsurface locations a	rate.	MAY 26 1982 CON, COM. DIST. 3 productive and proposed new productive sured and true vertical depths. Give blowout			
A 54" hole cemented fr The Picture fractured. To be drill ABOVE SPACE DESCRIBE E. If proposal is to describe to the control of the control	om T.D. to surid Cliffs sands (Additional : ed on Kimbell (PROPOSED PROGRAM: If drill or deepen directions	face with tone will informatio Dil Co. Wa proposal is to de	265 sabe selon atta	acks of cement. Levtively perofached.) No. 3 well pad.	rate.	MAY 26 1982 CON, COM. DIST. 3 productive and proposed new productive sured and true vertical depths. Give blowout			
A 5½" hole cemented from The Picture fractured. To be drill ABOVE SPACE DESCRIBE e. If proposal is to diventer program, if any	om T.D. to surid Cliffs sands (Additional) ed on Kimbell (PROPOSED PROGRAM: If irill or deepen directions	face with tone will informatio Dil Co. Wa proposal is to de	265 sabe sellon atta arren l eepen or pent data o	ecks of cement. Levtively perof leched.) No. 3 well pad. Solug back, give data on pon subsurface locations a	rate.	MAY 26 1982 CON, COM. DIST. 3 productive and proposed new productive sured and true vertical depths. Give blowout			
A 5½" hole cemented from The Picture fractured. To be drill ABOVE SPACE DESCRIBE e. If proposal is to diventer program, if any	om T.D. to surid Cliffs sands (Additional : ed on Kimbell (PROPOSED PROGRAM: If drill or deepen directions	face with tone will informatio Dil Co. Wa proposal is to de	265 sabe sellon atta arren l eepen or pent data o	ecks of cement. Levtively perof leched.) No. 3 well pad. Solug back, give data on pon subsurface locations a	rate.	MAY 26 1982 CON, COM. DIST. 3 productive and proposed new productive sured and true vertical depths. Give blowout			
A 54" hole cemented fr The Picture fractured. To be drill ABOVE SPACE DESCRIBE E. If proposal is to deventer program, if any	om T.D. to surid Cliffs sands (Additional) ed on Kimbell (PROPOSED PROGRAM: If irill or deepen directions	face with tone will informatio Dil Co. Wa proposal is to de	265 sabe sellon atta arren l eepen or pent data o	ecks of cement. Levtively perof leched.) No. 3 well pad. Solug back, give data on pon subsurface locations a	rate.	MAY 26 1982 CON, COM. DIST. 3 productive and proposed new productive sured and true vertical depths. Give blowout			
A 5½" hole cemented from The Picture fractured. To be drill ABOVE SPACE DESCRIBE E. If proposal is to deventer program, if any signed (This space for Feder	om T.D. to surid Cliffs sands (Additional) ed on Kimbell (PROPOSED PROGRAM: If irill or deepen directions	face with tone will informatio Dil Co. Wa proposal is to de	265 sabe sellon atta arren l eepen or pent data o	ecks of cement. levtively perofeched.) No. 3 well pad. Solug back, give data on pon subsurface locations a	rate.	MAY 26 1982 CON, COM. DIST. 3 productive and proposed new productive sured and true vertical depths. Give blowout			
A 5½" hole cemented from The Picture fractured. To be drill ABOVE SPACE DESCRIBE E. If proposal is to deventer program, if any signed (This space for Feder	om T.D. to surid Cliffs sands (Additional) ed on Kimbell (PROPOSED PROGRAM: If irill or deepen directions	face with tone will informatic Dil Co. Wa proposal is to de	265 sabe sellon atta arren l eepen or pent data o	ecks of cement. levtively perofeched.) No. 3 well pad. Solug back, give data on pon subsurface locations a	rate.	MAY 2.6 1982 CON. COM. DIST. 3 productive and proposed new productive sured and true vertical depths. Give blowout Supt. DATE 3-30-82			
A 5½" hole cemented from The Picture fractured. To be drill ABOVE SPACE DESCRIBE e. If proposal is to deventer program. If any (This space for Feder PERMIT NO.	PROPOSED PROGRAM: If irill or deepen directions	face with tone will informatic Dil Co. Wa proposal is to de	265 sabe sellon atta	ecks of cement. levtively perofeched.) No. 3 well pad. Solug back, give data on pon subsurface locations a	rate.	MAY 26 1982 CON, COM. DIST. 3 productive and proposed new productive sured and true vertical depths. Give blowout			
A 5½" hole cemented fr The Picture fractured. To be drill ABOVE SPACE DESCRIBE e. If proposal is to deventer program, if any SIGNED (This space for Feder PERMIT NO	PROPOSED PROGRAM: If irill or deepen directions	face with tone will informatic Dil Co. Wa proposal is to de	265 sabe sellon atta	ecks of cement. levtively perofeched.) No. 3 well pad. Solug back, give data on pon subsurface locations a	rate.	MAY 28 1982 CON, COM. DIST. 3 productive and proposed new productive sured and true vertical depths. Give blowout Supt. DATE 3-30-82 AS AMENDED			
A 54" hole cemented from The Picture fractured. To be drill ABOVE SPACE DESCRIBE TO be drill ABOVE SPACE DESCRIBE TO be drill (This space for Feder PERMIT NO. APPROVED BY	PROPOSED PROGRAM: If irill or deepen directions	face with tone will informatic Dil Co. Wa proposal is to de	265 sabe sellon atta	ecks of cement. levtively perofeched.) No. 3 well pad. Solug back, give data on pon subsurface locations a	rate.	MAY 2.6 1982 CON. COM. DIST. 3 productive and proposed new productive sured and true vertical depths. Give blowout Supt. DATE 3-30-82			
A 54" hole cemented fr The Picture fractured. To be drill ABOVE SPACE DESCRIBE Wenter program if any SIGNED (This space for Feder PERMIT NO. APPROVED BY	PROPOSED PROGRAM: If irill or deepen directions	face with tone will informatic Dil Co. Wa proposal is to de	265 sabe sellon atta	ecks of cement. levtively perofeched.) No. 3 well pad. Solug back, give data on pon subsurface locations a	rate.	MAY 28 1982 CON, COM. DIST. 3 productive and proposed new productive sured and true vertical depths. Give blowout Supt. DATE 3-30-82 AS AMENDED			
A 5½" hole cemented fr The Picture fractured. To be drill ABOVE SPACE DESCRIBE e. If proposal is to deventer program, if any SIGNED (This space for Feder PERMIT NO	PROPOSED PROGRAM: If irill or deepen directions	face with tone will informatic Dil Co. Wa proposal is to de	265 sabe sellon atta	checks of cement. levtively perofached.) No. 3 well pad. Solug back, give data on particular particular pad. A. Clement, F	rate.	MAY 28 1982 CON, COM. DIST. 3 productive and proposed new productive sured and true vertical depths. Give blowout Supt. DATE 3-30-82 AS AMENDED			



OIF COMPERANTION DIAISION

P. O. BOX 2088

SANTA FE, NEW MEXICO 87501

Form C-102 Kevised 10-1-78

STATE OF NEW MEXICO

ENERGY AND MINERALS DEPARTMENT

		All distances must be fr	om the cuter hou	enderire of th	he Section.							
Operator			Lease	-			Well No.					
KIMBELL OI	L COMPANY		WARREN	tede	ral		7					
Unit Letter	Section	Township	Range		County							
P	26	25N	6	w l	Rio	Arriba						
Actual Footage Loc	L	L		<u> </u>								
1020		outh line and	1080	fast	from the	East	line					
Ground Level Elev.	Producing For		Pool	1001	nom me		Dedicated Acreage:					
6686		RED CLIFFS		UTH BLAI	co ac.	•	160					
			<u> </u>				Acres					
1. Outline th	e acreage dedica	ted to the subject w	ell by colored	d pencil or	hachure	marks on the	plat below.					
2. If more than one lease is dedicated to the well, outline each and identify the ownership thereof (both as to working												
interest ar	nd royalty).						_					
	• •	•	_									
3. If more tha	an one lease of d	ifferent ownership is	dedicated to	the well, h	ave the i	nterests of	all owners been consoli-					
		initization, force-pool					•					
22002 5, -	,	, ,	U									
Yes	No If a	nswer is "yes," type	of consolidati	оп по	<u> </u>							
		, , , , , , , , , , , , , , , , , , , ,	· -									
If answer	is "no!" list the	owners and tract des	criptions which	h have act	tually bee	n consolida	ted. (Use reverse side of					
	f necessary.)											
		ed to the well until a	l interests he	ve heen co	onsolidate	ed (by comm	nunitization, unitization,					
							approved by the Commis-					
	ing, or otherwise,	tor mittra non-standa	d unit, emin	ating such	i interests	s, has been	approved by the Commis-					
sion.												
	1		1				CERTIFICATION					
	A P. W.				į							
l h	ALULA)		- !		ļ		nation above above to form making one					
A de	MAINER	1	ä l		ļ	1	ertify that the information con-					
1	(LUL)				Į	l .	in is true and complete to the					
	MAY 26 1982		!		ľ	best of my	knowledge and bellef.					
1	MATIC COM					_						
			·			Name	2 . 2					
L\	MAYIZO BOWN	∕── ┼├─ ─	TT [11/7]	=		10/3						
		1 1 11			- /	Position E	Coront					
			APR Life	30 J			. A. Clement					
	r r		461, 240); 1	2			rod. Supt.					
		l II S	GEOLOGICAL S	URVEY		Company	-37 043 0					
· ·	, Se		RMINGTON, N.		•	Date	ell Oil Company					
	ì					3-3	0-82					
	ł		1			<u> </u>						
	-											
	1		1									
		26	i				certify that the well-location					
			1				his plat was plotted from field					
	!	<u> </u>	1		ll l	1	ctual surveys made by me or					
			i			i -	upervision, and that the same					
	l'		i		11	is true an	d correct to the best of my					
1	1	 	i			knowledge	and belief.					
<u></u>	+		i -		#							
	İ			108	10 II							
	 1		i	φ		Date Surveye	d					
	·		: =	1 .		March 2	5. p. dr 982.					
	I		100			Registered P	plestopa Enoper					
İ	i i			il	11	and/or 14m8	Surveyor 2					
1	i	ľ	!	1		2/10	g william					
1 .	i t		ł			Fred E	Kerr Jr.					
<u> </u>						Certificate N	\					
				_1 ,		3950						
0 330 660	90 1320 1650 191	80 2310 2640 200	0 1500	1000 50	Q 0	7770 8	8. MERR.					