

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)


1. oil ☐ well gas ☒ well other ☐
2. NAME OF OPERATOR
Ladd Petroleum Corporation
3. ADDRESS OF OPERATOR
830 Denver Club Bldg. Denver, Colo. 80202
4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)
1700' FSL, 1580' FWL
AT SURFACE:
AT TOP PROD. INTERVAL:
AT TOTAL DEPTH:

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:

- TEST WATER SHUT-OFF ☐
FRACTURE TREAT ☐
SHOOT OR ACIDIZE ☐
REPAIR WELL ☐
PULL OR ALTER CASING ☐
MULTIPLE COMPLETE ☐
CHANGE ZONES ☐
ABANDON* ☐
(other) ☐

SUBSEQUENT REPORT OF:



Location of stage collars on 5 1/2" production casing. Revised cement program.

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

1st stage collar @ 5500'.

2nd stage collar @ 3000'

1st stage: 225 sxs 50/50 Poz (286 ft³) + 100 sxs Class "B" (115 ft³).
2nd stage: 200 sxs 65/35 Poz (254 ft³) + 50 sxs Class "B" (58 ft³).
3rd stage: 250 sxs 65/35 Poz (318 ft³) + 50 sxs Class "B" (58 ft³).

Cement top @ surface.



Subsurface Safety Valve: Manu. and Type _____ Set @ _____ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED [Signature] TITLE Drilling Engineer DATE 12/3/82

(This space for Federal or State office use)

APPROVED BY _____ TITLE _____ DATE _____
CONDITIONS OF APPROVAL, IF ANY:

APPROVED
AS AMENDED

*See Instructions on Reverse Side

DEC 3 1982
James F. Sims
DISTRICT ENGINEER

NMOCG